2026


SANNENG

BACK TO TECH ESSENTIALS

PROMOTER OF FOOD SAFETY BAKEWARE & UTENSILS FOR
CARBON REDUCTION AND ENVIRONMENTAL PROTECTION

CONTACT US WECHAT

2026 SANNENG PROFESSIONAL BAKEWARE





Vision

Be a leading bakeware brand in Asia by professional, service and liability.





ESG

Environmental
Social
Governance



Mission

Be a promoter of food safety utensils, environmental protection, energy saving and carbon reduction.



CONTENTS

015 SANNENG OUTDOOR

028 Coffee Series

030 Combi Oven Series

035 Baking Tray Series

061 Multi-link Tray Series

072 Trolley Series

079 Loaf Pan Series

093 Chocolate Series

094 Tart Ring

097 Mousse Ring Series

107 Utensils Series

113 Knives Series

129 Whisk & Mixing Bowl

131 Cake Stand

CONTENTS

135 Measuring Tools

140 Rewolving Cake Stand

142 Pastry Brush

145 Other Utensil

160 Rolling Pin

161 Oven Mitt

165 Pie & Pizza Pan

171 Big Cake Mould

179 Samll Cake Mould

189 Pastry Bags

193 Pastry Tips

BAKING INDUSTRY'S FAVORITE——

SMOOTHLY NON-STICK BAKEWARE



FDA Approved Products


To improve the baking effect and quality, after long time's developing, San Neng has been first to introduce Non-stick baking tray products to baking industry with feature of anti-stick, durability and hygiene, the baking tray products have been accepted and used by many customers. The non-stick coating has been essential coating for industrial baking products, because it has following advantages:

- Low friction – easy de-mould
- Non-infiltration – the coating surface do not adsorb oil or water
- Non-stick – the baking product will not be stick on baking tray
- Chemical resistance – resistant for salt, acid and alcohol
- High temperature resistance – maintaining good mechanical strength under high termperature

Use non-stick coating to decrease cost

- Can reduce or avoid to use de-pan oil
- Good shape and stable quality of product, lower defect rate of product
- Remove the black spot of carbon grease adhere to the bottom of the product
- Extend shelf life for products without de-pan oil
- Reduce the clean cycles for baking tray
- Reduce the clean cycles for production zone and maintain production line
- Longer life – more life cycles than other coating trays

To guarantee safety and hygiene , San Neng's product has been passed food hygiene inspection, which has been used widely for world customers.



Full Covered Loaf Pan **(Patent No: M396618 Taiwan)**

Four Corner Covered, No Hidden Dust.

-No dust will be hidden in four corners
-Special wire, will not cause transform
-Special process, enhance the construction
-High strengthen al. alloy, not easy transform



Bumps Cake Mould

(Patent No: M335145 Taiwan, Patent No: ZL200720042980.7 China)

Resolve the problem of cake mould stacking

-Bumps shape, easy to take and stack
-Small bumps, big function, saving time and energy
-Bumps will not cause cleaning problem



Flat Bar Baking Tray

(Patent No: M352331 Taiwan, Patent No: M353638, Taiwan)

Avoid overlap problem on the automatic production line

-Flat bar will enhance the flatness and strengthen of baking tray, it would not get transformation after using.
-Special coating process will make sure the surface coating will not damage after stacking
-Flat bar stacking will have sufficient strength to support the baking tray, and not easy to tilt
-Flat bar baking tray will not cause overlapping on the automatic production line.












Hydrophily test for Al. Alloy contact with 3 kinds of different surface coating

Surface coating	Anodized Coating	Hard Anodized Coating	P.T.F.E Coating
Hydrophily Photo			
Contact Angle /Hydrophily	50˚~72˚/~40%	65˚~80˚/50%	~105˚/~100%

Systematic Safeguarding, Your Trustworthy Choice — Our HACCP Food Safety Management System.

HACCP

What is HACCP?

Raw Materials | Storage | Production

Hazard Analysis and Critical Control Points
HACCP



HACCP System Certification

Infusing products with robust safety foundations has always been our unwavering pursuit. Since August 2025, we have systematically implemented the internationally recognized HACCP (Hazard Analysis and Critical Control Points) system across our entire production line. In December of the same year, we successfully obtained authoritative certification, covering the production of all qualified food-grade plastic tools (specific food-contact tools and components).

This is a preventive food safety control system.
Through scientific analysis of potential hazards across raw materials, production, and storage processes, we identify and manage critical control points—proactively preventing safety risks rather than relying solely on final inspection.

Choosing us means not only selecting a product but also embracing a scientifically verified, rigorously operated safety assurance system. We strive to transform intangible management into tangible peace of mind that you can trust.

Exceptional Product Safety Assurance

Every stage undergoes stringent risk assessment and monitoring, ensuring full-process safety control from raw materials to finished products.

Stable and Reliable Quality Output

Standardized procedures and critical-point monitoring ensure consistent product performance and unwavering quality.

Transparent and Traceable Production Chain

A comprehensive documentation system enables clear traceability from source to delivery, ensuring accountability and transparency.

Commitment to International Standards

Our certification demonstrates professional excellence in food safety, providing a more reliable basis for your decision.



Plastic products reduction

Coffee Environmental Friendly Journey

Back to nature. Creative imagination

Energy saving & environmental protection. Green SanNeng

SanNeng R&D department keep improving to protect the environment by using waste WPC (Wood Plastic Composite), shell powder, also coffee grounds in our products.








SANNENG OUTDOOR

TENT KNAPSACK CAMP PARTY

- Aluminum alloy material, Good thermal conductivity, uniform heat, fast heat conduction
- Open flame contact, Applicable to carbon furnace, gas furnace, etc
- Hard Anodized, Wear resistance, scratch resistance, corrosion resistance
- Easy storage design, Foldable handle for easy storage



15cm Aluminum Camping Frying Pan 0.8mm ALAlloy
106011 ø145x36mm



17cm Aluminum Camping Frying Pan 0.8mm ALAlloy
106012 ø170x45mm



19cm Aluminum Camping Frying Pan 0.8mm ALAlloy
106013 ø188x46mm



Aluminum Camping Pot-1100ml 0.8mm ALAlloy
106014 ø140x73mm



Aluminum Camping Pot-1700ml 0.8mm ALAlloy
106015 ø161x90mm



Aluminum Camping Pot-2700ml 0.8mm ALAlloy
106016 ø181x108mm

TENT KNAPSACK CAMP PARTY



106005

4-Piece Aluminum Camping Cook Set (Hard Anodized)

=



106013

19cm Aluminum Camping Frying Pan

+



106014

Aluminum Camping Pot-1100ml



106015

Aluminum Camping Pot-1700ml

+



106016

Aluminum Camping Pot-2700ml

4-Piece Aluminum Camping Cook Set (Hard Anodized)	0.8mm Al.Alloy
106005	4 Pcs/Set



106007

2-Piece Aluminum Camping Cook Set (Hard Anodized)

=



106011

15cm Aluminum Camping Frying Pan

+



106014

Aluminum Camping Pot-1100ml

2-Piece Aluminum Camping Cook Set (Hard Anodized)	0.8mm Al.Alloy
106007	2 Pcs/Set

- Al. Alloy material,high strength,durable and not easily deformed
- Hard Anodized,the surface is easy to clean,wear resistance, scratch resistance and corrosion resistance
- Edge curling design,smooth without burr,round does not hurt hands
- Stacking storage,easy to carry,light weight, stackable



105016 3-Piece Aluminum Plates Set (Hard Anodized)

1.0mm Al.Alloy ø178x152x17/ø203x178x17/ø229x203x18mm

TENT KNAPSACK CAMP PARTY

- Pure titanium material, light weight, high strength, suitable for mountain climbing, long-distance travel
- Spot welding process,use spot welding process,more stable
- Edge curling design,smooth without burr,round does not hurt hands



NEW

Light

Titanium Folding Sierra Bowl		Titanium
105003	350ml	ø127x46mm
105004	450ml	ø136x50mm



NEW

Al.Alloy Sierra Cup-36ml	0.6mm Al.Alloy
105035	ø58x30mm



Light

Titanium Sierra Cup Bowl		Titanium
105001	300ml	ø128x45mm
105002	450ml	ø140x50mm



Light

Titanium Sierra Cup Bowl		Titanium
105005	350ml	ø115x50mm
105006	520ml	ø130x55mm



Light

Titanium

Titanium Sierra Cup Bowl (Titanium Coating-Black)		
105007	350ml	ø115x50mm
105008	520ml	ø130x55mm



Light

Titanium Dinner Plate		Titanium
105011	16cm	ø166x26mm
105012	18cm	ø185x29mm
105013	20cm	ø205x31mm

TENT KNAPSACK CAMP PARTY

- Pure titanium material, light weight, high strength, suitable for mountain climbing, long-distance travel
- Folding handle, for easy storage, suitable for outdoor use
- Integrated molding, easy to clean, not easy to hide dirt



Titanium Single-Wall Cup (with lid)		Titanium
404001	300ml	ø71x80mm
404002	450ml	ø81x90mm
404003	600ml	ø89x100mm



Titanium Double-Wall Cup		Titanium
404004	300ml	ø76x84mm
404005	450ml	ø89x95mm



1000ml+500ml

2-Piece Titanium pot and Pan Cook Set

106003 Titanium Pot:117x105/Lid:117x50mm



1100ml+350ml

2-Piece Titanium pot and Pan Cook Set

106002 Titanium Pot:117x110/Lid:124x42mm



1000ml+650ml

2-Piece Titanium pot and Pan Cook Set

106001 Titanium Pot:140x70/Lid:150x38mm

- One scoop three ways to use, easy to travel



Titanium 3-in-1 Cutlery Set (Knife Fork and Spoon)

105023 Titanium Total Length 183mm

TENT KNAPSACK CAMP PARTY

- Three tableware combinations , meet different needs



3-Piece Titanium Cutlery Set Titanium

105021 Knife:187mm Fork:168mm Spoon:169mm



3-Piece Titanium Cutlery Set Titanium

105022 Knife:131mm Fork:129mm Spoon:129mm

- Non-slip design , easy clamping




Titanium Square Chopsticks Titanium

105031 19cm Total Length 195mm

105032 23cm Total Length 230mm

- Diamond plaid design, clamp firmly



Titanium Barbecue Tong Titanium

105026 Total Length 252mm



NEW

Titanium Folding Knife Titanium

105017 Total Length 182mm



NEW

Titanium Folding Fork Titanium

105018 Total Length 170mm

TENT KNAPSACK CAMP PARTY



NEW

Titanium Folding Spoon	Titanium
105019	Total Length 172mm



NEW

Titanium Folding Spork	Titanium
105020	Total Length 172mm



NEW

Titanium Folding Fork and Spoon	Titanium
105024	Total Length 184mm



NEW

Titanium Rice Spoon	Titanium
105025	Total Length 197mm



NEW

Titanium Soup Spoon	Titanium
105027	Total Length 205mm



NEW

Titanium Strainer Spoon	Titanium
105028	Total Length 205mm

TENT KNAPSACK CAMP PARTY



NEW

Titanium Kettle - 800ml	Titanium
106020	ø145x61mm



NEW

Titanium Cutting Board	Titanium
107001	360x250x2mm



NEW

Outdoor Storage Bag		Nylon
302002	khaki	230x180mm
302003	Green	230x180mm
302004	Azure Blue	230x180mm
302005	Navy Blue	230x180mm

· Food grade silicone, No odor, food contact to be more secure
· Hanging hole design, Easy to store, suitable for outdoor use
· Integrated forming, Easy to clean, not easy to hide dirt

· Micro arc shovel surface, fit well and will not hurt the pot



Silicone Spatula	Silicone
106008	Total Length 327mm

· Anti-slip chuck, anti-dirty fulcrum design



Silicone Tongs	Silicone
106009	Total Length 290mm

TENT KNAPSACK CAMP PARTY



Multi-functional Scissors 420 S/S
106010 Length 235mm



Cut bones Scale fish Peel fruit Remove potato eyes Bottle opener

· 420 stainless steel
Sharp and durable, corrosion resistant
· polydentition
It can cut meat and vegetables, clip nuts and open bottle caps
· Quick disassembly without screws
Rotary detachable, easy to clean
· Magnetic absorption sheath
Random adsorption, easy to use



2-Piece Chopping Board and Knife Set Bamboo+S/S
106017 2 Pcs/Set



· Bamboo cutting board
No paint, no wax, safe to use
· The cutting board folds
Hinge 180° flip, easy to fold and convenient storage
· Molybdenum-vanadium steel
High strength, corrosion resistance is not easy to rust
· Sharp blade
The cutting is smooth and effortless

TENT KNAPSACK CAMP PARTY

· A variety of lighting modes for a comfortable camping experience
· Built-in 5000 mah battery, 6 hours of charging time, 6-24 hours of battery life



Vintage LED Camping Lamp-Black
003005 ABS+Iron ø108x170mm



Vintage LED Camping Lamp-Gray
003006 ABS+Iron ø108x170mm

· Free installation, and the aluminum alloy seat bracket is easy to fold, store and expand
· Solid wooden handrails increase comfort
· Aluminum alloy seat bracket is with great durability, excellent mechanical properties and good supporting performance
· Oxford fabric is waterproof and breathable
· Bearing capacity 200kg



Storage bag on the back



Luxury Low Beach Chair-Gray 580x650x690mm
202001 AL.Alloy + TeakWood + Oxford Cloth



Luxury Low Beach Chair-Black 580x650x690mm
202002 AL.Alloy + TeakWood + Oxford Cloth

TENT KNAPSACK CAMP PARTY

- The bracket is used for easily folding and unfolding. Smaller size after folding and easy to carry
- Excellent mechanical properties and better support performance
- Oxford cloth material, waterproof and breathable
- Load-bearing 150KGS

Carbon fiber material, lighter weight but stronger



Net weight : 0.82kg



Selfcontainning design from the side

Al. Alloy material, sturdy and durable



Net weight : 1.2kg

Portable Folding Carbon Fiber Moon Chair-Black	
202005	560x570x640mm
	Carbon Fiber + CORDURA Nylon Cloth

Portable Folding Aluminum Moon Chair-Black	
202006	560x570x640mm
	Al.Alloy + Oxford Cloth

- Al. Alloy desk, anti-aging and anti-corrosion, sturdy and stable, can withstand outdoor stains
- Table surface is foldable for easy storage
- IGT modular design, table surface can be randomly combined and stretched
- Load-bearing 30KGS






IGT modular design
Randomly combine and do as your wish

Aluminum IGT Folding Table	Al.Alloy
201001	820x430x400mm







Aluminum Table Plate-1 Unit for IGT	Al.Alloy
001002	363x276x12mm

Aluminum Multi-functional table top extension-1 Unit for IGT		
001001	Al.Alloy	438x335x46mm

TENT KNAPSACK CAMP PARTY

- Using PP material, low density, light weight
- Foldable design, space saving, convenient storage
- Can be used as a desktop
- Large capacity storage, can be used in multiple scenarios



PP plastic + Plywood 22L Foldable Storage Box with Wooden Lid (Black)	
301001	420x285x235mm



PP plastic + Plywood 4L Foldable Storage Box with Wooden Lid (Black)	
301002	525x355x290mm

Multi-way open cover, more convenient to pick up



PP plastic + Plywood 40L Foldable Storage Box with Side-Open door (Army Green)	
301007	490x350x290mm

Multi-way open cover, more convenient to pick up



PP plastic + Plywood 50L Foldable Storage Box with Side-Open door (Black)	
301008	525x360x340mm



Three layers of large space camping please pack, can be more items
Large open window design, more convenient to take freedom
The upper layer is insect-proof, and the lower layer is drained and stored
Fine mesh, wear resistance and tear resistance;
Two-way zipper, flexible storage
Hanging design, folding storage, light and portable



3-Layer Camping Storage Net	
302001	ø400x850mm
	Polyester Mesh + Galvanized Iron



White Warm Coffee Cup - 300ml (Cat) Ceramic
0771-010-09 ø94x84mm



Color-chaning process of warm coffee cup

White Warm Coffee Cup - 300ml (Lucky Cat) Ceramic
0771-010-43 ø94x84mm



White Warm Coffee Cup - 300ml (Lucky Cat) Ceramic
0771-010-44 ø94x84mm



White Warm Coffee Cup - 300ml (Lucky Cat) Ceramic
0771-010-45 ø94x84mm



White Warm Coffee Cup - 300ml (Lucky Cat) Ceramic
0771-010-47 ø94x84mm



White Warm Coffee Cup - Lid Ceramic
0771-023-01 ø94x9mm

Commercial Desktop Crisp Machine

Using scenario of crisp machine



Commercial Desktop Crisp Machine-Red S/S + Iron + PU
CR-MB-300-001 1200x600x500mm



Commercial Desktop Crisp Machine-Yellow S/S + Iron + PU
CR-MB-300-002 1200x600x500mm



Commercial Desktop Crisp Machine-White S/S + Iron + PU
CR-MB-300-003 1200x600x500mm



Commercial Desktop Crisp Machine-Black S/S + Iron + PU
CR-MB-300-004 1200x600x500mm



Speed Controller Plastic + Metal
CR-MB-300-03 140x100x60mm



Conveyer Belt PU
CR-MB-300-34 530x290mm



Upper Scraper Al.Alloy + PP
CR-MB-300-63 300x38x36mm



Lower Scraper Al.Alloy + PP
CR-MB-300-71 300x47x18mm



Lower Scraper Spring 304 S/S
CR-MB-300-75 1.2x63mm



Buckle 304 S/S
CR-MB-300-76 2x26mm



NEW

Fan-Shaped Tapered Coffee Filter Papers (50 Pcs/Set)		Paper
SNP10002	Primary Color/Small	125x70x50mm
SNP10003	Primary Color/Middle	165x90x50mm
SNP10018	White Color/Small	125x70x50mm
SNP10019	White Color/Middle	165x90x50mm



NEW

Tapered Coffee Filter Papers (50 Pcs/Set)		Paper
SNP10000	Primary Color/Small	145x100mm
SNP10001	Primary Color/Middle	160x115mm
SNP10016	White Color/Small	145x100mm
SNP10017	White Color/Middle	160x115mm



NEW

Cupcake-Shape Tapered Coffee Filter Papers (50 Pcs/Set)		Paper
SNP10004	Primary Color/Small	100x45x50mm
SNP10005	Primary Color/Middle	115x45x65mm
SNP10020	White Color/Small	100x45x50mm
SNP10021	White Color/Middle	115x45x65mm



NEW

Electronic Thermometer	304 S/S + ABS Plastic
SNP10100	-20~120℃



NEW

Coffee Scoop(8g)	304 S/S
SNP10006	Total Length 160mm



NEW

Long Stirring Spoon	304 S/S
SNP10009	Total Length 170mm



NEW

Tapered Coffee Filter Cup		Ceramic
SNP11000	Small	ø103x80mm
SNP11011	Middle	ø122x93mm



NEW

Fan-Shaped Coffee Filter Cup		Ceramic
SNP11001	Small	ø100x71mm
SNP11012	Middle	ø113x88mm



NEW

Manual Coffee Grinder(Black)		Al.Alloy + 420 S/S
SNP11008	5 Star Conical	ø50x156mm
SNP11009	7 Star Conical	ø55x183mm
SNP11010	8 Star Conical	ø62x199mm



NEW

Coffee Filter Cup Set (2Pcs/Set)	Ceramic + Paper
SNP11100	2 Pcs/Set



NEW

Coffee Sharing Pot	Glass
SNP11004	126x101x98mm



NEW

Latte Art Coffee Cup-450ml	304 S/S
SNP11002	89x85x103mm



NEW

Filter Cup Holder	3.0mm Al.Alloy
SNP10008	113x135x164mm



NEW

Coffee electronic scale	ABS plastic
SNP10101	150x130x23mm



NEW

Coffee Grinder Cleaning Brush	PBT Plastic+Walnut
SNP10022	Total Length 138mm



NEW

Coffee GrinderCleaning Brush	Wood+pig Bristle
SNP10010	Total Length 160mm



NEW

Coffee Hand Pot		304 S/S + Walnut Wood
SNP11005	for 2 Persons-350ml	64x86x98mm
SNP11006	for 4 Persons-600ml	75x103x118mm




NEW

Coffee Hand Pot		304 S/S + Walnut Wood
SNP11007	for 4 Persons-700ml	85x94x128mm

Combi Oven Series

Licensed Industrial Applicator



Half Sphere Mould-15 Indents (Non-stick Series 1000)

SNP20029	1.5mm Al.Alloy	530x325x24mm



Hamburger Bun Pan-8 Indents (Non-stick Series 1000)

SNP20030	2.0mm Al.Alloy	530x325x18mm



1/1GN Al.Alloy Perforated Sheet Pan (Non-stick Series 1000)

SNP20017	1.5mm Al.Alloy	530x325x12mm



1/1GN Al.Alloy Sheet Pan (Non-stick Series 1000)

SNP20023	1.5mm Al.Alloy	530x325x12mm



NEW

Stainless Steel Roasted Pigeon Rack (Electrolysis)

SNP20032	304 S/S	530x325x22mm



NEW

Stainless Steel Hook (Electrolysis)

SNP20033	304 S/S	ø3.4x250mm




Stainless Steel Cooling Rack (Electrolysis)

SNP20011	304 S/S	530x325x8mm




Stainless Steel Air Fryer Tray (Electrolysis)

SNP20012	304 S/S	530x325x45mm



Stainless Steel Roasted Chicken Rack (Electrolysis)

SNP20013	6 Holder	304 S/S	530x325x152mm
SNP20014	8 Holder	304 S/S	530x325x152mm



Universal Pan Enamel (Gray)

SNP20015	1 Pcs/Set	530x325x20mm
SNP200155	5 Pcs/Set	530x325x20mm
SNP20016	1 Pcs/Set	530x325x40mm
SNP200165	5 Pcs/Set	530x325x40mm
		1.2mm Vitreous Enamel Steel

ESG

Pushers of safety, environmental protection, energy saving and carbon reduction of food appliances.

The expansion of corporate social responsibility is originally the concept that enterprises should contribute more to society in addition to making profits.
In response to climate change, governments have implemented a series of relevant regulations and regulations, which bring risks to the business activities and business models of enterprises, The enterprises are to reduce the risk of climate change by reducing carbon emissions, improving energy efficiency, adopting renewable energy and other ways, while contributing to the environment.
In China, the concept of corporate social responsibility has been added, followed by environmental and corporate governance, which has been transformed into the latest ESG concept.

What ESG does SANNENG do?

Environment

Set up ESG project committee/ develop plastic reduction products/ develop energy saving products/ promote recoating business

Social



Sewage treatment



Solar power generation





Climate Action
Pick up trash during mountain climbing



Environmental management system certificate



Quality management certificate



Occupational health and safety management system certificate



Energy management certificate



Greenhouse verification statement


Governance

Public company should follow the regulations

What ESG will SANNENG do in the future?



SANNENG will make ESG points for your company



Bevel baking pan series products
card design / strip design /
single bevel edge design



Plastic & Wood series products
plastic reduction process /
brush head thick / food grade



Non-stick Series 1500 products
Surface non-stick treatment /
half round craft / Aluminum Alloy material



Low sugar loaf pan series products
Unibody /good water retention/ R Angle clear



Al.Alloy Corrugated Sheet Pan

These kind of baking trays are made by the latest technology and process for baking industry (Patent No M324477 Taiwan, Patent No: ZL200620075116.2 China)

Durable: Corrugated process enforced the strength of the material, make the tray more durable and not easily deformed, extend 1/3 of life cycle than plain tray.

Easy De-mould: Increase corrugated waving, reduce the contact size between bread and baking tray, make de-mould much easier.

Cost Saving: Corrugated process increase the air convection, shorten baking time, reduce water loss, improve the product quality.


Patent No.ZL200620075116.2




Al.Alloy Corrugated Sheet Pan		1.2mm Al.Alloy
SN1313	Anodized	400x300x12mm



Al.Alloy Corrugated Sheet Pan		1.2mm Al.Alloy
SN1314	Non-stick Series 1000	400x300x12mm




Al.Alloy Corrugated Sheet Pan		1.5mm Al.Alloy
SN1332	Non-stick Series 1000	600x400x20mm



		1.5mm Al.Alloy
Al.Alloy Corrugated Sheet Pan-Round Corner		
SN1337	Non-stick Series 1000	600x400x20mm



Al.Alloy Corrugated Sheet Pan 1.2mm Al.Alloy
SN1317 Non-stick Series 1000 600x400x25mm




Alusteel Corrugated Sheet Pan 0.7mm Alusteel
SN1272 Non-stick Series 1000 600x400x30mm
SN1274 Non-stick Series 1000 600x400x50mm



Al.Alloy Corrugated Sheet Pan-Round Corner Anodized
SN1336 1.5mm Al.Alloy 600x400x20mm



Al.Alloy Corrugated Sheet Pan Anodized
SN1316 1.2mm Al.Alloy 600x400x25mm



Al.Alloy Corrugated Sheet Pan(Non-stick Series 1000)
SN1318 1.2mm Al.Alloy 600x400x20mm
SN1322 1.5mm Al.Alloy 660x460x30mm



Al.Alloy Corrugated Sheet Pan 1.2mm Al.Alloy
SN1356 Non-stick Series 2000 600x400x25mm

Al.Alloy Sheet Pan

Feature for Anodized coating
Anodized – Hygiene, non-toxic, long life cycle
Health – Match with food safety grade

Feature for Al. Alloy
Light material: 1/3 of steel weight proportion, more lightweight
Fast Heat-conduction: Shorten baking time and save cost.



NEW

Al.Alloy Sheet Pan (Non-stick Series 1000)
SN1161 1.5mm铝合金 280x220x30mm



NEW

Al.Alloy Sheet Pan (Non-stick Series 1000)
SN1163 1.5mm铝合金 400x300x20mm




Al.Alloy Sheet Pan (Anodized)
SN1205 1.2mm Al.Alloy 365x265x50mm



Al.Alloy Sheet Pan (Non-stick Series 1500)
SN1048 1.5mm Al.Alloy 600x400x12mm




Al.Alloy Sheet Pan-Round Corner (Anodized)
SN1049 1.5mm Al.Alloy 600x400x20mm



Al.Alloy Sheet Pan-Round Corner (Non-stick Series 1500)
SN1050 1.5mm Al.Alloy 600x400x20mm



Al.Alloy Sheet Pan (Anodized)
SN1071 1.5mm Al.Alloy 600x400x20mm



Al.Alloy Sheet Pan (Non-stick Series 1500)
SN1072 1.5mm Al.Alloy 600x400x20mm



Al.Alloy Sheet Pan (Anodized) 1.5mm Al.Alloy

SN1062		660x460x30mm




Al.Alloy Sheet Pan (Anodized)

SN1527	1.2mm Al.Alloy	600x400x25mm
SN1532	1.0mm Al.Alloy	600x400x25mm



Al.Alloy Sheet Pan-Round Corner (Non-stick Series 3000)

SN1543	1.5mm Al.Alloy	600x400x20mm




Al.Alloy Sheet Pan (Non-stick Series 2000)

SN1355	1.2mm Al.Alloy	600x400x25mm



Al.Alloy Sheet Pan

SN1510	1.2mm Al.Alloy	600x400x50mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1076	1.2mm Al.Alloy	600x400x20mm
SN1533	1.0mm Al.Alloy	600x400x25mm

Al.Alloy Sheet Pan (Non-stick Series 1500)

SN1528	1.2mm Al.Alloy	600x400x25mm


Al.Alloy Sheet Pan (Non-stick Series 3000)

SN1541	1.2mm Al.Alloy	600x400x25mm



Al.Alloy Sheet Pan (Anodized)

SN1101	1.5mm Al.Alloy	448x348x20mm



Al.Alloy Sheet Pan (Non-stick Series 3000)

SN1542	1.5mm Al.Alloy	600x400x20mm




Al.Alloy Sheet Pan (Anodized)

SN1061	1.2mm Al.Alloy	660x460x30mm
SN1075	1.2mm Al.Alloy	600x400x20mm




Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1063	1.5mm Al.Alloy	660x460x30mm



Al.Alloy Sheet Pan-Round Corner (Non-stick Series 2000)

SN1051	1.5mm Al.Alloy	600x400x20mm




Al.Alloy Sheet Pan (Non-stick Series 2000)

SN1070	1.5mm Al.Alloy	600x400x20mm



Solidity Al.Alloy Sheet-Round Corner(Non-stick Series 1000)

SN1174	1.5mm Al.Alloy	600x400x20mm



Solidity Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1172	1.5mm Al.Alloy	600x400x20mm



Al.Alloy Sheet Pan (Anodized)

SN1121	1.5mm Al.Alloy	445x330x20mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1122	1.5mm Al.Alloy	445x330x20mm



Al.Alloy Sheet Pan (Hard Anodized)

SN1046	2.0mm Al.Alloy	600x400x4mm



Al.Alloy Sheet Pan (Anodized)

SN1107	1.5mm Al.Alloy	500x350x15mm



Al.Alloy Sheet Pan (Anodized)

SN1125	1.2mm Al.Alloy	450x350x25mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1126	1.2mm Al.Alloy	450x350x25mm



Al.Alloy Sheet Pan (Anodized)

SN1106	1.5mm Al.Alloy	450x350x55mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1102	1.5mm Al.Alloy	448x348x20mm
SN1208	1.5mm Al.Alloy	395x325x20mm
SN1116	1.2mm Al.Alloy	365x265x18mm




Al.Alloy Sheet Pan (Anodized)

SN1201	1.2mm Al.Alloy	365x265x30mm




Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1202	1.2mm Al.Alloy	365x265x30mm
SN1206	1.2mm Al.Alloy	365x265x50mm




Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1100	1.5mm Al.Alloy	420x340x35mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1209	1.5mm Al.Alloy	395x325x35mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1117	1.5mm Al.Alloy	350x250x30mm
SN1118	1.5mm Al.Alloy	445x330x35mm



Al.Alloy Sheet Pan (Anodized)

SN1114	1.2mm Al.Alloy	365x265x18mm



Al.Alloy Sheet Pan (Anodized)

SN1108	1.5mm Al.Alloy	350x250x15mm




Al.Alloy Square Sheet Pan (Non-stick Series 1000)

SN1312	1.5mm Al.Alloy	280x280x30mm
SN13123	1.5mm Al.Alloy	280x280x30mm




Square pan (Non-stick Series 1000)

SN1160	1.5mm Al.Alloy	280x280x15mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1124	1.5mm Al.Alloy	280x245x30mm




Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1128	1.5mm Al.Alloy	205x205x50mm




Al.Alloy Perforated Sheet Pan-Flat Bar (Anodized)

SN1093	1.2mm Al.Alloy	600x400x20mm



Honey Cake Pan (Anodized)

SN1405	Al.Alloy + Wood	680x580x80mm



Al.Alloy Sheet Pan (Anodized)

SN1123	1.5mm Al.Alloy	280x245x30mm




Al.Alloy Sheet Pan (Anodized)

SN1127	1.5mm Al.Alloy	205x205x50mm



Al.Alloy Perforated Sheet Pan (Anodized)

SN1073	1.2mm Al.Alloy	600x400x20mm
SN1064	1.5mm Al.Alloy	660x460x25mm



Al.Alloy Perforated Cooling Tray (Hard Anodized)

SN1565	2.0mm Al.Alloy	600x400x4mm



Al.Alloy Cooling Tray (Anodized)

SN1563	1.5mm Al.Alloy	675x435mm
SN1562	1.5mm Al.Alloy	660x460mm
SN1564	1.5mm Al.Alloy	600x400mm



Al.Alloy Perforated Sheet Pan (Non-stick Series 1000)

SN1526	1.2mm Al.Alloy	600x400x25mm
SN1530	1.0mm Al.Alloy	600x400x25mm




Al.Alloy Perforated Sheet Pan (Anodized)

SN1525	1.2mm Al.Alloy	600x400x25mm
SN1534	1.0mm Al.Alloy	600x400x25mm



Puff Pastry Baking Tray

SN1216	1.2mm Al.Alloy	Anodized 400x300x19mm



Al.Alloy Sheet Pan (Non-stick Series 1000)

SN1157	1.2mm Al.Alloy	460x330x11mm

Stainless Steel Sheet Pan




Stainless Steel Perforated Sheet Pan

SN1348	0.7mm 304 S/S	600x400x30mm




Stainless Steel Sheet Pan

SN1340	0.7mm 304 S/S	600x400x30mm



Stainless Steel Sheet Pan

SN1341	1.0mm 304 S/S	500x350x15mm
SN1342	1.0mm 304 S/S	350x250x15mm



Stainless Steel Perforated Sheet Pan (Electrolysis)

SN1346	0.7mm 304 S/S	600x400x20mm
SN1347	0.7mm 304 S/S	450x350x20mm




Stainless Steel Perforated Sheet Pan (Electrolysis)

SN1548	1.0mm 304 S/S	600x400x32mm
SN1549	1.0mm 304 S/S	465x330x32mm

Alusteel Sheet Pan

Feature for Alusteel Non-stick Baking Tray

The combination between Non-stick and Alusteel sheet generate multiple benefits, food grade non-stick teflon coated products will save oil and time, improve the baking color, better appearance, reduce unqualified ratio and cleaning cost. Alusteel is 3 times more durable than normal al. alloy sheet, anti-rust and non-toxic, teflon coating is not easy to peel off.





Alusteel Sheet Pan

SN1155	0.7mm Alusteel	450x350x25mm



Alusteel Sheet Pan (Non-stick Series 1000)

SN1156	0.7mm Alusteel	450x350x25mm



Alusteel Sheet Pan (Non-stick Series 1000)

SN1536	0.6mm Alusteel	600x400x30mm
SN1538	0.6mm Alusteel	600x400x50mm



Alusteel Sheet Pan

SN1535	0.6mm Alusteel	600x400x30mm
SN1537	0.6mm Alusteel	600x400x50mm



Alusteel Sheet Pan

SN1077	0.7mm Alusteel	600x400x30mm
SN1079	0.7mm Alusteel	600x400x50mm




Alusteel Sheet Pan (Non-stick Series 1000)

SN1104	0.7mm Alusteel	530x380x32mm

Alusteel Sheet Pan (Non-stick Series 1500)

SN1078	0.7mm Alusteel	600x400x30mm
SN1080	0.7mm Alusteel	600x400x50mm



Alusteel Corrugated Sheet Pan (Non-stick Series 1000)

SN1285	0.7mm Alusteel	720x400x30mm

Sheet Pan-Flat Bar



Avoid overlap problem on the automatic production line

-Flat bar will enhance the flatness and strengthen the baking tray it would not easily deformed after used.
-Special coating process will make sure the surface coating will not damage after stacking.
-Flat bar stacking will have sufficient strength to support the baking tray, and not easy to tilt.
-Flat bar baking tray will not cause overlapping problem on the automatic production line.



Alusteel Sheet Pan-Flat Bar

SN1081	0.7mm Alusteel	600x400x30mm
SN1084	0.7mm Alusteel	600x400x20mm
SN1087	0.7mm Alusteel	600x400x50mm
SN1096	0.7mm Alusteel	600x400x25mm

Al.Alloy Sheet Pan-Flat Bar(Anodized)

SN1091	1.2mm Al.Alloy	600x400x20mm




Alusteel Sheet Pan-Flat Bar (Non-stick Series 1000)

SN1082	0.7mm Alusteel	600x400x30mm
SN1088	0.7mm Alusteel	600x400x50mm
SN1097	0.7mm Alusteel	600x400x25mm

Alusteel Sheet Pan-Flat Bar (Non-stick Series 1500)

SN1085	0.7mm Alusteel	600x400x20mm



Al.Alloy Sheet Pan-Flat Bar 1.2mm Al.Alloy

SN1351	Non-stick Series 2000	600x400x20mm
SN1092	Non-stick Series 1500	600x400x20mm




Alusteel Sheet Pan-Flat Bar (Non-stick Series 2000)

SN1359	0.7mm Alusteel	600x400x30mm

Baking Tray Series




Baguette Tray



5 Rows Baguette Tray (Non-stick Series 1000)

SN1595	Al.Alloy	600x400x33mm
SN1593	Al.Alloy	660x460x33mm



4 Rows Baguette Tray (Non-stick Series 1000)

SN1594	Al.Alloy	600x400x33mm
SN1596	Al.Alloy	600x400x33mm




4 Rows Baguette Tray (Non-stick Series 1000)

SN1586	Al.Alloy	600x400x39mm




5 Rows Baguette Tray (Non-stick Series 1000)

SN1587	Al.Alloy	600x400x39mm




3 Rows Baguette Tray (Non-stick Series 1000)

SN1591	Al.Alloy	365x265x33mm



3 Rows Baguette Tray (Non-stick Series 1000)


SN1597	Al.Alloy	365x265x32mm



4 Rows Baguette Tray (Non-stick Series 1000)


SN1583	Al.Alloy	600x400x33mm






5 Rows Baguette Tray (Non-stick Series 1000)

SN1598	Al.Alloy	600x400x32mm




6 Rows Baguette Tray (Non-stick Series 1000)

SN1592	Al.Alloy	660x460x33mm



4" Hamburger Bun Pan-Flat Bar (Non-stick Series 1000)


SN1620	15 Indents (Curved Base)	0.8mm Alusteel	
	600x400x40mm	ø102x94x15mm	



4" Hamburger Bun Pan (Non-stick Series 1000)


SN1617	12 Indents (Flat Base)	0.8mm Alusteel	
	600x400x40mm	ø107x95x15mm	

Hamburger Bun Pan



2.8" Hamburger Bun Pan(Non-stick Series 1000)

SN1612	24 Indents (Flat Base)	
600x400x38mm	0.8mm Alusteel	ø70x65x12.5mm



3.5" Hamburger Bun Pan (Non-stick Series 1000)

SN1613	15 Indents (Curved Base)	
600x400x40mm	0.8mm Alusteel	ø93x84x15mm




4" Hamburger Bun Pan(Non-stick Series 1000)

SN1616	15 Indents (Flat Base)	0.8mm Alusteel	
	600x400x40mm	ø108x89x15mm	



Hamburger Bun Pan (Non-stick Series 1000)

SN1624	15 Indents	0.7mm Alusteel	
		675x435x50mm	



4" Hamburger Bun Pan (Non-stick Series 1000)

SN1615	15 Indents (Curved Base)	
600x400x40mm	0.8mm Alusteel	ø102x94x15mm



4" Hamburger Bun Pan (Non-stick Series 1000)

SN1618	15 Indents (Curved Base)	
600x400x40mm	0.8mm Alusteel	ø107x93x15mm



4" Hamburger Bun Pan (Non-stick Series 1000)

SN1626	15 Indents (Flat Base)	0.7mm Alusteel	
		675x435x40mm	



4" Hamburger Bun Pan (Non-stick Series 1000)

SN1625	15 Indents (Flat Base)	0.7mm Alusteel	
		675x435x37mm	

Bun Pan



Hot Dog Bun Pan (Non-stick Series 1000)-8 Indents

SN1640	0.8mm Alusteel	600x400x40mm






Hot Dog Bun Pan (Non-stick Series 1000)-14 Indents

SN1641	0.7mm Alusteel	675x435x40mm




Rectangular Bun Pan (Non-stick Series 1000)-12 Indents

SN1651	0.8mm Alusteel	600x400x48mm



Hot Dog Bun Pan (Non-stick Series 1000)-12 Indents

SN1643	0.8mm Alusteel	600x400x40mm



Hot Dog Bun Pan (Non-stick Series 1000)-15 Indents


SN1644	0.8mm Alusteel	600x400x40mm

Cooling Rack

Feature: made by 304 S/S with electrode process, remove the oil and dust and make the surface bright. Coated with one layer of protection, avoid pollution to make sure food safety, easy to use and clean.



Cooling Rack (Black)	Carbon Steel
SN1511	400x300x30mm
SN1512	600x400x30mm



Cooling Rack (Black)	Carbon Steel
SN1552	400x300x20mm
SN1553	600x400x20mm




Stainless Steel Cooling Rack (Electrolysis)

SN1560	304 S/S	420x345x6mm
SN1566	304 S/S	395x305x6mm
SN1573	304 S/S	720x460x8mm
SN1575	304 S/S	600x400x8mm



Stainless Steel Cooling Rack (Electrolysis)

SN1551	304 S/S	470x330x16mm



Stainless Steel U-shaped Cooling Rack (Electrolysis)

SN1554	304 S/S	600x400x22mm



Stainless Steel Cooling Rack (Electrolysis)

SN1559	304 S/S	600x400x8mm



Stainless Steel Cooling Rack (Electrolysis)

SN1555	304 S/S	600x400x8mm



Stainless Steel Cooling Rack (Electrolysis)

SN1569	304 S/S	600x400x20mm




Stainless Steel Cooling Rack (Electrolysis)

SN1576	304 S/S	470x370x20mm
SN1577	304 S/S	375x265x20mm
SN1579	304 S/S	395x325x20mm



Stainless Steel Wire Grill (Electrolysis)

SN1550	304 S/S	550x450x8mm



Stainless Steel Cooling Rack (Electrolysis)

SN1570	304 S/S	600x400x25mm



Stainless Steel Cooling Basket (Electrolysis)

SN1580	304 S/S	600x400x55mm


Fiber Glass Sheet

Good performance, fiber glass sheet won't be deformed, can always keep its flexibility. Special character of non-stick, make the cleanup easily and fast, applied to bake cakes, bread,chicken,fish,pork,egg and etc.



Round Silicone Baking Mat with Measurements for Revolving Cake Stand

SN0403	SILICONE	ø290mm



Silicone Mesh Mat — SILICONE

SN0483	570x370mm




Silicone Steamed Mat

SN0495	Silicone	570x370mm




Airtight Silicone Baking Mat — Silicone

SN0476	S	400x300mm
SN0477	L	570x370mm



Silicone Mesh Mat

SN0480	Silicone	270x270mm
SN0481	Silicone	285x385mm



Breathable Silicone Baking Mat — Silicone

SN0478	S	400x300mm
SN0479	L	570x370mm




Macaron Silicone Mat — Silicone

SN0402	272x272mm



Silicone Baking Mat (White)

SN0491	Silicone	570x370mm



NEW

Silicone Kneading Pad		SILICONE
SN0406	M	700x500x5mm
SN0407	L	800x600x5mm



Dacquoise Cake Mould-12 Indents		
SN0511	10mm PMMA	340x190mm




Non-stick Fiberglass Sheet		
SN0470	0.075mm Fiber Glass	670x420mm
SN0473	0.075mm Fiber Glass	580x380mm
SN0474	0.075mm Fiber Glass	340x240mm
SN0475	0.13mm Fiber Glass	275x245mm
SN0487	0.13mm Fiber Glass	580x380mm
SN0488	0.13mm Fiber Glass	670x420mm
SN0489	0.13mm Fiber Glass	490x340mm
SN0490	0.13mm Fiber Glass	640x440mm

Non-stick Fiberglass Sheet (10Pcs/Set)		
SN04736	0.075mm Fiber Glass	580x380mm
SN04746	0.075mm Fiber Glass	340x240mm


Biscut Sheet




Biscut Sheet		Silicone
SN0563	8 Holes (80mm)	335x235mm



Biscut Sheet		Silicone
SN0564	15 Holes (50mm)	335x235mm



Biscut Sheet		Silicone
SN0561	40 Holes (50mm)	570x370mm



Biscut Sheet		Silicone
SN0562	24 Holes (80mm)	570x370mm

Baking Paper

Baking Paper-Cheese Cake Pan (20 Pcs/Set)		
SN0446	Silicone Paper	210x100mm

Baking Paper-Square Cake Pan(50 Pcs/Set)		
SN0447	Silicone Paper	272x272mm

15cm Cake Demould Paper (20Pcs/Set)		
SN0448	40g Silicone Paper	ø150mm

20cm Cake Demould Paper (20Pcs/Set)		
SN0449	40g Silicone Paper	ø150mm



Baking Paper	Silicone Paper
SN0450	300x10000mm



Fermentation Series



Dough Proofing & Fermentation Cloth

SN0460	Cotton	600x1500mm
SN0461	Cotton	750x1200mm



Dough Proofing & Fermentation Cloth

SN0462	Cotton and linen	600x1500mm




Wooden Fermentation Board	Bamboo
SN8061	600x400x8mm



Baguette Move Board	Bamboo
SN4676	600x120x6mm



NSF Chopping Board		PE Plastic
SN4790	Blue	381x508x12.7mm
SN4791	Brown	381x508x12.7mm
SN4792	Green	381x508x12.7mm
SN4793	Red	381x508x12.7mm
SN4794	White	381x508x12.7mm
SN4795	Yellow	381x508x12.7mm



Wooden Bread Board	Wood
SN4484	250x250x28mm
SN4485	400x300x28mm
SN4486	600x400x28mm

Proofer Box

Suitable temperature: heat-resisting 85℃
cold-resisting-15℃

Proofer Box	PP Plastic
SN4663	415x315x125mm



Suitable temperature: heat-resisting 120℃
cold-resisting -20℃

Proofer Box	PP Plastic
SN4664	415x315x125mm



Turnover Box		PP Plastic
SN4650	Lid	655x425x30mm
SN4651	L	640x415x160mm
SN4652	S	640x415x90mm

Proofer Box		PP Plastic
SN4653	Lid	655x425x30mm
SN4654	L	640x415x160mm
SN4655	S	640x415x90mm



Proofer Box		PP Plastic
SN4656	Lid	580x380x16mm
SN4657	S	580x380x90mm
SN4658	M	580x380x110mm
SN4659	L	580x380x150mm

Proofer Box		PP Plastic
SN4682	Lid	640x415x16mm
SN4683	L	640x415x160mm



Proofer Box (S)	PP Plastic
SN4684	640x415x90mm



Multi-link Cake Mould

Note:Difference between Non-stick&Silicone Coating
1.Non-stick coating is apply for bread and cookie products, sugar content less than 12%
2.Silicon coating is apply for cake products, sugar content less than 22%




28 Links Chestnut Mould(Non-stick Series 800)

SN1646	Alusteel	600x400x49mm
SN1666	Alusteel	600x400x50mm



24 Links Madeleine Mould (Non-stick Series 800)

SN1647	Alusteel	600x400x36mm



25 Links Financier Mould(Non-stick Series 800)

SN1648	Alusteel	600x400x35mm



24 Links Cuckoo Hoff Mould(Non-stick Series 800)

SN1649	Alusteel	600x400x52mm



24 Links Lemon Mould(Non-stick Series 800)

SN1650	Alusteel	600x400x53mm
SN1668	Alusteel	600x400x53mm



Chiffon Cake Mould-16 Indents (Non-stick Series 1000)

SN9090	Alusteel	600x400x39mm




36 Links Mini Financier Mould (Non-stick Series 800)

SN1652	0.7mm Alusteel	600x400x40mm




Rectangular Cake Mould-30 Indents (Non-stick Series 800)

SN9037	Alusteel	600x400x19mm



Half Sphere Cake Mould-54 Indents
(Non-stick Series 800)

SN1638	Alusteel	600x400x45mm



Half Sphere Cake Mould-24 Indents
(Non-stick Series 800)

SN1639	Alusteel	600x400x55mm



20 Links Square Mould (Non-stick Series 800)

SN1653	0.7mm Alusteel	600x400x32mm



24 Links Scallops Madeleine Mould
(Non-stick Series 800)

SN1654	0.7mm Alusteel	600x400x39mm



21 Links Madeleine Mould (Non-stick Series 800)

SN1655	0.7mm Alusteel	600x400x42mm




Muffin Mould-24 Indents (Non-stick Series 800)

SN1656	Alusteel	600x400x55mm



Muffin Mould-28 Indents (Non-stick Series 800)

SN1657	Alusteel	600x400x49mm



Flower Mould-40 Indents (Non-stick Series 800)

SN1658	Alusteel	600x400x46mm



Half Sphere Mould-15 Indents (Non-stick Series 800)

SN1659	Alusteel	600x400x62mm



Savarin Cake Mould-28 Indents (Non-stick Series 800)

SN1663	0.7mm Alusteel	600x400x38mm



Crispy Salt Croissant Sheet Pan
(Non-stick Series 1000)-12 Indents

SN1665	0.8mm Alusteel	600x400x34mm



Madeleine Mould-25 Indents (Non-stick Series 800)

SN1667	Alusteel	600x400x43mm



Madeleine Mould-28 Indents Alusteel

SN9035	Non-stick Series 800	600x400x23mm
SN9147	Non-stick Series 1000	600x400x23mm




Scallop-shaped Madeleine Mould-24 Indents Alusteel

SN9042	Non-stick Series 800	600x400x24mm
SN9150	Non-stick Series 1000	600x400x24mm




Madeleine Mould-24 Indents Alusteel

SN9044	Non-stick Series 800	600x400x24mm
SN9051	Non-stick Series 1000	600x400x24mm



Madeleine Mould-24 Indents (Non-stick Series 800)

SN9040	Alusteel	600x400x18mm




Oval Bread Mould-12 Indents (Non-stick Series 1000)

SN9054	Alusteel	600x400x42mm




Rectangular Cake Mould-24 Indents Alusteel

SN9039	Non-stick Series 800	600x400x19mm
SN9149	Non-stick Series 1000	600x400x19mm



Bread Mould (Oval)-36 Indents (Non-stick Series 1000)

SN9089	Alusteel	600x400x26mm




Tart Mould-40 Indents (Non-stick Series 1000)

SN9075	Alusteel	600x400x20mm



Muffin Mould-24 Indents Alusteel

SN9083	Non-stick Series 800	600x400x39mm
SN9153	Non-stick Series 1000	600x400x39mm




Muffin Mould-40 Indents (Non-stick Series 1000)

SN9057	Alusteel	600x400x33mm



Muffin Mould-28 Indents Alusteel

SN9084	Non-stick Series 800	600x400x34mm
SN9154	Non-stick Series 1000	600x400x34mm




Muffin Mould-35 Indents Alusteel

SN9088	Non-stick Series 800	600x400x32mm
SN9155	Non-stick Series 1000	600x400x32mm



Half Sphere Cake Mould-24 Indents Alusteel

SN9102	Non-stick Series 800	600x400x39mm
SN9158	Non-stick Series 1000	600x400x39mm




Savarin Cake Mould-40 Indents Alusteel

SN9093	Non-stick Series 800	600x400x20mm
SN9157	Non-stick Series 1000	600x400x20mm



Jumbo Muffin Mould-15 Indents Alusteel

SN9222	Non-stick Series 800	600x400x39mm
SN9160	Non-stick Series 1000	600x400x39mm




Muffin Mould-15 Indents (Non-stick Series 1000)

SN9059	Alusteel	600x400x54mm




Lemon Cake Mould-9 Indents (Non-stick Series 800)

SN9026	Alusteel	365x265x33mm



Rectangular Cake Mould-10 Indents (Non-stick Series 800)

SN9028	Alusteel	365x265x16mm




Cat Claw Cake Mould-12 Indents (Non-stick Series 800)

SN9033	Alusteel	365x265x21mm




Muffin Mould-12 Indents (Non-stick Series 800)

SN9087	Alusteel	365x265x30mm



Plum Blossom Cake Mould-24 Indents — Alusteel

SN9056	Non-stick Series 800	600x400x34mm
SN9152	Non-stick Series 1000	600x400x34mm




Octagonal Bread Mould-15 Indents (Non-stick Series 1000)

SN9427	Alusteel	600x400x45mm



Madeleine Mould-10 Indents (Non-stick Series 800)

SN9048	Alusteel	328x198x21mm




Half Sphere Cake Mould-24 Indents (Non-stick Series 800)

SN9107	Alusteel	365x265x25mm



Panda Cake Mould-25 Indents — Alusteel

SN9092	Non-stick Series 800	600x400x32mm
SN9156	Non-stick Series 1000	600x400x32mm



Lemon Cake Mould-28 Indents — Alusteel

SN9021	Non-stick Series 800	600x400x37mm
SN9146	Non-stick Series 1000	600x400x37mm




Half Sphere Cake Mould-11 Indents (Non-stick Series 800)

SN9106	Alusteel	365x265x36mm




Flower Mould-15 Indents (Non-stick Series 800)

SN9306	Alusteel	365x265x27mm



Star Cake Mould-15 Indents (Non-stick Series 1000)

SN9424	Alusteel	600x400x45mm




Madeleine Mould-11 Indents (Non-stick Series 800)

SN9046	Alusteel	365x265x20mm



Muffin Mould-11 Indents (Non-stick Series 800)

SN9086	Alusteel	365x265x36mm




Rectangular Cake Mould-42 Indents (Non-stick Series 800)

SN9036	Alusteel	660x460x25mm




Papaya Cake Mould-12 Indents — Alusteel

SN9121	Non-stick Series 800	600x400x52mm
SN9159	Non-stick Series 1000	600x400x52mm




Madeleine Mould-10 Indents (Non-stick Series 800)

SN9030	Alusteel	365x265x17mm




Madeleine Mould-35 Indents (Non-stick Series 800)

SN9045	Alusteel	702x460x25mm




Lemon Cake Mould-40 Indents (Non-stick Series 800)


SN9020	Alusteel	702x460x40mm



Half Sphere Cake Mould-35 Indents (Non-stick Series 800)
SN9101 Alusteel 702x460x42mm



Muffin Mould-40 Indents (Non-stick Series 800)
SN9082 Alusteel 702x460x40mm



Half Sphere Bread Mould-60 Indents (Non-stick Series 1000)
SN9100 Alusteel 702x460x30mm



Oval Cutter-49 Indents
SN9145 304 S/S 485x327x25mm



6 Straps Crimped Round Bread Mould Alusteel
SN9116 Non-stick Series 1000 615x197x98mm



6 Straps Crimped Round Bread Mould Alusteel
SN9113 Non-stick Series 1000 615x182x80mm



5 Straps Crimped Round Bread Mould Alusteel
SN9114 Non-stick Series 1000 546x291x114mm



3 Straps Crimped Round Bread Mould Alusteel
SN9112 Non-stick Series 1000 315x280x80mm



7 Straps Bomb Mould (Non-stick Series 1000)
SN9013 Alusteel 615x160x84mm



3 Straps Sphere Cake Mould (Non-stick Series 1000)
SN9096 Alusteel 310x130x77mm



4 Straps Volleyball Cake Mould (Non-stick Series 1000)
SN9110 Alusteel 400x135x90mm



4 Straps Basketball Cake Mould (Non-stick Series 1000)
SN9109 Alusteel 400x135x90mm



4 Straps Football Cake Mould (Non-stick Series 1000)
SN9108 Alusteel 400x135x90mm



6 Straps Bomb Mould (Non-stick Series 1000)
SN9011 Alusteel 615x197x98mm



6 Straps Gold Ingot Bread Mould Alusteel
SN9117 Non-stick Series 1000 615x211x107mm



2 Straps Gold Ingot Cake Mould Alusteel
SN9135 Non-stick Series 1000 228x211x107mm
2 Straps Bomb Mould Alusteel
SN9061 Non-stick Series 1000 190x160x84mm

Silicone Cake Mould




Doughnut Mould-18 Indents
SN9741 Silicone 295x175x16mm



Oval Mould-10 Indents
SN9742 Silicone 295x175x26mm



Small hemisphere Mould-24 Indents
SN9704 Silicone 295x175x15mm




Small hemisphere Mould-24 Indents
SN9705 Silicone 295x175x16mm




Oval Mould-8 Indents
SN9743 Silicone 295x175x29mm




Madeleine Mould-15 Indents
SN9744 Silicone 295x175x12mm



Pudding Mould-8 Indents
SN9712 Silicone 295x175x35mm



Pudding Mould-15 Indents
SN9714 Silicone 295x175x20mm



Canelé Mould-15 Indents
SN9745 Silicone 295x175x49mm



Tart Mould-15 Indents
SN9746 Silicone 295x175x16mm



Ball ice cream Mould-8 Indents
SN9717 Silicone 300x170x32mm



Truffle Mould-8 Indents
SN9726 Silicone 295x175x54mm



Hemisphere Cake Mould-6 Indents
SN9700 Silicone 295x175x35mm



Hemisphere Cake Mould-15 Indents
SN9701 Silicone 295x175x20mm



Heart Mould-8 Indents
SN9736 Silicone 295x175x40mm



lemon Mould-12 Indents
SN9737 Silicone 295x175x28mm

Trolley

Warmly welcome to offer your customized request !

Trolley (Allen Wrenches Attached)
-Made by high strength Al. Alloy, assemble design and save transportation cost.
-Anodized surface, bright and easy to clean



Instruction:
Do not wash the wheels with water cannon directly,maintain the wheels regularly
Environment temperture:0℃-140℃,
can not use in the freezer or oven.

two kinds of tabs:
fixed & removable

20 Shelves Al.Alloy Trolley-Removable (Anodized)

SN1992	Al.Alloy	600x471x1862mm

20 Shelves Al.Alloy Trolley-Assembly (Anodized)

SN1977	Al.Alloy	600x471x1862mm



18 Shelves Al.Alloy Trolley-Fix (Anodized)

SN1978	Al.Alloy + PC Plastic	628×486×1700mm



Suitable baking tray size: 718x460mm
660x460mm
Layer spacing: 89mm

18 Shelves Al.Alloy Trolley (Anodized)		Al.Alloy
SN1975	Assembly	720x526x1862mm
SN1990	Removable	720x526x1862mm

Suitable baking tray size: 675x435mm
Layer spacing: 89mm

18 Shelves Al.Alloy Trolley (Anodized)		
SN1976	Assembly	720x500x1862mm
SN1991	Removable	720x500x1862mm



18 Shelves Al.Alloy Trolley-Fix(Anodized)

SN1961	Al.Alloy+PC Plastic	628x486x1700mm



18 Shelves Al.Alloy Trolley-Removable (Anodized)

SN1968	Al.Alloy	603x471x1725mm



18 Shelves Al.Alloy Trolley-Fix (Anodized)

SN1995	Al.Alloy	603x471x1695mm



8 Shelves Al.Alloy Trolley-Fix (Anodized)

SN1969	Al.Alloy	603x471x900mm



18 Shelves Al.Alloy Trolley-Widened Type (Anodized)

SN1962	Al.Alloy	720x526x1862mm

18 Shelves Al.Alloy Trolley-Widened Type (Anodized)

SN1963	Al.Alloy	720x500x1862mm

20 Shelves Al.Alloy Trolley-Widened Type (Anodized)

SN1964	Al.Alloy	600x471x1862mm



NEW

9 Shelves Double Row Al.AlloyTrolley (Anodized)

SN1967	Al.Alloy	852x672x925mm



8 Shelves Desktop Al.Alloy Sheet Pan Rack-Removable (Anodized)

SN1900	Al.Alloy	470x395x850mm

Z-Type Trolley



9 Shelves Z-Type Al.Alloy Trolley (Anodized)

SN1965	Al.Alloy	604x471x1115mm



18 Shelves Z-Type Al.Alloy Trolley (Anodized)

SN1966		604x471x1860mm

Sealed Trolley



8 Shelves Al.Alloy Trolley- Black Fix (Anodized + Hard Anodized)

SN1959	Al.Alloy + PC Plastic	634x509X900mm

18 Shelves Al.Alloy Trolley-Black Fix (Black Anodized)

SN1960	Al.Alloy + PC Plastic	628x486x1700mm



16 Shelves S/S Trolley-Fix

SN1971	S/S	620x470x1730mm



9 Shelves Al.Alloy Trolley-Fix (Anodized)

SN1996	Al.Alloy	603x471x1695mm



Plastic Trolley Cover	PVC Plastic
SN3034	740x545x1720mm
SN3035	740x520x1720mm
SN3036	620x490x1720mm



S/S Trolley		Load Weight 200KGS
SN1980	201 S/S	645x475x980mm



Al.Alloy Trolley (Anodized)

SN1983	Al.Alloy	635x435x138mm



9 Shelves Al.Alloy Trolley-Fix (Anodized+Hard Anodized)

SN1972	Al.Alloy + PC Plastic	628x486x956mm



9 Shelves Al.Alloy Trolley-Fix (Anodized)

SN1997	Al.Alloy	603x471x958mm



Carbon Steel Trolley (Paint)

SN1982	2.5mm Carbon steel	610x410x125mm



Al.Alloy Trolley (Anodized)		Load Weight 250KGS
SN1987	Al.Alloy	620x420x140mm



Carbon Steel Trolley (Paint)

SN1986	2.5mm Carbon steel	731x476x140mm



Al.Alloy Trolley (Anodized)

SN1985	Al.Alloy	725x470x140mm NEW
SN1984	Al.Alloy	660x435x138mm



Low-sugar Loaf Pan Series

1.Made by 1.0mm Al.Alloy.
2.The iron bar was fully sealed, match with food hygiene standard
3. Non-stick loaf pans cannot be cleaned with steam or stewing, which will destroy the coating

■ Baking effect comparison





Loaf Pan for Low-sugar Bread(Non-stick Series 1000)

SN2064	1.0mm	Al.Alloy	1200g	370x120x125mm
SN2068	1.0mm	Al.Alloy	1000g	327x121x121mm
SN2065	1.0mm	Al.Alloy	900g	325x107x120mm
SN2066	1.0mm	Al.Alloy	450g	196x106x110mm



Loaf Pan (Non-stick Series 1000)(with Lid) 0.7mm Alusteel

SN2316	450g	Inner 196x106x110mm
SN2317	900g	Inner 325x107x120mm
SN2318	1000g	Inner 327x121x121mm
SN2319	1200g	Inner 370x120x125mm



Cake Mould for Low-sugar Bread(E-commerce Channel)

SN21343	1.0mm Al.Alloy	Inner 240x77x62mm



450g Corrugated Loaf Pan for Low-sugar Bread

SN2326	Non-stick Series 1000	1.0mm Al.Alloy
		Inner 196x106x110mm



300g Die-casting Loaf Pan for Low-sugar Bread (Non-stick Series 1000)

SN2199		Inner 180x120x55mm
		Casting Aluminum + Al.Alloy



300g Die-casting Loaf Pan Body for Low-sugar Bread (Non-stick Series 1000)

SN21991	W/O Lid	Inner 160x94x77mm
		Casting Aluminum



Die-casting Loaf Pan for Low-sugar Bread (Non-stick Series 1000)

SN2191	W/O Lid	Inner 160x94x77mm
SN21911	Lid	Casting Aluminum



1500g Loaf Pan for Low-sugar Bread (Non-stick Series 1000)

SN2169	Inner 370x125x140mm
	1.0mm Al.Alloy



450g Die-casting Loaf Pan for Low-sugar Bread Non-stick Series 1000

SN2196	Inner 196x106x110mmmm
	Casting Aluminum



Loaf Pan for Low-sugar Bread (Non-stick Series 1000)

SN2067	W/O Lid	181x91x77mm
		1.0mm Al.Alloy



The Triangle Room Low-sugar Loaf Pan Non-stick Series 1000

SN2331	Inner120x120x150mm
	1.0mm Al.Alloy



Square Die-casting Loaf Pan (Non-stick Series 1000)

SN2198	Inner 75x75x75mm
	Casting Aluminum + Al.Alloy



The Water Cube Loaf Pan for Low-sugar Bread

SN21843	Inner 120x120x131mm
E-commerce Channel	1.0mm Al.Alloy



Square Die-Casting Loaf Pan (Non-stick Series 1000)

SN2197	Inner 100x100x100mm
	Casting Aluminum + Al.Alloy

Non-stick Loaf Pan Series



Loaf Pan (Non-stick Series 1000) 1.0mmAl.Alloy

SN2151	W/O Lid	Inner 181x91x77mm
SN2171	W/O Lid	Inner 228x100x92mm
SN2098	W/O Lid	Inner 197x100x95mm



250g Deep Loaf Pan-W/O Lid(Non-stick Series 1000)

SN2170	1.0mm Al.Alloy	Inner157x85x88/148x80mm



375g Loaf Pan (Non-stick Series 1000)


SN2114	1.0mm Al.Alloy	Inner 169x100x89mm	





900g Loaf Pan (Non-stick Series 1000)-W/O Lid

SN2157	1.0mm Al.Alloy	Inner 550x85x80mm



1200g Loaf Pan (Non-stick Series 2000)

SN2001	1.0mm Al.Alloy	Inner 370x120x125mm



Loaf Pan (Non-stick Series 1000) 1.0mm Al.Alloy

SN2042	600g	Inner 309x91x107mm
SN2032	750g	Inner 316x100x116mm
SN2091	850g	252x129x120mm/240x125mm



Loaf Pan (Non-stick Series 1000)

SN2093	1.0mm Al.Alloy	Inner 180x60x60mm
SN2094	1.0mm Al.Alloy	Inner 177x60x92mm
SN2097	1.0mm Al.Alloy	Inner 160x96x76mm



4 Straps 900g Loaf Pan (Non-stick Series 1000)

SN2897	Al.Alloy	595x340x125mm




3 Straps Loaf Pan (Non-stick Series 1000) Al.Alloy

SN2911	1200g	505x383x130mm
SN2906	1000g	505x340x124mm



1.0mm Al.Alloy

SN2022	900g Loaf Pan (Non-stick Series 1000)	Inner 325x107x120mm
SN2012	1000g Loaf Pan (Non-stick Series 1000)	Inner 327x121x121mm
SN2014	1000g Loaf Pan (Non-stick Series 1500)	Inner 327x121x121mm
SN2017	1000g Loaf Pan (Non-stick Series 2000)	Inner 327x121x121mm
SN2004	1200g Loaf Pan (Non-stick Series 1000)	Inner 370x120x125mm
SN2000	1500g Loaf Pan (Non-stick Series 1000)	Inner 450x128x130mm



Loaf Pan (Non-stick Series 1000) 1.0mm Al.Alloy

SN2082	385g	W/O Lid	Inner 217x94x77mm
SN20822		Lid of SN2082	237x112x13mm
SN2085	250g	W/O Lid	Inner 160x94x77mm
SN20852		Lid of SN2085	182x112x13mm



Loaf Pan (Non-stick Series 1000)

SN2092	1.0mm Al.Alloy	Inner 180x120x55mm




130g Loaf Pan (Non-stick Series 1000)-W/O Lid

SN2099	1.0mm Al.Alloy	Inner 141x81x48mm



245g Loaf Pan (Non-stick Series 1000)-W/O Lid

SN2100	1.0mm Al.Alloy	Inner 150x90x75mm



450g Loaf Pan (Non-stick Series 2000)

SN2047	1.0mm Al.Alloy	Inner 196x106x110mm




450g Corrugated Loaf Pan (Non-stick Series 1000)

SN2048	1.0mm Al.Alloy	Inner 196x106x110mm




450g Loaf Pan (Non-stick Series 1000)

SN2155	1.0mm Al.Alloy	Inner 196x106x109mm



450g Loaf Pan (Non-stick Series 1000) 1.0mm Al.Alloy


SN2052	W/O Lid	Inner 196x106x110mm
SN20522	Lid of SN2052	214x122x13mm



1.0mm Al.Alloy

450g Corrugated Loaf Pan (Non-stick Series 1000)

SN2054	W/O Lid	196x106x110mm
SN20542	Lid of SN2054	214x123x13mm



1.0mm Al.Alloy


450g Corrugated Loaf Pan (Non-stick Series 1000)

SN2055	W/O Lid	Inner 196x106x110mm
SN20552	Lid of SN2055	214x123x13mm
SN2088	Lid of SN2055	Inner 196x106x110mm



450g Loaf Pan 1.0mm Al.Alloy

SN2051	W/O Lid	Inner 196x106x110mm



385g Corrugated Loaf Pan (Non-stick Series 1000)

SN2083	1.0mm Al.Alloy	Inner 217x94x77mm



Cylinder Loaf Pan (Non-stick Series 1000)

SN2176	1.8mm Al.Alloy	Inner ø100x100mm



Vaulting Box Loaf Pan (Non-stick Series 1000)

SN2101	1.0mm Al.Alloy	Inner 60x60x60mm
SN2102	1.0mm Al.Alloy	Inner 120x120x120mm



SN2006

SN2025/SN2015/SN2007


Corrugated Loaf Pan (Non-stick Series 1000) 1.0mm Al.Alloy

SN2006	1200g	Inner 370x120x125mm
SN2025	900g	Inner 325x107x120mm
SN2015	1000g	Inner 327x121x121mm
SN2007	1200g	Inner 370x120x125mm



Square Loaf Pan (Non-stick Series 1000)

SN2179	1.0mm Al.Alloy	Inner 60x60x60mm
SN2180	1.0mm Al.Alloy	Inner 75x75x75mm
SN2181	1.0mm Al.Alloy	Inner 100x100x50mm
SN2182	1.0mm Al.Alloy	Inner 100x100x100mm
SN2050	1.0mm Al.Alloy	Inner 115x115x115mm
SN2185	1.0mm Al.Alloy W/O Lid	Inner 50x50x50mm
SN2060	0.7mm Alusteel	Inner 60x60x60mm
SN2061	0.7mm Alusteel	Inner 80x80x80mm



250g Corrugated Loaf Pan for Low-sugar Bread (Non-stick Series 1000)

SN2329	1.0mm Al.Alloy	Inner 160x94x77mm



Square Corrugated Loaf Pan for Low-sugar Bread (Non-stick Series 1000)

SN2327	220g	Inner 100x100x100mm
SN2328	380g	Inner 120x120x120mm
		1.0mm Al.Alloy


Cake Mould



Cake Mould (Non-stick Series 800)-W/O Lid
SN2123 1.0mm Al.Alloy Inner 100x56x35mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2145 1.0mm Al.Alloy Inner 200x65x40mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2146 1.0mm Al.Alloy Inner 230x45x46mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2147 1.0mm Al.Alloy Inner 200x65x40mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2148 1.0mm Al.Alloy Inner 230x45x46mm



Cake Mould (Double Sides Non-stick Series 800)-W/O Lid
SN2174 1.0mm Al.Alloy Inner 151x67x66mm



Cake Mould (Double Sides Non-stick Series 800)-W/O Lid
SN2122 1.0mm Al.Alloy Inner 128x66x40mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2124 1.0mm Al.Alloy Inner 268x95x80mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2117 1.0mm Al.Alloy Inner 175x85x70mm



Cake Mould (Non-stick Series 800)-W/O Lid
SN2142 1.0mm Al.Alloy Inner 169x79x62mm



Cake Mould (Anodized) 1.0mm Al.Alloy
SN2070 W/O Lid Inner 175x85x70mm
SN2076 W/O Lid Inner 210x77x62mm
SN2078 W/O Lid Inner 175x90x83mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2129 0.6mm Al.Alloy Inner 151x67x67mm/140x58mm
SN2128 1.0mm Al.Alloy Inner 175x85x70mm
SN2133 1.0mm Al.Alloy Inner 240x77x62mm
SN2132 1.0mm Al.Alloy Inner 230x50x65mm



Cake Mould (Anodized)-W/O Lid 1.0mm Al.Alloy
SN2072 Inner 128x66x40mm /118x56mm
SN2073 Inner 100x56x34mm /118x56mm
SN2074 Inner 151x67x66mm /142x58mm
SN2143 Inner 169x79x62mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2130 1.0mm Al.Alloy Inner 128x66x40mm
SN2131 1.0mm Al.Alloy Inner 100x56x34mm

Cake Mould (Non-stick Series 800)-W/O Lid
SN2121 1.0mm Al.Alloy Inner 151x67x66mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2127 1.0mm Al.Alloy Inner 254x84x55mm



Cake Mould (Non-stick Series 1000)-W/O Lid
SN2118 1.0mm Al.Alloy Inner 110x60x50mm
SN2119 1.0mm Al.Alloy Inner 130x50x50mm



Cake Mould (Non-stick Series 800)-W/O Lid

SN2135	0.7mm Alusteel	Inner 270x55x50mm




Cake Mould (Non-stick Series 1000)-W/O Lid

SN2120	1.0mm Al.Alloy	Inner 175x85x70mm
SN2125	1.0mm Al.Alloy	Inner 240x77x62mm
SN2126	1.0mm Al.Alloy	Inner 210x77x62mm



Round Loaf Pan (Non-stick Series 1000)

SN2304	Al.Alloy	ø120x331mm



Heart Bread Mould (Non-stick Series 1000)

SN2307	Al.Alloy	Inner 250x105x99mm



Round Loaf Pan (Non-stick Series 1000)

SN2303	Al.Alloy	ø83x287mm



Crimped Round Bread Mould (Non-stick Series 1000)

SN2305	1.0mm Alusteel	ø124x227mm



Plum Blossom Bread Mould (Non-stick Series 1000)

SN2306	Al.Alloy	Inner 250x100x92mm



Round Loaf Pan (Non-stick Series 1000)

SN2301	1.0mm Alusteel	ø45x300mm



55g Vase-shaped Loaf Pan (Non-stick Series 1000)

SN2309	Alusteel	215x140x80mm





95g Diamond Loaf Pan (Non-stick Series 1000)

SN2308	Alusteel	197x180x80mm



Diamond Mould-3 Indents (Non-stick Series 1000)

SN9122	Alusteel	380x130x53mm

Stollen Mould




4 Links Stollen Mould (Non-stick Series 1000)

SN2136	Alusteel	575x265x75mm



4 Links Stollen Mould (Non-stick Series 1000)

SN2137	Alusteel	575x245x71mm



6 Links Stollen Mould (Non-stick Series 1000)

SN2138	Alusteel	600x149x53mm



2 Links Stollen Mould (Non-stick Series 1000)


SN2139	Alusteel	206x155x55mm



Animal Shape Loaf Pan Series



Cat Head Shape Loaf Pan (Non-stick Series 1000)
SN2400 Al.Alloy 135x126x100mm
Bear Head Shape Loaf Pan (Non-stick Series 1000)
SN2401 Al.Alloy 135x119x110mm
Rabbit Head Shape Loaf Pan (Non-stick Series 1000)
SN2402 Al.Alloy 163x135x90mm



Lid Bottom Lid

Cat & Bear Head Shape Loaf Pan-Lid 1.0mm Al.Alloy
SN2403 Non-stick Series 1000 140x139x13mm
Cat & Bear Head Shape Loaf Pan-Bottom Lid
SN2404 Non-stick Series 1000 145x140x10mm
Rabbit Head Shape Loaf Pan-Lid
SN2405 Non-stick Series 1000 174x140x13mm
Rabbit Head Shape Loaf Pan-Bottom Lid
SN2406 Non-stick Series 1000 183x140x10mm



Cat Shape Loaf Pan (Non-stick Series 1000)
SN2410 Al.Alloy 135x126x100mm



Rabbit Shape Loaf Pan (Non-stick Series 1000)
SN2411 Al.Alloy 163x135x90mm




Bear Shape Loaf Pan (Non-stick Series 1000)
SN2412 Al.Alloy 135x119x110mm





Chocolate Series



Silicone Rubber Comb (2 Pcs/Set)

SN3031		Silicone



Silicone Rubber Comb (S)


SN3032	Length 100mm	Silicone



Chocolate Fork(Electrolysis)

SN3199	10 Pcs/Set	304 S/S

Tart Ring



Perforated Tart Ring (Seamless)		304 S/S
SN3159	6cm	ø60x20mm
SN3160	7cm	ø70x20mm
SN3161	8cm	ø80x20mm
SN3162	9cm	ø90x20mm
SN3163	10cm	ø100x20mm
SN3164	11cm	ø110x20mm
SN3165	12cm	ø120x20mm



Perforated Tart Ring		304 S/S
SN3180	6cm	ø60x20mm
SN3181	7cm	ø70x20mm
SN3182	8cm	ø80x20mm
SN3183	9cm	ø90x20mm
SN3184	10cm	ø100x20mm
SN3186	12cm	ø120x20mm



Perforated Tart Ring		304 S/S
SN3187	15cm	ø150x20mm
SN3188	17cm	ø170x20mm
SN3189	19cm	ø190x20mm



French Tart Ring(Electrolysis)		304 S/S
SN3166	6cm	ø60x20mm
SN3168	7cm	ø70x20mm
SN3170	8cm	ø80x20mm
SN3172	9cm	ø90x20mm
SN3173	10cm	ø100x20mm
SN3174	11cm	ø110x20mm
SN3175	12cm	ø120x20mm



Ellipse Perforated Tart Ring			
SN3191		304 S/S	130x45x20mm

Tart Press Mould



Pastry Cup Press Mould-Black		PE Plastic
SN4637	4cm	ø40x110mm
SN4638	6cm	ø60x110mm
SN4639	7cm	ø70x110mm



Tart Mould (Non-stick Series 1000)(5 Pcs/Set)			
SN64075	5cm	1.0mm Al.Alloy	ø50x22mm
SN64085	7cm	1.0mm Al.Alloy	ø70x25mm



Tart Press Mould Kit		0.6mm Al.Alloy+PC Plastic
SN0600	6.5cm	Press Mould x1 ; Tart Mould x5
SN0601	7cm	Press Mould x1 ; Tart Mould x5
SN0602	7.5cm	Press Mould x1 ; Tart Mould x5
SN0603	8cm	Press Mould x1 ; Tart Mould x5



1. Roll the dough with an appropriate thickness and place it on the concave side to press the round dough shape.
2. Put the round dough on the tart mould, then use the mould's convex side to press the dough evenly.
3. Then using press stick to cut the remain dough.



Tart Mould		1.0mm Al.Alloy	
SN60715	Anodized	5 Pcs/Set	ø70x25mm
SN60745	Anodized	5 Pcs/Set	ø80x20mm
SN60695	Hard Anodized	5 Pcs/Set	ø50x22mm
SN60725	Hard Anodized	5 Pcs/Set	ø70x25mm
SN60755	Hard Anodized	5 Pcs/Set	ø80x20mm



Mousse Ring



Round Ring (5 Pcs/Set)

SN32125	0.8mm 304 S/S	ø50x16mm
SN32145	0.8mm 304 S/S	ø60x16mm
SN32155	0.8mm 304 S/S	ø65x16mm
SN32165	0.8mm 304 S/S	ø70x16mm
SN32315	0.8mm 304 S/S	ø45x20mm
SN32185	0.8mm 304 S/S	ø80x20mm
SN32195	0.8mm 304 S/S	ø85x20mm
SN32325	0.8mm 304 S/S	ø50x25mm
SN32335	0.8mm 304 S/S	ø55x30mm
SN32345	0.8mm 304 S/S	ø60x30mm
SN32355	0.8mm 304 S/S	ø65x35mm
SN32365	0.8mm 304 S/S	ø70x35mm
SN32375	0.8mm 304 S/S	ø75x35mm
SN32385	0.8mm 304 S/S	ø80x40mm
SN32395	0.8mm 304 S/S	ø85x40mm
SN32405	0.8mm 304 S/S	ø90x40mm
SN32415	0.8mm 304 S/S	ø100x40mm
SN34735	0.8mm 304 S/S	ø55x50mm
SN34745	0.8mm 304 S/S	ø60x50mm
SN34755	0.8mm 304 S/S	ø65x50mm
SN34765	0.8mm 304 S/S	ø70x50mm
SN34775	0.8mm 304 S/S	ø75x50mm
SN34785	0.8mm 304 S/S	ø80x50mm
SN34795	0.8mm 304 S/S	ø85x50mm
SN34805	0.8mm 304 S/S	ø90x50mm
SN34825	0.8mm 304 S/S	ø100x50mm



Round Ring

SN3211	0.8mm 304 S/S	ø45x16mm
SN3212	0.8mm 304 S/S	ø50x16mm
SN3213	0.8mm 304 S/S	ø55x16mm
SN3214	0.8mm 304 S/S	ø60x16mm
SN3215	0.8mm 304 S/S	ø65x16mm
SN3216	0.8mm 304 S/S	ø70x16mm
SN3217	0.8mm 304 S/S	ø75x16mm
SN3218	0.8mm 304 S/S	ø80x20mm
SN3219	0.8mm 304 S/S	ø85x20mm
SN3220	0.8mm 304 S/S	ø90x20mm
SN3221	0.8mm 304 S/S	ø100x20mm
SN3227	0.8mm 304 S/S	ø127x50mm
SN3231	0.8mm 304 S/S	ø45x20mm
SN3232	0.8mm 304 S/S	ø50x25mm
SN3233	0.8mm 304 S/S	ø55x30mm
SN3234	0.8mm 304 S/S	ø60x30mm
SN3235	0.8mm 304 S/S	ø65x35mm
SN3239	0.8mm 304 S/S	ø85x40mm



Round Ring		
SN3473	0.8mm 304 S/S	ø55x50mm
SN3474	0.8mm 304 S/S	ø60x50mm
SN3475	0.8mm 304 S/S	ø65x50mm
SN3476	0.8mm 304 S/S	ø70x50mm
SN3477	0.8mm 304 S/S	ø75x50mm
SN3478	0.8mm 304 S/S	ø80x50mm
SN3479	0.8mm 304 S/S	ø85x50mm
SN3480	0.8mm 304 S/S	ø90x50mm
SN3482	0.8mm 304 S/S	ø100x50mm




Round Ring (Electrolysis)		1.2mm 304 S/S
SN3868	6"	ø152x80mm
SN3869	8"	ø203x80mm



Round Ring		1.2mm 304 S/S
SN3283	6" Triangular Ring	131x114x50mm
SN3285	8" Triangular Ring	175x153x50mm
SN3287	10" Triangular Ring	220x192x50mm



Round Ring		1.2mm 304 S/S
SN3223		ø140x30mm
SN3224		ø160x30mm
SN3225		ø180x30mm
SN3242		ø127x40mm
SN3243	6"	ø152x50mm
SN3244	7"	ø178x50mm
SN3245	8"	ø203x50mm
SN3246	9"	ø229x50mm
SN3247	10"	ø254x50mm
SN3248	8"	ø203x40mm



Star Ring	0.8mm 304 S/S
SN3491	ø45x20mm



Water Droplets Ring		0.8mm 304 S/S
SN3394		60x42x30mm
SN33965	5 Pcs/Set	70x50x35mm
		1.2mm 304 S/S
SN3405	8"	203x144x50mm
SN3407	10"	254x179x50mm




Rectangular Ring			3.0mm Al.Alloy
SN3380	Anodized	Inner	ø570x370x60mm
SN3392	Anodized	Inner	ø320x200x50mm
SN3397	Anodized	Inner	ø540x280x60mm
SN3398	Anodized	Inner	ø470x240x60mm
			2.5mm Al.Alloy
SN3384	Anodized	Inner	ø300x200x60mm
SN3385	Anodized	Inner	ø420x320x60mm
SN3386	Anodized	Inner	ø545x345x60mm
SN3387	Anodized	Inner	ø600x395x60mm
SN3388	Anodized	Inner	ø610x380x60mm
SN3389	Anodized	Inner	ø655x395x60mm
SN3390	Anodized	Inner	ø570x370x60mm



Hexagonal Ring		1.2mm 304 S/S
SN3323	6"	ø152x50mm
SN3325	8"	ø203x50mm
SN3327	10"	ø254x50mm
		0.8mm 304 S/S
SN33135	5 Pcs/Set	ø55x30mm
SN33155	5 Pcs/Set	ø65x35mm
SN33165	5 Pcs/Set	ø65x50mm



Heart Ring (Anodized)	1.3mm Al.Alloy
SN3764	45x45x16mm



Round Ring		1.2mm 304 S/S
SN3303	6" Square Ring	108x108x50mm
SN3304	7" Square Ring	130x130x50mm
SN3305	8" Square Ring	144x144x50mm
SN3306	9" Square Ring	161x161x50mm
SN3307	10" Square Ring	180x180x50mm
		0.8mm 304 S/S
SN3292	Square Ring	45x45x23mm
SN32923	Square Ring (10Pcs/Set)	45x45x23mm
SN32935	Square Ring (5 Pcs/Set)	55x55x30mm
SN3295	Square Ring	65x65x35mm
SN32955	Square Ring (5 Pcs/Set)	65x65x35mm



Heat-resistant Plastic Round Ring		
SN3468	PS Plastic	ø80x60mm
SN3469	PS Plastic	ø100x60mm



Round Ring (Non-stick Series 1000)		
SN3249	0.8mm 304 S/S	ø75x35mm



Oval Ring		0.8mm 304 S/S
SN3252		50x35x25mm
SN32525	5 Pcs/Set	50x35x25mm
SN32555	5 Pcs/Set	70x45x50mm
SN32565	5 Pcs/Set	70x45x35mm
SN3256		70x45x35mm
SN32605	5 Pcs/Set	90x60x40mm
		1.2mm 304 S/S
SN3263	6"	152x110x50mm
SN3265	8"	203x145x50mm
SN3267	10"	254x180x50mm



Plum Blossom Ring		1.2mm 304 S/S
SN3523	6"	152x50mm
SN3525	8"	203x50mm



Lemon Ring	0.5mm 304 S/S
SN3993	70x50x25mm



Chestnut Ring	0.5mm 304 S/S
SN3994	54x54x25mm



Heart Ring		1.2mm 304 S/S
SN3363	6"	142x134x50mm
SN3364	7"	166x156x50mm
SN3365	8"	189x178x50mm
SN3366	9"	213x200x50mm
SN3367	10"	238x222x50mm
		0.8mm 304 S/S
SN3355		65x65x35mm
SN33555	5 Pcs/Set	65x65x35mm
SN3357		75x75x35mm
SN33575	5 Pcs/Set	75x75x35mm
SN3359		85x85x40mm
SN33595	5 Pcs/Set	85x85x40mm
SN33545	5 Pcs/Set	65x65x50mm
SN3362		120x113x35mm
SN33625	5 Pcs/Set	120x113x35mm



Rectangular Ring		0.8mm 304 S/S
SN3373		48x36x16mm
SN33733	10Pcs/Set	48x36x16mm
SN3377		65x32x22mm
SN3378		65x32x28mm
SN3379		55x30x20mm
		1.2mm 304 S/S
SN3375		300x110x45mm
SN3381		125x82x30mm
SN3382		140x90x30mm
SN3383		154x102x30mm
SN3372		240x60x50mm



Square Ring (Anodized)		
SN3751	0.9mm Al.Alloy	29x29x17mm
SN3752	1.2mm Al.Alloy	45x45x23mm
Square Ring (Anodized)		
SN37513	1.2mm Al. Alloy	29x29x17mm
Square Ring (Anodized)(10Pcs/Set)		
SN37523	1.2mm Al. Alloy	45x45x23mm




Rectangular Ring (Anodized)		1.2mm Al.Alloy
SN35353	10PCS/SET	65x32x22mm
SN3535		65x32x22mm
SN35443	10PCS/SET	65x32x28mm
SN3544		65x32x28mm
SN3771		48x36x16mm
SN37713	10PCS/SET	48x36x16mm
SN3537	Anodized	55x30x20mm




Oval Ring (Anodized)		
SN3741	0.9mm Al.Alloy	36x25x18mm
SN37413	0.9mm Al.Alloy	36x25x18mm
SN3743	1.2mm Al.Alloy	61x43x30mm



Round Ring (Anodized)	2.0mm Al.Alloy
SN3739	ø100x40mm
SN3740	ø100x50mm



Mousse Cake Mould(Anodized)		
SN3570	1.5mm Al.Alloy	364x60x46mm
SN3571	1.5mm Al.Alloy	364x60x46mm



Mousse Cake Mould (Anodized)		
SN3574	1.5mm Al.Alloy	364x80x50mm
SN3575	1.5mm Al.Alloy	364x80x50mm
SN3576	1.5mm Al.Alloy	364x82x50mm



Round Ring (Non-stick Series 1000)

SN3586	1.8mm Al.Alloy	ø110x45mm



Round Ring (Hard Anodized)		2.0mm Al.Alloy
SN3858		ø120x30mm
SN3859		ø140x30mm
SN3860		ø160x30mm
SN3861		ø180x30mm
SN3863	6"	ø152x50mm
SN3865	8"	ø203x50mm



3-color Bread Mould(Double Sides Non-stick Series 1000)

SN3581	1.5mm Al.Alloy	110x110x30mm



Mousse Ring Pad (Hard Anodized)

SN3995	1.0mm Al.Alloy	ø210x1mm
SN3996	1.0mm Al.Alloy	ø250x1mm




Round Ring (Anodized)		1.2mm Al.Alloy
SN3709		ø33x17mm
SN37093	10PCS/SET	ø33x17mm
SN3712		ø50x16mm
SN3711		ø45x20mm



Shuriken Ring (5 Pcs/Set)(Double Sides Non-stick Series 1000)

SN37965	2.0mm Al.Alloy	90x90x45mm



Square Ring (Non-stick Series 1000)

SN3585	1.8mm Al.Alloy	90x90x40mm



Banana Bread Mould(Double Sides Non-stick Series 1000)


SN3582	2.5mm Al.Alloy	140x78x40mm

Pineapple Cake Ring



Rectangular Ring-8 Indents (Anodized)

SN9066	Al.Alloy	363x81x28mm



Rectangular Ring-8 Indents (Anodized)

SN9067	Al.Alloy	363x81x22mm




Rectangular Ring-8 Indents (Anodized)

SN9069	Al.Alloy	375x64x16mm



Pineapple Cake Mould (Square) Al.Alloy

SN9071	6 Indents (Anodized)	363x63x23mm



Pineapple Cake Mould (Square) Al.Alloy

SN9072	6 Indents (Anodized)	363x63x30mm



Pineapple Cake Mould (Square) Al.Alloy

SN9068	8 Indents (Anodized)	363x64x16mm



Pineapple Cake Mould (Square)-6 Indents (Anodized)

SN9073	Al.Alloy	363x63x20mm





Comma Ring 0.8mm 304 S/S
SN3538 5 Pcs/Set 76x53x40mm



Pineapple Ring (Anodized)
SN3543 1.0mm Al.Alloy 60x37x20mm



Rectangular Press Mould(Anodized) for SN3771
SN3690 3.0mm Al.Alloy 48x36x98mm



Square Ring Mould(Anodized) for SN3752
SN3691 3.0mm Al.Alloy 45x45x98mm



Taiwan Ring (Anodized)
SN3539 1.4mm Al.Alloy 74x35x19mm



Gold Ingot Ring (Anodized)
SN3545 1.2mm Al.Alloy 65x37x23mm



Cat Press Mould (Electrolysis) for SN33516
SN3687 PP Plastic+304 S/S 44x44x66mm



Cat Ring (Anodized)(10 Pcs/Set)
SN33516 1.2mm Al.Alloy 45x45x23mm



Cherry Blossom Press Mould (Anodized)
SN3694 3.0mm Al.Alloy 47x98mm



Pineapple Press Mould (Anodized)
SN3695 3.0mm Al.Alloy 60x37x98mm



Bear Press Mould (Electrolysis) for SN33526
SN3688 PP Plastic+304 S/S 44x42x66mm



Bear Ring (Anodized)(10 Pcs/Set)
SN33526 1.2mm Al.Alloy 45x43x23mm



Plum Blossom Ring (Anodized)-10PCS/SET
SN37773 1.2mm Al.Alloy ø48x23mm



Rectangular Press Mould(Anodized) for SN3544
SN3693 3.0mm Al.Alloy 65x32x98mm



Rabbit Press Mould (Electrolysis) for SN33536
SN3689 PP Plastic+304 S/S 48x37x66mm



Rabbit Ring (Anodized)(10 Pcs/Set)
SN33536 1.2mm Al.Alloy 50x38x23mm



Food Tong

Nice looking and durable;
Made by PC, not easy to broken;
Made by imported S/S Steel, good handle;
Design, easy to clean, match food hygiene standard ;
Zig zag design, easy to clip smooth food

Instruction: Wash with water with neutral detergent, keep away from fire or baked at high temperature.
Temperature cannot be changed suddenly or put in disinfector for long time . Do not clean with chemical cleaner.



Food Tong		PC Plastic
SN4017	Orange	Length 215mm
SN4018	White	Length 215mm
SN4019	Transparence	Length 215mm



Food Tong		PC Plastic
SN4010	Transparence	Length 215mm
SN4011	Orange	Length 215mm
SN4012	White	Length 215mm



S/S Food Tong(Electrolysis)		430 S/S
SN4022	Orange	Length 238mm
SN4024	red	Length 238mm
SN4027	White	Length 238mm



Food Tong		PC Plastic
SN4007	Transparence	Length 215mm
SN4008	Orange	Length 215mm
SN4009	White	Length 215mm



Sandwich Tong	1.0mm 301 S/S
SN4032	227x144x82mm



Stainless Steel Food Tong	304 S/S
SN4033	Length 290mm



Food Tong — PC Plastic

SN4066	Black	Length 215mm
SN4067	Milky White	Length 215mm



Al.Alloy Food Tong(Black)

SN4003	Length 235mm	
	1.0mm Al.Alloy	



30cm Stainless Steel Food Tong

SN4004	Length 302mm	
	304 S/S	



Food Tong (Black) — PC Plastic

SN4014	Length 215mm



Stainless Steel Food Tong

SN4021	0.6mm	430 S/S	Length 235mm



S/S Food Tong(Electrolysis) — 430 S/S

SN4029	Red	Total Length 245mm	
SN4030	White	Total Length 245mm	



Antibacterial Plastic Food Tong (White)

SN4015	PC Plastic	Length 215mm



Antibacterial Plastic Food Tong (Orange)

SN4005	PC Plastic	Length 215mm



Antibacterial Plastic Food Tong (White)

SN4006	PC Plastic	Length 215mm

Tag Holder




Price Tag Holder(10 Pcs/Set)

SN86006	PC Plastic	100x80mm



Acrylic Price Tag Holder (10 Pcs/Set)

SN85806	Acrylic	92x35x63mm



Al.Alloy Price Tag Holder (Golden Anodized)(10 Pcs/Set)

SN85706	Al.Alloy	91x36x58mm



Price Tag Holder (Black)

SN8650	304 S/S	60x56x75mm
SN8651	304 S/S	60x56x50mm




Price Tag Holder (Silver)(Electroplating) (10 Pcs/Set)

SN85906	Copper	30x12x10mm



Price Tag Holder (10 Pcs/Set)

SN85296	PC Plastic	100x80mm



S/S Price Tag Holder (10 Pcs/Set)

SN85786	silver	304 S/S	46x28x21mm
SN85756	Electrolysis	304 S/S	46x28x21mm




Bill Ticket Holder — Al.Alloy + TPR

SN4616	46cm	462x51x21mm
SN4617	62cm	615x51x21mm



Magnetic Knife Holder — Rubber Magnet + PP

SN4618	47cm	468x42x23mm
SN4619	62cm	621x42x23mm




Price Tag Holder		304 S/S
SN8639	Silver	68x56x100mm
SN8641	Silver	68x56x50mm
SN8619	Golden	68x56x100mm
SN8620	Golden	68x56x75mm
SN8621	Golden	68x56x50mm



Price Tag Holder		304 S/S
SN8636	Silver	38x31x30mm
SN8637	Silver	38x31x20mm
SN8616	Golden	38x31x30mm



Price Tag Holder		304 S/S
SN8610	Golden	85x70x200mm
SN8611	Golden	85x70x150mm
SN8631	Silver	85x70x150mm



Price Tag Holder		304 S/S
SN8643	Silver	85x70x200mm
SN8644	Silver	85x70x150mm
SN8622	Golden	85x70x250mm



Price Tag Holder		304 S/S
SN8632	Silver	68x56x100mm
SN8633	Silver	68x56x75mm
SN8634	Silver	68x56x50mm
SN8612	Golden	68x56x100mm
SN8613	Golden	68x56x75mm
SN8614	Golden	68x56x50mm



Price Tag Holder		304 S/S
SN8625	Golden	68x56x100mm

Plastic Display Tray

Antibacterial Plastic Square Display Tray (White)		
SN4335		330x330x25mm
		ABS Plastic + silver ion bactericide

Plastic Display Tray (White)	ABS Plastic
SN4322	412x300x22mm
SN4323	455x342x18mm



Plastic Basket(White/Yellow)	PP Plastic
SN4412	400x300x120mm

The overall color can be customized.

Heightening Design

Compared to other trays of the same type, the overall height has increased by 60mm and the internal capacity is larger.







Antibacterial Plastic Display Tray (White) 304 S/S

SN4343	15"	381x286x21mm
SN4344	16"	406x305x23mm
SN4345	17"	432x324x21mm
	ABS Plastic + silver ion bactericide	



Melamine Display Tray (White)

SN4307	Melamine	330x250x21mm
SN4309	Melamine	430x330x24mm



Melamine Display Tray (White)

SN4311	Melamine	340x240x22mm
SN4312	Melamine	383x280x22mm
SN4313	Melamine	415x305x23mm



Melamine Display Tray (Wheat)

SN4374	Melamine	450x340x25mm



Melamine Display Tray (White)

SN4327	Melamine	270x210x17mm
SN4328	Melamine	350x240x17mm
SN4329	Melamine	420x280x20mm



Melamine Display Tray (White)

SN4315	Melamine	400x280x25mm
SN4316	Melamine	430x330x25mm

Antibacterial Plastic Round Display Tray (White)

SN4331	ABS Plastic + silver ion bactericide	ø320x27mm



Plastic Basket (White/Orange)

SN4339	PP Plastic	400x300x60mm



Melamine Display Tray (White)

SN4397	Melamine	432x332x24mm



Antibacterial Plastic Basket (White)

SN4330	PP Plastic + silver ion bactericide	400x300x60mm



Melamine Display Tray (Black)

SN4392	Melamine	320x110x17mm




Melamine Display Tray (White)

SN4391	Melamine	320x110x17mm



Melamine Display Tray (Wheat)

SN4380	Melamine	300x200x18mm
SN4381	Melamine	345x210x20mm




Melamine Display Tray (Black)

SN4382	Melamine	300x200x18mm



Melamine Display Tray (Black)

SN4396	Melamine	340x110x10mm



Melamine Display Tray (Black)

SN4398	Melamine	395x220x14mm

Melamine Display Tray (White)

SN4406	Melamine	385x120x20mm



Melamine Display Tray (White)

SN4393	Melamine	335x130x10mm
SN4395	Melamine	340x110x10mm

Plastic Tray



Plastic Display Tray

SN4492	ABS Plastic	360x280x31mm
SN4493	ABS Plastic	435x330x45mm



Plastic Tray(White)

SN4495	PP Plastic	417x271x47mm



Plastic Tray(Black)

SN4494	PP Plastic	417x271x47mm





Basket



Oval Ferment Basket

SN4510	Rattan	205x150x80mm
SN4511	Rattan	170x120x60mm
SN4512	Rattan	150x80x50mm



Round Ferment Basket

SN4513	Rattan	ø180x90mm
SN4514	Rattan	ø130x60mm
SN4515	Rattan	ø110x60mm



Triangular Ferment Basket — Rattan

SN4538	L	210x90mm
SN4539	M	180x60mm





Plastic Deep Rectangular Basket (Brown)

SN4544	PP Plastic	450x350x80mm



Plastic Rectangular Basket (Brown)

SN4537	PP Plastic	400x300mm



Plastic Rectangular Basket (Brown)

SN4541	PP Plastic	400x300x40mm
SN4542	PP Plastic	450x340x40mm



Baguette Basket (Black)

SN4596	Carbon Steel	300x300x300mm



Japanese Knife

Made in Japan

Clean with water using neutral detergent and dry up
Dropping or impacting will cause the blade fracture.



Cut Cake

Chef Knife (Japan)		AUS-8 Stainless Steel
HO-53	Total length 585 Blade length 450mm	
Chef Knife (Japan)		AUS-8 Stainless Steel
HO-52	Total length 535 Blade length 400mm	



Bread

Bread Knife (Japan)		AUS-8 Stainless Steel
HO-58	Total length 585 Blade length 450mm	
Bread Knife		AUS-8 Stainless Steel
HO-10P	Total length 380 Blade length 255mm	
Bread Knife		Molybdenum-Vanadium steel
HO-12PS	Total length 425 Blade length 295mm	



Chocolate/Cream

Spatula (Japan)		S/S
S-155	6" Total length 270 Blade length 155mm	
S-205	8" Total length 330 Blade length 205mm	
S-255	10" Total length 380 Blade length 255mm	
S-310	12" Total length 435 Blade length 310mm	



Spatula (Japan)		High-Carbon S/S
S-130	5" Total length 240 Blade length 130mm	
S-180	7" Total length 295 Blade length 180mm	
S-230	9" Total length 355 Blade length 230mm	



Bend Spatula (Japan)		S/S
S-205C	8" Total length 320 Blade length 200mm	
S-255C	10" Total length 375 Blade length 250mm	
S-310C	12" Total length 425 Blade length 300mm	



Petty Knife (Japan)		420 S/S
HO-05	Total length 200 Blade length 90mm	
Petty Knife (Japan)		AUS-8 Stainless Steel
HO-0L	Total length 230 Blade length 120mm	



Chef Knife (Japan)		420 S/S
HO-21	Total length 300 Blade length 180mm	
Chef Knife (Japan)		AUS-8 Stainless Steel
HO-23	Total length 360 Blade length 240mm	
HO-24	Total length 400 Blade length 270mm	
HO-25	Total length 430 Blade length 300mm	

Professional Cake Spatula



Cake Remover-Plastic Handle		420 S/S
SN4773		Total Length 265mm
SN4774		Total length 295mm



Professional Bend Spatula-Plastic Handle		420 S/S
SN4866	8"	Total length 330mm
SN4871	10"	Total length 375mm
SN4872	12"	Total length 420mm



Professional Spatula-Plastic Handle		420 S/S
SN4778	8"	Total length 328mm
SN4779	10"	Total length 382mm
SN4780	12"	Total length 430mm



Spatula-Plastic Handle		420 S/S
SN4770	8"	Total Length 335mm
SN4771	10"	Total Length 390mm
SN4772	12"	Total Length 440mm



Aluminum Alloy Spatula (Hard Anodized)		
SN4781	2.0mm Al.Alloy	300x35x73mm



Spatula (3Pcs/Set)	420 S/S
SN47824	Total Length 233/223/217mm

Professional Cake Knife





Cake Knife-Plastic Handle		S/S
SN4830	35cm	Total length 485 Blade length 355mm
SN4831	40cm	Total length 535 Blade length 405mm
SN4832	45cm	Total length 585 Blade length 455mm

26cm Cake Knife-Plastic Handle	Molybdenum-Vanadium steel
SN4828	Total Length 380 Blade length 250mm

Professional Chef Knife





Chef Knife-Plastic Handle		S/S
SN4855	19cm	Total length 320 Blade length 190mm
SN4856	24cm	Total length 372 Blade length 242mm
SN4857	27cm	Total length 401 Blade length 271mm
SN4858	30cm	Total length 430 Blade length 300mm

Cleaver Knife-Wooden Handle	420 S/S + Ash Wood
SNP20000	Total Length 285mm



Chef's Knife (TiN)		AUS-8+Carbon fiber
SN4837	21cm	Total Length 325mm
SN4838	24cm	Total Length 355mm
SN4839	27cm	Total Length 395mm
SN4840	30cm	Total Length 430mm



Chef's Knife (TiO2)		AUS-8+Carbon fiber
SN4819	21cm	Total Length 325mm
SN4820	24cm	Total Length 355mm
SN4821	27cm	Total Length 395mm
SN4822	30cm	Total Length 430mm

Professional Bread Knife



20cm Bread Knife-Wooden Handle	420 S/S + Ash Wood
SNP20005	Total Length 330mm



Bread Knife-Plastic Handle		420 S/S
SN4800	20cm	Total length 325mm



Bread Knife-Plastic Handle		Molybdenum-Vanadium steel
SN4803	20cm	Total Length 330 Blade length 200mm
SN4802	26cm	Total Length 380 Blade length 250mm



30cm Bread Knife-Plastic Handle		Molybdenum-Vanadium steel
SN4807	Total length 435 Blade length 310mm	



Bread Knife-Plastic Handle		Molybdenum-Vanadium steel
SN4808	35cm Total length 485 Blade length 355mm	
SN4809	40cm Total length 535 Blade length 405mm	
SN4810	45cm Total length 585 Blade length 455mm	



10.5cm Bread Knife		420 S/S
SN4843	Yellow Handle	Total Length 220mm
SN4844	Black Handle	Total Length 220mm
SN4849	Green Handle	Total Length 220mm
SN4825	(12 Pcs/Set)	otal Length 220mm

Decorating Knife



Decorating Knife (2 Pcs/Set)	301 S/S
SN48534	Total Length 135mm

Carving Knife (3 Pcs/Set)	301 S/S
SN48594	Total Length 157 Blade length 55mm

Carving Knife (3 Pcs/Set)	301 S/S
SN48604	Total Length 157 Blade length 50mm

Carving Knife set (2 Pcs/Set)	301 S/S
SN4861	(SN4859、SN4860) x 1 Pcs




Scoring Bread Blade (Blue) (2 Pcs/Set)	420 S/S + PP Plastic
SN48184	Total Length 145mm

NEW



10.5cm Bread Knife-Wooden Handle	420 S/S
SN4826	Total Length 220mm



Baker's Blade (Japan)	ABS Plastic+S/S
YO-ES	Total length 160mm Blade length 50mm
Baker's Blade-Handle (Japan)	ABS Plastic+S/S
YO-ES1	Total length 160mm



Baker's Blade-Blade (5Pcs/Set)(Japan)	S/S
YO-ES2	43x22mm

Baker's Knife



Decorating Knife-Plastic Handle (3 Pcs/Set)	301 S/S
SN48484	Total Length 180mm Blade length 15mm



Decorating Knife-Plastic Handle	420 S/S
SN4850	Total Length 163 Blade length 55mm
Decorating Knife-Plastic Handle	420 S/S
SN4851	Total Length 191.5 Blade length 83.5mm
Decorating Knife-Plastic Handle	420 S/S
SN4852	Total Length 178 Blade length 70mm

Serrated Bread Knife



20cm Serrated Bread Knife	420 S/S + TPV + PP
SN4811	Total Length 338mm



26cm Serrated Bread Knife	420 S/S + TPV + PP
SN4812	Total Length 398mm

Petty Knife



Carve Knife-Wooden Handle		420S/S
SN4833	9cm	Total length 200 Blade length 90mm
SN4834	12cm	Total length 230 Blade length 120mm

Perching Knife



Cake Server-Orange Plastic Handle	420 S/S
SN4873	Total length 265mm
SN4874	Total length 240mm
SN4875	Total length 280mm



Professional Cake Server-Plastic Handle	420 S/S
SN4876	Total length 265mm
SN4877	Total length 240mm
SN4878	Total length 280mm



Dough Wheel



Expandable Dough Cutter-5 Wheels

SN4223 420 S/S Electrolysis Length 235mm



Expandable Dough Cutter-Double Sides 5 Wheels (Non-stick Series 1000)

SN4219 430 S/S Length 260mm



Expandable Dough Cutter-7 Wheels

SN4224 420 S/S Electrolysis Length 235mm





Expandable Dough Cutter-5 Wheels(Non-stick Series 1000)

SN4225 420 S/S Length 235mm



Expandable Dough Cutter-7 Wheels (Non-stick Series 1000)

SN4226 430 S/S Length 235mm



Pizza Cutter 420 S/S
SN4245 ø52x175mm



Croissant Cutter 430 S/S
SN4240 Total Length 413 Blade Length 200ø120mm



Pizza Cutter 430 S/S
SN4233 ø100x232mm



Cookie Cutter 304 S/S
SN4230 Length 203mm



Crimped Dough Cutter 420 S/S
SN4243 ø52x175mm



Pizza Cutter 420 S/S
SN4244 ø52x175mm

Lattice Cutter



Roller Docker 304 S/S
SN4218 198x130x50mm



Lattice Cutter (Electrolysis) 304 S/S
SN4217 193x138x44mm



Lattice Cutter (Non-stick Series 1000) 304 S/S
SN4216 193x138x44mm



Lattice Cutter-Small (Electrolysis) 430 S/S
SN4215 191x90x44mm

Shape Can Opener



Multi-functional Can Opener (Electrolysis) 420 S/S
SN4776 110x65x29mm



- Rotary switch design
- Non-slip grip design



Can Opener PP Plastic + 420 S/S
SN4789 190x50x50mm

Use method



Step 1

Separate the handle and clamp the can that needs to be opened with the round



Step 2

Clamp the handle, rotate the knob, and roll the round knife edge to open



Whisks



Whisks-Stainless Steel Handle (Electrolysis)304 S/S		
SN4897	28"	Total Length 743mm
SN4899	36"	Total Length 943mm



Whisks (Electrolysis)		PA Plastic + 304 S/S
SN4920	8"	Total Length 283mm
SN4921	10"	Total Length 318mm



8" Whisks (Electrolysis)	PA Plastic+304 S/S
SN4903	Total Length 263mm



Whisks-Stainless Steel Handle (Electrolysis) 304 S/S		
SN4882	7"	Total Length 220mm
SN4883	8"	Total Length 259mm
SN4884	9"	Total Length 284mm
SN4885	10"	Total Length 304mm
SN4886	11"	Total Length 343mm
SN4887	12"	Total Length 373mm
SN4888	13"	Total Length 393mm
SN4889	14"	Total Length 413mm
SN4890	15"	Total Length 438mm
SN4893	18"	Total Length 513mm



Wavy Whisks-Stainless Steel Handle (Electrolysis) 304 S/S		
SN4914	7"	Total Length 220mm
SN4915	8"	Total Length 259mm
SN4916	9"	Total Length 284mm
SN4917	10"	Total Length 304mm
SN4918	11"	Total Length 343mm
SN4919	12"	Total Length 373mm

Mixing Bowl



Stainless Steel Mixing Bowl		0.6mm 304 S/S
SN4951	36cm	360x145mm
SN4952	33cm	330x135mm
SN4953	30cm	300x120mm
SN4954	28cm	280x110mm
SN4955	26cm	260x108mm
SN4956	24cm	240x105mm
SN4957	22cm	220x90mm
SN4958	20cm	200x80mm



Stainless Steel Mixing Bowl (Stain Finish)		0.6mm 304 S/S
SN4961	36cm	360x145mm
SN4962	33cm	330x135mm
SN4963	30cm	300x120mm
SN4964	28cm	280x110mm
SN4965	26cm	260x108mm
SN4966	24cm	240x105mm
SN4967	22cm	220x90mm
SN4968	20cm	200x80mm



Deep Stainless Steel Mixing Bowl (Stain Finish)			
SN4948	24cm	0.8mm 304 S/S	ø240x140mm
SN4949	26cm	0.8mm 304 S/S	ø260x150mm



Stainless Steel Mixing Bowl (Stain Finish)		0.4mm 304 S/S
SN4959	28cm	285x138mm
SN4960	22cm	225x113mm
SN4969	18cm	185x100mm





Ⓐ SN4457-1 Cutting Tube (S)
Ⓑ SN4478-1 Cutting Tube (L)

SN4436/SN4437 Accessories



SN4436 General fitting accessories


Ⓐ SN4455 Flower tube-short(Anodized)

SN4437 Accessories

Ⓑ SN4450 Cake Stand Pillar
Ⓒ SN44561 HEX BOLTS-Big(Anodized)
Ⓓ SN44562 HEX NUTS-Big(Anodized)

SN4436/SN4437 General fitting accessories

Ⓔ SN44649 truss head screw(70pcs)
Ⓕ SN44607 top cover-small(12Pcs/Set)



Al.Alloy Wedding Cake Stand-3 Tier 4 Pillars

SN4436	Al.Alloy	ø8"-12"




Plastic Wedding Cake Stand-3 Tier

SN4462	Plastic	3Sets

SN4436/SN4437 Fitting plate



SN4441 8" Cake Stand Plate (Anodized)
SN4442 10" Cake Stand Plate (Anodized)
SN4443 12" Cake Stand Plate (Anodized)



Al.Alloy Wedding Cake Stand-3 Tier Central Pillars

SN4437	Al.Alloy	ø8"-12"



Plastic Wedding Cake Stand-2 Tier

SN4461	Plastic	9"-10"



Plastic Wedding Cake Stand-4 Tier


SN4463	Plastic	4Sets

In order to change the style of the cake tower, options of single pillar in the middle would be utilized which is easy to install and time saving. Additional accessories are available.

SN4431/SN4432 General fitting accessories



- A SN4450 Cake Stand Pillar(Anodized)
- B SN44561 HEX BOLTS-Big(Anodized)
- C SN4453 Flower tube-long(Anodized)
- D SN4454 Flower tube-middle(Anodized)
- E SN4455 Flower tube-short(Anodized)
- F SN44562 HEX NUTS-Big(Anodized)
- G SN44589 truss head screw(70pcs)
- H SN44607 top cover-small(12Pcs/Set)
- I SN44649 truss head screw(70pcs)
- J SN4457 Cutting Tube (Anodized)
- K SN4452 Flower tube screw holder (S/S)




Al.Alloy Wedding Cake Stand-10 Tier 4 Pillars

SN4431	Al.Alloy	ø6"-24"

Al.Alloy Wedding Cake Stand-8 Tier 4 Pillars

SN4432	Al.Alloy	ø6"-20"

SN4433/SN4434 General fitting accessories




- A SN4439 Cake Stand base(Anodized)
- B SN4475 Cake stand inner pillar-long(Anodized)
- C SN4476 Cake stand inner pillar-short(Anodized)
- D SN4477 Cake Stand cover for middle pillar(Anodized)
- E SN4479 HEX BOLTS-Small(Anodized)
- F SN4478 Cutting Tube (Electrolysis)

SN4431/SN4432/SN4433/SN4434 General fitting plate



- SN4440 6" Cake Stand Plate (Anodized)
- SN4441 8" Cake Stand Plate (Anodized)
- SN4442 10" Cake Stand Plate (Anodized)
- SN4443 12" Cake Stand Plate (Anodized)
- SN4444 14" Cake Stand Plate (Anodized)
- SN4445 16" Cake Stand Plate (Anodized)
- SN4446 18" Cake Stand Plate (Anodized)
- SN4447 20" Cake Stand Plate (Anodized)
- SN4448 22" Cake Stand Plate (Anodized)
- SN4449 24" Cake Stand Plate (Anodized)



Al.Alloy Wedding Cake Stand-10 Tier Central Pillars

SN4433	Al.Alloy	ø6"-24"

Al.Alloy Wedding Cake Stand-8 Tier Central Pillars

SN4434	Al.Alloy	ø6"-20"



Measuring Cup



PC Plastic Measuring Cup		PC Plastic
SN4706	200ml	ø71x86mm
SN4707	500ml	ø87x126mm
SN4708	1000ml	ø113x164mm



PC Plastic Measuring Cup		PC Plastic
SN4709	2000ml	ø148x213mm
SN4710	3000ml	ø172x242mm



PP Plastic Measuring Cup		PP Plastic
SN4701	200ml	ø71x86mm
SN4702	500ml	ø86x125mm
SN4703	1000ml	ø112x162mm



PP Plastic Measuring Cup		PP Plastic
SN4704	2000ml	ø146x211mm
SN4705	3000ml	ø170x238mm



Stainless Steel Measuring Cup		0.5mm 304 S/S
SN4715	200ml	ø70x67mm
SN4716	500ml	ø90x90mm



Stainless Steel Measuring Cup		1.0mm 304 S/S
SN4713	1000ml	ø113x160mm
Al.Alloy Measuring Cup		1.0mm Al.Alloy
SN4711	(236ml)(Anodized)	ø74x64mm

Measuring Spoon




Stainless Steel Measuring Spoons (4 Pcs/Set)

SN4690	430 S/S+ABS




S/S Measuring Spoons (4 Pcs/Set)

SN4693	430 S/S + PP Plastic



Plastic Measuring Spoons (4 Pcs/Set)

SN4691	ABS Plastic



Stainless Steel Measuring Spoons (4 Pcs/Set)

SN4692	304 S/S



Plastic Ice Shovel PC Plastic

SN4694	S	235x61x50mm
SN4695	M	271x78x49mm
SN4696	L	290x119x100mm



Bulk Scoop PEICT Plastic

SN4680	1500ml
SN4681	1000ml

Digital PH Meter



NEW

Digital PH Meter ABS Plastic + Glass

SN0202	ø44x220mm


Thermometer



·New Coffee Thermometer, fast, accurate, safe measurement
·Clear temperature instruction, easy to read
·S/S clip design, easy to use
·Blister packaging, easy to carry
·Size: display diameter 52mm, overall size 212mm

Coffee Thermometer

BG-GA-2	-10~100℃



Waterproof Thermometer (HK) -40~250℃

BG363+	Plastic+S/S



Folding Probe Thermometer

BG338	Plastic+S/S	-50~280°C



2-in-1 Non-Contact Infrared Thermometer

BG43S	Plastic+S/S	-40~280°C



Wall-Mounted Thermometer 304 S/S + 430 S/S

SN0201	Total Length 315mm



Electronic Probe Thermometer ABS Plastic + S/S
SN0204 238x33.5x19mm



Oven Thermometer 50~280℃
SN0203 S/S + Copper

Electronic Scale



High Precision Electronic Scale ABS+Steel
AWH-30 280x230mm(30kg/1g)




High Quality Scale ABS+Steel
MII-3000 130x250mm(3000g/0.5g)




Stainless Steel Electronic Scale (15kg)
SN0001 225x157x45mm
304 S/S+ABS Plastic


Saccharometer



Saccharometer(0~80%)
SN4990 29/30x40x148mm



Saccharometer(0~32%)
SN4991 28/30x40x170mm



Saccharometer (28~62%)
SN4992 28/30x40x160mm



Saccharometer (58~90%)
SN4993 29/30x40x160mm



Salinity meter(0~100‰)/Saccharometer(0~10%)
SN4994 28/30x40x203mm



MT-032 MT-062 MT-080 MT-128

Saccharometer		Casting Aluminum
MT-032	(0~32%)	40x40x175mm
MT-062	(28~62%)	40x40x157mm
MT-080	(0~80%)	40x40x150mm
Salinity Meter		Casting Aluminum
MT-128	(0~28%)	40x40x172mm



1. Take one or two drops of liquid on mirror.



2.Make liquid sample cover the mirror surface evenly.



3.Read the sugar degree from the screen.

*Use little time to get sugar degree from a drop of liquid
Can test juice, honey, jam, can food, milk, oil, etc.
*Simple operation
Take a drop of liquid sample on mirror surface, then the screen will show the sugar degree.
*Maintenance
Please clean the mirror and screen with soft fiber after use.



Revolving Cake Stand



Revolving Cake Stand (Rose Gold)
SN4176 Al.Alloy + ABS ø309x135mm



Revolving Cake Stand (Classic Black)
SN4177 Al.Alloy + ABS 309x135mm



Revolving Cake Stand
SN4160 Casting Aluminum ø309x140mm



Revolving Cake Stand
SN4155 ø309x129mm
Casting Aluminum + ABS Plastic



Revolving Cake Stand
SN4151 Casting Aluminum ø309x140mm



Revolving Cake Stand
SN4159 Casting Aluminum ø209x135mm



Revolving Cake Stand (Hard Anodized)
SN4149 Al.Alloy Hard Anodized ø300x135mm



Revolving Cake Stand (Pink)
SN4153 ABS Plastic ø265x127mm



Revolving Cake Stand (Hard Anodized)
SN4158 Casting Aluminum ø311x141mm



Revolving Cake Stand
SN4179 Al. Alloy+ABS ø309x135mm

Wool Pastry Brush

Feature of Wool Brush

Made by high standard wool, softer and stronger

* Use S/S steel wire to bind, not easy to take off

* Please put the brush into warm water and soak it fully before use.



SN4125 SN4126 SN4130

Wool Pastry Brush	Wool + Wood
SN4125	220x70x35mm
SN4126	230x70x45mm
Wool Pastry Brush-Thin	Wool + Wood
SN4130	220x70x35mm




SN4127/SN41274 SN4128 SN4129

Wool Pastry Brush		Wool + Wood
SN4127		230x25x35mm
SN41274	(2 Pcs/Set)	230x25x35mm
SN4128		230x50x35mm
SN4129		235x75x35mm



SN4133 SN4134 SN4118

Wool Pastry Brush-Thin	Wool + Wood
SN4133	230x50x35mm
SN4134	235x75x35mm
Wool Pastry Brush-Wooden Hanle	Wool + Wood
SN4118	235x150x35mm



SN41104 SN4111 SN4112

Plastic Pastry Brush Woden Hanle		PET+Wood+Tinplate
SN41104	(Small) (2 Pcs/Set)	200x30x30mm
SN4111	(Middle)	217x50x30mm
SN4112	(Large)	220x70x30mm



SN4117 SN4119 SN41194 SN4120 SN4121 SN4123

Antibacterial Wool Pastry Brush-Round Plastic Handle		
SN4117	Wool+Plastic+silver ion bactericide	ø25x235mm
Antibacterial Wool Pastry Brush-Plastic Handle		
SN4119	Wool+Plastic+silver ion bactericide	235x25x35mm
Antibacterial Wool Pastry Brush-Plastic Handle (2 Pcs/Set)		
SN41194	Wool+Plastic+silver ion bactericide	235x25x35mm
Antibacterial Wool Pastry Brush-Plastic Handle		
SN4120	Wool+Plastic+silver ion bactericide	235x50x35mm
SN4121	Wool+Plastic+silver ion bactericide	235x75x35mm
55mm Antibacterial Plastic Fiber Tool Brush-Plastic Handle (Middle)		
SN4123	PBT + Plastic + Bactericide	255x50x55mm



SN4041 SN4042/SN40424 SN4043 SN4044

Wool Pastry Brush		Wool+PP Plastic+Wood Fiber
SN4041	Round WPC Handle	ø25x235mm
SN4042	WPC Handle (Small)	235x25x35mm
SN40424	Plant Fiber Handle (Small)(2 Pcs/Set)	235x25x35mm
SN4043	WPC Handle (Middle)	235x50x35mm
SN4044	WPC Handle (Large)	235x75x35mm

Fiberglass Plastic Brush



SN4038 SN4039 SN4040

Fiberglass Plastic Brush-White		Fiberglass Plastic
SN4038	(S)	240x25x40mm
SN4039	(M)	240x50x40mm
SN4040	(L)	240x75x40mm



SN4035 SN4036 SN4037

Fiberglass Plastic Brush-Black		Fiberglass Plastic
SN4035	(S)	240x25x40mm
SN4036	(M)	240x50x40mm
SN4037	(L)	240x75x40mm



Spatula

Feature
1. Fully sealed design, no hidden dirt.
2.Made by reinforced rubber, longer life cycle.
3.Soft handle, no scratch.

Instruction
* Working environment temperature:-40℃~200℃.
* Do not touch with sharp tools.
* Clean with water using neutral detergent and dry up.
* Do not clean it with scouring pad.



NEW

Heat-resistant Silicone Spatula(White)(L)		Silicone
SN4760		358x66mm



NEW

Heat-resistant Silicone Spatula		Silicone + PA
SNP30000	(S)	255x53mm
SNP30001	(M)	352x71mm
SNP30002	(L)	425x71mm



Heat-resistant Silicone Spatula (White)		Silicone
SN4755	(S)	Total Length 268mm
SN4756	(L)	Total Length 347mm



Heat-resistant Silicone Spatula (Black)		Silicone
SN8709	(S)	Total Length 268mm
SN8710	(L)	Total Length 347mm



Heat-resistant Silicone Spatula-(blue)		Silicone
SN8702	(S)	Total Length 268mm
SN8706	(L)	Total Length 347mm



Heat-resistant Silicone Spatula-(green)		Silicone
SN8703	(S)	Total Length 268mm
SN8707	(L)	Total Length 347mm



Heat-resistant Silicone Spatula-(red)		Silicone
SN8700	(S)	Total Length 268mm
SN8704	(L)	Total Length 347mm



Heat-resistant Silicone Spatula-(yellow)		Silicone
SN8701	(S)	Total Length 268mm
SN8705	(L)	Total Length 347mm



Rubber Spatula		TPR+PP
SN4741	(S)	Total Length 240mm
SN4742	(M)	Total Length 345mm
SN4743	(L)	Total Length 420mm



Heat-resistant Silicone Spatula		Silicone+PA
SN4757	(S)	Total Length 262mm
SN4758	(M)	Total Length 346mm
SN4759	(L)	Total Length 422mm



Silicone Wide Scraper		
SN4753	Silicone	185x112x18mm

Heat-resistant Silicone Spatula (White) (S)		
SN8708	Silicone	Total Length 255mm



Plastic Spatula		
SN4745	ABS Plastic	Total Length 225mm



Antibacterial Plastic Cake Remover		
SN4775	PP Plastic+silver ion bactericide	Total Length 222mm



Chocolate Tempering Spatula		0.5mm301S/S + PP Plastic
SNP30003	(S)	otal length 244mm Blade length 180mm
SNP30004	(L)	otal length 244mm Blade length 220mm



Heat-resistant Plastic Stirring Spatula (Black)		PS Plastic
SNP30005	30cm	300x47mm
SNP30006	35cm	350x57mm
SNP30007	40cm	400x65mm

Dough Scraper



Hexagonal Plain Scraper		
SN4058	PS Plastic	195x130x5mm



Heat-resistant Plastic Scraper		
SN4069	PS Plastic	133x95x5mm



Anti-microbial Plastic Dough Scraper(L)(Light Green)		
SN4048	PP Plastic + Bactericide	208x135x5mm



Anti-microbial Plastic Dough Scraper(S)(Light Green)		
SN4049	PP Plastic + Bactericide	145x95x5mm

Antibacterial Plastic Dough Scraper		
SN4051	PP Plastic + bactericide	194x127mm


Antibacterial Plastic Dough Scraper (Hard)		
SN4052	PP Plastic + bactericide	133x95x5mm



Antibacterial Plastic Dough Scraper (Hard)(Pink)		
SN4056	PP Plastic + bactericide	133x95x5mm



Antibacterial Plastic Dough Scraper (Soft)		
SN4053	PE Plastic+PE Polymer of ethylene with 1-butene+bactericide	133x95x5mm



Plastic Scrapers (3 Pcs/Set)		
SN4050	Plastic	3 Pcs/Set



Plastic Dough Scraper (Soft)(Pink)		
SN4055	PE Plastic	133x95x5mm



Antibacteria Plastic Dough Scraper

SN4072	PE Plastic + bactericide	159x103mm

Transparent Plastic Dough Scraper

SN4068	PE Plastic	159x103mm



Plastic Decorating Comb

SN4091	PP Plastic	95x95mm



Plastic Decorating Comb

SN4082	PP Plastic	110x110mm



Plastic Dough Scraper (5 Pcs/Set)

SN40715	0.8mm PP Plstic	130x100mm



Antibacterial Plastic Dough Scraper

SN4073	PE Plastic +PE Polymer of ethylene with 1-butene+ bactericide	126x97mm



Plastic Decorating Comb

SN4092	PP Plastic	110x76mm



Decorating Comb (Korea)

TS-1446P	ABS Plastic	108x94mm



Anti-microbial Plastic Dough Scraper (Light Pink)

SN4047	PP Plastic + Bactericide	120x95mm



Plastic Dough Scraper (Blue)

SN4059	PP Plastic	114x105x27mm



Stainless Steel Spatula

SN4061	1.2mm 420 S/S	Total Length 207mm



Stainless Steel Dough Cutter (Electrolysis)

SN4103	0.8mm 304 S/S	160x125mm



Stainless Steel Decorating Comb (Polishing)

SN4098	0.5mm 301 S/S	125x95mm



Stainless Steel Decorating Comb (Polishing)

SN4081	0.5mm 301 S/S	110x110mm



Stainless Steel Fry Scraper

SN4104	0.8mm 304 S/S	205x127mm



S/S Bowl Scraper-Plant Fiber Handle

SN4045	0.3mm 301 S/S + PP Plastic + Plant Fiber	128x138mm



301 S/S+PP Plastic + Plant Fiber

SN4131	Dough Scraper-Plant Fiber Handle	116x130mm



301 S/S+PP Plastic + Plant Fiber

SN4132	Dough Scraper-Plant Fiber Handle	116x156mm



Stainless Steel Dough Cutter (Polishing)	0.4mm 301 S/S	
SN4146		121x135mm



Stainless Steel Dough Cutter (Polishing)	0.4mm 301 S/S	
SN4147		120x150mm



Stainless Steel Dough Cutter (Polishing)		
SN4101	0.4mm 301 S/S	121x135mm



Stainless Steel Dough Cutter (Polishing)		
SN4106	0.4mm 301 S/S	120x150mm



Dough Scraper-Plastic Handle		
SN4107	0.5mm 301 S/S	116x130mm



Dough Scraper-Plastic Handle		
SN4108	0.5mm 301 S/S	116x156mm



Dough Scraper-Plastic Handle		
SN4100	0.8mm 301 S/S	116x130mm



Dough Scraper-Plastic Handle		
SN4102	0.8mm 301 S/S	116x160mm

Stainless Steel Sieve



6 Holes

Stainless Steel Sieve (6 Holes)			304 S/S
SN4255	12"	Outer 300x80mm	



10 Holes

Stainless Steel Sieve (10 Holes)		304 S/S
SN4261	8"	Outer 205x60mm
SN4262	10"	Outer 250x70mm
SN4263	12"	Outer 300x80mm
SN4270	14"	Outer 350x90mm



20 Holes

Stainless Steel Sieve (20 Holes)		304 S/S
SN4256	8"	Outer 205x60mm
SN4257	10"	Outer 250x70mm
SN4258	12"	Outer 300x80mm
SN4259	14"	Outer 350x90mm



24 Holes

Stainless Steel Sieve (24 Holes)		304 S/S
SN4266	8"	Outer 205x60mm
SN4267	10"	Outer 250x70mm
SN4268	12"	Outer 300x80mm
SN4269	14"	Outer 350x90mm




30 Holes

Stainless Steel Sieve (30 Holes)		304 S/S
SN4726	8"	Outer 205x60mm
SN4727	10"	Outer 250x70mm
SN4728	12"	Outer 300x80mm
SN4729	14"	Outer 350x90mm



40 Holes

Stainless Steel Sieve (40 Holes)		304 S/S
SN4731	8"	Outer 205x60mm
SN4732	10"	Outer 250x70mm
SN4733	12"	Outer 300x80mm
SN4734	14"	Outer 350x90mm



NEW

Stainless Steel Powder Sieve Balls - 40 Mesh	304 S/S
SN4289	ø45x160mm



Hand Extrusion Powder Sieve		430 S/S+304 S/S
V-603	(S)	ø100mmx125mm
V-604	(L)	ø120mmx145mm



Powder Sieve	304 S/S
V311	ø100x215mm
V310	ø80x195mm
V309	ø70x185mm



Stainless Steel Sieve with Plastic handle		304 S/S + PP Plastic
SN4288	Largel	ø100x220mm
SN4287	Medium	ø80x200mm
SN4286	Small	ø70x190mm

Fluted Cutter





Round Cutter		304 S/S
SN4206	6"	ø152x70mm
SN4207	8"	ø203x70mm



Apple Pies Cutter (Polished)	304 S/S
SN3807	192x144x65mm



Apple Pies Cutter (Electrolysis)	304 S/S
SN3806	179x116x65mm





Oval Leaves Cutter (Electrolysis)		
SN3802	304 S/S	120x68x40mm
SN3803	0.5mm 304 S/S	81x52x36mm





Round Fluted Cutter (Electrolysis)	0.5mm 304 S/S
SN3820	8Pcs/Set
SN3821	ø30x50mm
SN3822	ø40x50mm
SN3824	ø50x50mm
SN3826	ø60x50mm
SN3828	ø70x50mm
SN3830	ø80x50mm
SN3832	ø90x50mm
SN3834	ø100x50mm




Round Cutter (Electrolysis)	0.5mm 304 S/S
SN3840	8 Pcs/Set
SN3841	ø30x50mm
SN3842	ø40x50mm
SN3844	ø50x50mm
SN3846	ø60x50mm
SN3848	ø70x50mm
SN3850	ø80x50mm
SN3852	ø90x50mm
SN3854	ø100x50mm



Biscuit Cookie Cutter(Electrolysis)		304 S/S
SN3857	Square	50x50x50mm



Heart Fluted Cutter (Electrolysis)		
SN3800	5 Pcs/Set	0.5mm 304 S/S



Doughnut Cutter	PC Plastic
SN4182	ø78x62mm
SN4183	ø84x62mm



Doughnut Cutter-Heart		PC Plastic
SN4185	Heart	84x76x62mm



Doughnut Cutter-Flower	PC Plastic
SN4186	ø84x62mm



Lattice Mark	ABS Plastic
SN4181	ø104x33mm



Cake Divider(10/12 Slices)	ABS Plastic
SN4751	ø271x26mm



Movable Decorator	PC Plastic
SN4761	ø319x5mm



Antibacterial Egg Separater		
SN4625	PC Plastic + silver ion bactericide	173x70x30mm

Dual Purpose Egg Cutter		
SN4626	ABS Plastic	217x84x43mm



Egg Opener		304 S/S
SN4624	Polishing	ø34x119mm
SN4623	Electrolysis	ø32x112mm



Knife and Spoon		1.5mm 304 S/S
SN4641	TiN-Bronze Gold	130x30x8mm
SN4642	TiO2-Blue Black	130x30x8mm




Stainless Steel Sugar Cutting Ruler	SUS 304+ PE
SN4649	360x45x79mm



Pudding Glass Bottle (with lid)(80 Pcs/Set)		
SN08009	Glass + PE Plastic	51x70mm




Plastic Modelling Tools (12 Pcs/Set)	PEICT Plastic
SN4640	12 Pcs/Set



Egg Fryer Ring(Electrolysis)	0.8mm 304 S/S
SN4621 Fixed Handle	ø90x16mm
SN4622 Removable Handle	ø90x16mm



Heart-shaped Egg Fryer	0.8mm 304 S/S
SN4627 Fixed Handle	103x90x16mm
SN4628 Removable Handle	103x90x16mm



Flower-shaped Egg Fryer	0.8mm 304 S/S
SN4629 Fixed Handle	97x94x16mm
SN4630 Removable Handle	97x94x16mm



Aluminium Alloy Sticks Cone Holder	Al.Alloy
SN4646	ø24x133mm




Fruit Peeling Fixer	304 S/S+PE Plastic
SN0900	Total Length 196mm



Grater	304 S/S
SN4644	Total Length 325mm



Chocolate Scraper	430 S/S
SN4063	Total length 203 Blade length 72mm



U Shape Bread Mould (Non-stick Series 1000)		
SN3589	1.5mm Al.Alloy	150x30x30mm
SN3580	1.5mm Al.Alloy	150x50x50mm
SN3583	1.5mm Al.Alloy	245x40x40mm
SN3584	1.5mm Al.Alloy	200x55x40mm



NEW

U Shape Bread Mould (Non-stick Series 1000)	
SN3590	80x36x50mm
	1.5mm Al.Alloy



Melon Baller	S/S
SN4141	ø30/ø25 Length 180mm
	304 S/S
SN4143	ø30/ø25 Length 180mm



Titanium Plating Scissors	420 S/S
SN4723	Length 255mm



Multi-functional Scissors	420 S/S
SN4721	Length 205mm



Cannoli (2 Pcs/Set)	1.0mm Al.Alloy
SN42124 Non-stick Series 1000	ø25x145mm
SN42134 Anodized	ø25x145mm



Cream Horn (Anodized)(5 Pcs/Set)		
SN41615	Casting Aluminum	ø28x135mm
Cream Horn (Anodized)(10 Pcs/Set)		
SN41616	Casting Aluminum	ø28x135mm



Cream Horn (non-stick)(5 Pcs/Set)		
SN41655	Casting Aluminum	ø28x135mm



Cream Horn (Non-stick Series 800)(10 Pcs/Set)		
SN41656	Casting Aluminum	ø28x135mm



Tar foam cleaner

GEE720		500ml
Sodium Hydroxide,Decyl Glucoside		



Foldable Stainless Steel Inverted Cake Cooling Rack (Brown)

SN4633	430 S/S + Silicone	Ø90x167mm



Stainless Steel Cake Cooling Rack 304 S/S

SN4620	ø218x70mm



Kits for Making Tiles-12 Holes 304 S/S

SN0610	Stuffing box x1 ; Bottom plate x1



Spray bottle PET+PE+POM+PP

SN4749	White	198x83x54mm(200ml)
SN4750	Black	198x83x54mm(200ml)
SN4754	Transparent	250x83x54mm(350ml)



Stainless Steel Cooling Stand 304 S/S

SN4193	Electrolysis	ø188x145mm
SN4194	Electrolysis	ø134x145mm



Cake Slicer (Anodized) 301 S/S + Al.Alloy

SN4237	530x230x20mm




Flour Bin with Wheel 45L PP Plastic

SN4679	510x310x620mm



Special copper brush for oven Copper+Wood

SN4145	350x55x1530mm



FIFO Sauce Bottle PE Plastic

SN4667	12 OZ
SN4668	16OZ
SN4669	20 OZ
SN4670	24 OZ



Special wiping cloth for baking tray

SN0463	Polyester+nylon+PVC	300x300mm



Composite material pan with lid

SN4977	Aluminum alloy + S/S + Bakelite	280x75mm



Bread Shovel Al.Alloy

SN4867	300x300x1330mm



Pastry Brush PET+Wood handle

SN4144	375x13x70mm



Super absorbent wiping cloth - ash Polyester+Polyamide

SN0464	400x400mm



Silicone Spatula SILICONE

SN4739	Total length 390mm
Silicone Spoon	SILICONE
SN4740	Total length 390mm

Rolling Pin



Wooden Rolling Pin-Removable Handle wood

SN8012	ø80 Length 563mm



Wooden Rolling Pin wood

SN8031	ø35 Length 880mm
SN8032	ø35 Length 780mm
SN8033	ø35 Length 580mm
SN8046	ø25 Length 360mm
SN8030	ø23 Length 300mm
SN8034	ø25 Length 280mm



Stainless Steel Rolling Pin 304 S/S

SN8047	ø30 Length 355mm



Al.Alloy Rolling Pin-Removable Handle (Hard Anodized)

SN8014	Al.Alloy	ø62 Length 480mm
SN8015	Al.Alloy	ø80 Length 570mm




Wooden Rolling Pin wood

SN8021	ø95 Length 550mm
SN8022	ø80 Length 450mm
SN8023	ø60 Length 440mm



Plastic Rolling Pin (Black) PE Plastic

SN8010	ø30 Length 330mm
SN8011	ø26 Length 330mm



Stainless Steel Rolling Pin 304 S/S

SN8045	ø32 Length 355mm
SN8044	ø25 Length 280mm



Plastic Rolling Pin PE Plastic

SN8035	ø30 Length 330mm
SN8036	ø26 Length 330mm

Oven Mitt






NEW

5" Oil-Resistant and Wear-Resistant Oven Mitt (Limit<205°C)

SN7997	Cotton	Length 381mm



Product Display



14.5" Oven Mitt (Large)(Limit<220°C)

SN7988	Cotton	Length 370mm



17" Oven Mitt (Large)(Limit<220°C)

SN7990	Cotton	Length 432mm





Heat-resistant Five-fingered glove

SN7999 Cotton+Silicone Length：260mm



Heat-resistant
Triple layers of thermal insulation
Maximum temperature: 230 ℃



Easy to pinch
Five-finger design for more flexible grasping the products



Multiple usage
Anti-slip strip designs help caps-screwing easier



Anti-slip
Protecting both hands and prevent the pans falling off



15" Oven Mitt (Limit<205℃)

SN7991 Cotton Length 381mm



17" Oven Mitt (Limit<205℃)

SN7992 Cotton Length 432mm



10.5" Oven Mitt (Limit<94℃)

SN7993 Cotton Length 267mm



15" Oven Mitt (Limit<94℃)

SN7994 Cotton Length 381mm



17" Oven Mitt (Limit<94℃)

SN7995 Cotton Length 432mm



Silicone Oven Mitt (Limit<300℃)

SN7996 Cotton + Silicon Length 320mm



Pizza Pan Cover



Pizza Pan Cover (Hard Anodized)		1.0mm Al.Alloy
SN5791	6"	ø180x10mm
SN5792	9"	ø258x10mm



Pizza Pan Cover		1.0mm Al.Alloy
SN5771	7"	ø206x10mm
SN5772	8"	ø230x10mm
SN5773	9"	ø258x10mm
SN5774	10"	ø284x10mm



Easy to stack



Perforated Pizza Pan (Hard Anodized)		1.0mm Al.Alloy
SN5704	9"	ø229x4mm
SN5705	12"	ø305x4mm



Pizza Pan



Pizza Pan (Hard Anodized)		1.0mm Al.Alloy
SN5722	6"	152x127x16mm
SN5723	7"	178x152x17mm
SN5724	8"	203x178x17mm
SN5725	9"	229x203x18mm
SN5726	10"	254x229x18mm
SN5727	11"	279x254x19mm
SN5728	12"	305x279x19mm



Deep Pizza Pan (Hard Anodized)		1.0mm Al.Alloy
SN5762	6"	152x140x41mm
SN5763	7"	178x166x41mm
SN5764	8"	203x197x41mm
SN5765	9"	229x213x41mm
SN5766	10"	254x233x41mm
SN5768	12"	305x290x41mm
SN5769	13"	330x311x41mm
SN5789	15"	377x356x38mm




Pizza Pan (Hard Anodized)		1.0mm Al.Alloy
SN5741	5"	127x117x23mm
SN5742	6"	152x142x24mm
SN5743	7"	178x168x24mm
SN5744	8"	203x193x25mm
SN5745	9"	229x219x25mm





Deep Pizza Pan (Hard Anodized)		1.8mm Al.Alloy
SN5782	9"	231x211x36mm
SN5786	12"	305x285x36mm





Pizza Rack (Electrolysis)	304 S/S
SN4239	306x266x630mm



Pizza Net Pan (Anodized)		1.0mm Al.Alloy
SN5533	7"	ø178x4mm
SN5535	9"	ø229x4mm
SN5536	10"	ø254x4mm
SN5538	12"	ø305x4mm
SN5539	13"	ø330x4mm

Pie Pan



Round Fluted Tart Mould-Removable Bottom (Hard Anodized)		
SN5563	1.0mm Al.Alloy	100x83x23mm
Round Deep Fluted Tart Mould-Removable Bottom (Hard Anodized)		
SN5564	1.0mm Al.Alloy	177x150x42mm



Round Fluted Tart Mould-Removable Bottom (Anodized)		
SN5444	1.0mm Al.Alloy	100x83x23mm





Pie Pan (Anodized)		1.0mm Al.Alloy
SN5415	7"	178x143x24mm
SN5416	8"	203x161x28mm
SN5417	9"	229x181x32mm



Pie Pan (Hard Anodized)		1.0mm Al.Alloy
SN5515	7"	178x143x24mm
SN5516	8"	203x161x28mm
SN5517	9"	229x181x32mm



Round Fluted Tart Mould (Hard Anodized)		
SN5552	1.0mm Al.Alloy	160x143x23mm
SN5553	1.0mm Al.Alloy	200x181x25mm
SN5554	1.0mm Al.Alloy	240x221x26mm



Round Fluted Tart Mould (Anodized)		
SN5431	1.0mm Al.Alloy	100x82x21mm
SN5432	1.0mm Al.Alloy	160x143x23mm
SN5433	1.0mm Al.Alloy	200x181x26mm
SN5434	1.0mm Al.Alloy	240x221x26mm




Round Fluted Tart Mould-Removable Bottom (Anodized)		
SN5440	1.0mm Al.Alloy	160x143x23mm
SN5441	1.0mm Al.Alloy	200x181x25mm
SN5442	1.0mm Al.Alloy	240x221x26mm
SN5443	1.0mm Al.Alloy	280x261x26mm



Round Fluted Tart Mould-Removable Bottom (Hard Anodized)		
SN5560	1.0mm Al.Alloy	160x143x23mm
SN5561	1.0mm Al.Alloy	200x181x25mm
SN5562	1.0mm Al.Alloy	240x221x26mm





Rectangular Fluted Tart Mould-Removable Bottom (Hard Anodized)		
SN5574	1.0mm Al.Alloy	250x100x25mm
SN5577	1.0mm Al.Alloy	210x210x25mm



Heart Fluted Tart Mould-Removable Bottom (Hard Anodized)		
SN5566	1.0mm Al.Alloy	152x137x20mm
SN5567	1.0mm Al.Alloy	203x185x25mm



Big Cake Mould



Deep Round Embossed Cake Pan-Removable Bottom (Hard Anodized)

SN5025	6"	1.0mm Al. Alloy	152x147x69mm
SN5035	7"	1.0mm Al. Alloy	178x172x74mm
SN5045	8"	1.0mm Al. Alloy	203x197x74mm
SN5055	9"	1.0mm Al. Alloy	229x223x74mm
SN5065	10"	1.0mm Al. Alloy	254x248x79mm
SN5075	12"	1.0mm Al. Alloy	305x299x79mm
SN5085	14"	1.0mm Al. Alloy	356x350x79mm



Deep Round Embossed Cake Pan (Hard Anodized)

SN5027	6"	1.0mm Al. Alloy	152x147x70mm
SN5037	7"	1.0mm Al. Alloy	178x172x75mm
SN5047	8"	1.0mm Al. Alloy	203x197x75mm
SN5057	9"	1.0mm Al. Alloy	229x223x75mm
SN5067	10"	1.0mm Al. Alloy	254x248x80mm



Deep Round Embossed Cake Pan-Removable Bottom (Anodized)

SN5026	6"	1.0mm Al. Alloy	152x147x69mm
SN5036	7"	1.0mm Al. Alloy	178x172x74mm
SN5046	8"	1.0mm Al. Alloy	203x197x74mm
SN5056	9"	1.0mm Al. Alloy	229x223x74mm
SN5066	10"	1.0mm Al. Alloy	254x248x79mm
SN5076	12"	1.0mm Al. Alloy	305x299x79mm
SN5086	14"	1.0mm Al. Alloy	356x350x79mm
SN5094	16"	1.0mm Al. Alloy	406x400x79mm
SN5104	18"	1.0mm Al. Alloy	457x451x79mm



Deep Round Embossed Cake Pan (Anodized)

SN5028	6"	1.0mm Al. Alloy	152x147x70mm
SN5038	7"	1.0mm Al. Alloy	178x172x75mm
SN5048	8"	1.0mm Al. Alloy	203x197x75mm
SN5058	9"	1.0mm Al. Alloy	229x223x75mm
SN5068	10"	1.0mm Al. Alloy	254x248x80mm



Deep Round Embossed Cake Pan (Hard Anodized)

SN5005	4"	1.0mm Al.Alloy	102x98x60mm
SN5145	5"	1.0mm Al.Alloy	127x123x60mm

Deep Round Embossed Cake Pan-Removable Bottom (Hard Anodized)

SN5007	4"	1.0mm Al.Alloy	102x98x59mm
SN5147	5"	1.0mm Al.Alloy	127x123x59mm



Deep Round Embossed Cake Pan (Anodized)

SN5006	4"	1.0mm Al.Alloy	102x98x60mm
SN5146	5"	1.0mm Al.Alloy	127x123x60mm

Deep Round Embossed Cake Pan-Removable Bottom (Anodized)

SN5008	4"	1.0mm Al.Alloy	102x98x59mm
SN5148	5"	1.0mm Al.Alloy	127x123x59mm



Deep Round Cake Pan-Removable Bottom(Hard Anodized)

SN5001	4"	1.0mm Al.Alloy	102x98x59mm
SN5011	5"	1.0mm Al.Alloy	127x123x59mm
SN5021	6"	1.0mm Al.Alloy	152x147x69mm
SN5041	8"	1.0mm Al.Alloy	203x197x74mm



Deep Round Cake Pan-Removable Bottom(Anodized)

SN5002	4"	1.0mm Al. Alloy	102x98x59mm
SN5012	5"	1.0mm Al. Alloy	127x123x59mm
SN5022	6"	1.0mm Al. Alloy	152x147x69mm
SN5042	8"	1.0mm Al. Alloy	203x197x74mm



Deep Round Embossed Cake Pan (Hard Anodized)

SN5141	6"	1.2mm Al.Alloy	152x145x89mm
SN5151	8"	1.0mm Al. Alloy	203x196x94mm



Deep Round Embossed Cake Pan (Anodized)

SN5142	6"	1.2mm Al.Alloy	152x145x89mm
SN5152	8"	1.0mm Al. Alloy	203x196x94mm



Deep Round Cake Pan-Removable Bottom (non-stick)

SN5161	4"	1.0mmAl.Alloy	102x98x59mm
SN5162	5"	1.0mmAl.Alloy	127x123x59mm
SN5163	6"	1.0mmAl.Alloy	152x147x69mm



Deep Round Cake Pan (non-stick)

SN5156	4"	1.0mm Al.Alloy	102x98x60mm
SN5157	5"	1.0mm Al.Alloy	127x123x60mm
SN5158	6"	1.0mm Al.Alloy	152x147x70mm



Deep Round Cake Pan (Hard Anodized) 1.0mm Al. Alloy

SN5003	4"	102x98x60mm
SN5013	5"	127x123x60mm
SN5023	6"	152x147x70mm
SN5043	8"	203x197x75mm



Deep Round Cake Pan (Anodized) 1.0mm Al.Alloy

SN5004	4"	102x97x60mm
SN5014	5"	127x123x60mm
SN5024	6"	152x147x70mm
SN5044	8"	203x197x75mm



Deep Round Cake Pan-Removable Bottom(Hard Anodized)

SN5221	5"	1.0mm Al.Alloy	127x113x57mm
SN5231	6"	1.0mm Al.Alloy	152x135x70mm
SN5241	7"	1.0mm Al.Alloy	178x160x76mm
SN5251	8"	1.0mm Al.Alloy	203x183x80mm
SN5261	9"	1.0mm Al.Alloy	224x205x86mm



Deep Round Embossed Cake Pan (Anodized)

SN5144	6"	1.2mm Al.Alloy	152x145x90mm
SN5154	8"	1.0mm Al. Alloy	203x196x95mm



Deep Round Cake Pan (Non-stick Series 1000)

SN5009	4"	1.0mm Al.Alloy	102x98x60mm
SN5010	5"	1.0mm Al.Alloy	127x123x60mm



Round Cake Pan-Removable Bottom (Anodized)

SN5232	6"	1.0mm Al.Alloy	152x135x70mm
SN5242	7"	1.0mm Al.Alloy	178x160x76mm
SN5252	8"	1.0mm Al.Alloy	203x183x80mm
SN5262	9"	1.0mm Al.Alloy	224x205x86mm
SN5272	10"	1.0mm Al.Alloy	254x232x88mm



Chiffon Cake Pan-Removable Bottom (Anodized)

SN5234	6"	1.0mm Al.Alloy	152x130x115mm
SN5254	8"	1.0mm Al.Alloy	203x182x112mm



6" Deep Round Cake Tube (Anodized)

SN5303	1.0mm Al.Alloy	ø145x105mm



Deep Round Cake Tube (Anodized)		1.0mm Al.Alloy
SN5293	6"	ø130x105mm
SN5294	7"	ø158x102mm
SN5295	8"	ø181x100mm
SN5296	9"	ø202x104mm



Heart Pan (Non-stick)		1.0mm Al.Alloy
SN6919	3"	73x68x27mm
SN6920	4"	93x88x35mm



Angel Cake Mould-Removable Tube (Anodized)

SN5280	1.0mm Al.Alloy	100x80x54mm
SN5286	1.0mm Al.Alloy	130x114x80mm
SN5281	1.0mm Al.Alloy	150x135x80mm
SN5282	1.0mm Al.Alloy	180x170x90mm
SN5283	1.0mm Al.Alloy	210x195x95mm



4" Chiffon Cake Pan-Removable Bottom (Anodized)

SN5213	1.0mm Al.Alloy	102x100x85mm



4" Heart Pan (Non-stick Series 1000)

SN6840	1.0mm Al.Alloy	93x88x35mm



Angel Cake Mould-Removable Tube (Hard Anodized)

SN5210	1.0mm Al.Alloy	130x114x80mm
SN5211	1.0mm Al.Alloy	150x135x80mm
SN5212	1.0mm Al.Alloy	180x170x90mm



Heart Pan (Hard Anodized)		1.0mm Al. Alloy
SN6914	6"	142x134x55mm
SN6916	8"	189x178x60mm



Heart Pan-Removable Bottom (Hard Anodized)

SN6904	6"	1.0mm Al. Alloy	142x134x55mm
SN6906	8"	1.0mm Al. Alloy	189x178x60mm



Heart Pan (Anodized)		1.0mm Al. Alloy
SN6851	3"	73x68x27mm
SN6852	4"	93x88x35mm
SN6853	5"	118x111x40mm
SN6854	6"	142x134x55mm
SN6856	8"	189x178x60mm
SN6858	10"	236x222x67mm



Heart Pan-Removable Bottom (Anodized)

SN6844	6"	1.0mm Al.Alloy	142x134x55mm
SN6846	8"	1.0mm Al.Alloy	189x178x60mm



Square Cake Pan-Removable Bottom (Hard Anodized)			
SN5121	8"	1.0mm Al.Alloy	145x145x60mm
SN5123	10"	1.0mm Al.Alloy	180x180x60mm
SN5125	12"	1.0mm Al.Alloy	215x215x60mm



Square Cake Pan (Non-stick Series 1000)		1.0mm Al. Alloy
SN5131	8"	145x145x60mm
SN5133	10"	180x180x60mm
SN5135	12"	215x215x60mm

Kugelhopf Mould



Bundt Pan (Double Sides Non-stick Series 800)

SN6825	1.0mm Al.Alloy	ø179x63mm



Bundt Pan (Double Sides Non-stick Series 800)

SN6826	1.0mm Al.Alloy	ø179x63mm



Bundt Pan (Double Sides Non-stick Series 800)

SN6827	1.0mm Al.Alloy	ø180x95mm
SN6828	1.0mm Al.Alloy	ø220x115mm



German Gugelhupf Cake Mould (Anodized)

SN6829	14cm	1.0mm Al.Alloy	ø140×78mm
SN6823	18cm	1.0mm Al.Alloy	ø180x95mm
SN6824	22cm	1.0mm Al.Alloy	ø220x115mm



NEW

4" German Gugelhupf Cake Mould (Non-stick Series 1000)

SN6872	Alusteel	ø102x40mm



Cheese Cake Mould



Cheese Cake Mould (Non-stick Series 1000)

SN6862	1.0mm Al.Alloy	214x100x55mm



Cheese Cake Mould (Non-stick Series 1000)

SN6860	1.0mm Al.Alloy	214x100x55mm



Cheese Cake Mould (Non-stick Series 1000)

SN6863	1.0mm Al.Alloy	214x100x55mm



Cheese Cake Mould (Anodized)

SN6861	1.0mm Al.Alloy	214x100x55mm



Sponge Mould (Non-stick Series 800)

SN6604	1.0mm Al.Alloy	96x66x40mm
SN6605	1.0mm Al.Alloy	110x83x42mm



Sponge Mould (Anodized)

		1.0mm Al.Alloy
SN6601		96x66x40mm
SN66015	5 Pcs/Set	96x66x40mm
SN6602		110x83x42mm



Sponge Mould (Double Sides Non-stick Series 800) (5 Pcs/Set)

SN66065	1.0mm Al.Alloy	96x66x40mm
SN66075	1.0mm Al.Alloy	110x83x42mm



Cheese Cake Mould (Non-stick Series 800)

SN6866	1.0mm Al.Alloy	170x65x37mm



Rectangular Mould (Non-stick Series 1500)

SN6257	1.0mm Al.Alloy	171x65x36mm



Rectangular Mould (Non-stick Series 1500)

SN6259	1.0mm Al.Alloy	139x80x48mm



Cheese Cake Mould (Non-stick Series 1000)

SN6867	1.2mm Al.Alloy	140x72x46mm



NEW

Sponge Mould (Non-stick Series 1000)

SN6600	1.0mm Al.Alloy	110x83x42mm



Small Cake Mould



Briochette Mould (Anodized)(5 Pcs/Set)	0.6mm Al.Alloy
SN61825	49x26x17mm
SN61835	60x30x19mm
SN61845	71x40x21mm
SN61855	81x50x23mm



Cake Mould (Anodized)(5 Pcs/Set)	0.6mm Al.Alloy
SN62915	68x46x39mm
SN62925	73x50x42mm
SN62935	79x53x45mm



Oval Briochette Mould (Anodized)(5 Pcs/Set)		
SN61725	0.6mm Al.Alloy	75x57x18mm



Cake Mould (Anodized)(5 Pcs/Set)	1.0mm Al.Alloy
SN63035	105x81x29mm



Cake Mould (Anodized)(5 Pcs/Set)		
SN62115	0.6mm Al.Alloy	75x41x28mm



Cake Mould (Anodized)(5 Pcs/Set)		
SN62265	1.0mm Al.Alloy	ø94x30mm



Meteorites (Anodized)(5 Pcs/Set)		
SN61395	1.0mm Al.Alloy	ø94x30mm



Cake Mould (Anodized)(5 Pcs/Set)		
SN61945	1.0mm Al.Alloy	80x48x24mm



Round Mould (Anodized)(5 Pcs/Set)		
SN60315	1.0mm Al.Alloy	94x83x35mm
SN60335	1.0mm Al.Alloy	105x90x37mm



Cake Mould (Anodized)		1.0mm Al.Alloy
SN62535	5 Pcs/Set	ø54x50mm



Cake Pan (Anodized)(5 Pcs/Set)	0.6mm Al.Alloy
SN54225	95x50x20mm



NEW

Batter Measuring Cup	0.5mm 304 S/S
SN4698	62x46x43mm



Round Cup Mould (Anodized)(5 Pcs/Set)		
SN60115	0.6mm Al.Alloy	45x33x45mm
SN60125	0.6mm Al.Alloy	53x37x50mm
SN60145	0.6mm Al.Alloy	60x45x56mm
SN60175	0.6mm Al.Alloy	80x57x65mm



Tart Mould (Anodized)(5 Pcs/Set)	0.6mm Al.Alloy
SN60615	70x39x23mm
SN60645	72x43x23mm
SN60655	76x46x24mm



Round Cup Mould (Anodized)(5 Pcs/Set)		
SN60215	0.6mm Al.Alloy	47x34x25mm
SN60225	0.6mm Al.Alloy	53x38x28mm
SN60235	0.6mm Al.Alloy	59x42x31mm
SN60245	0.6mm Al.Alloy	65x47x34mm
SN60255	0.6mm Al.Alloy	71x52x37mm
SN60265	0.6mm Al.Alloy	77x56x40mm



NEW

Cake Mould (Non-stick Series 1000)	0.6mm Alusteel
SN6217	83x55x50mm



Lemon Mould (Anodized)(10 Pcs/Set)		
SN61416	0.6mm Al.Alloy	89x57x33mm

Lemon Mould (Anodized)(5 Pcs/Set)		
SN61415	0.6mm Al.Alloy	89x57x33mm



Round Type Tart Mould (Anodized)(5 Pcs/Set)		
SN61355	1.0mm Al.Alloy	43x32x14mm



Fluted Boat Mould (Anodized)(5 Pcs/Set)		
SN61615	0.6mm Al.Alloy	100x42x12mm
SN61625	0.6mm Al.Alloy	120x55x14mm




Boat Mould (Anodized)(5 Pcs/Set)		
SN61515	0.6mm Al.Alloy	90x40x14mm
SN61525	0.6mm Al.Alloy	110x55x14mm



Steam Cake Mould (Anodized)(5 Pcs/Set)		
SN64055	0.6mm Al.Alloy	71x52x37mm
SN64065	0.6mm Al.Alloy	94x83x35mm



Tart Mould (Anodized)(5 Pcs/Set)		0.6mm Al.Alloy
SN62415	6.5cm	ø65x17mm
SN62425	7cm	ø70x17mm
SN62435	7.5cm	ø75x18mm
SN62445	8cm	ø80x18mm



Madeleine Mould (Anodized)(5 Pcs/Set)		
SN61095	0.6mm Al.Alloy	78x47x16mm
SN61045	0.6mm Al.Alloy	81x45x16mm



Octagonal Bread Mould (Non-stick Series 1000)		
SN6155	0.7mm Alusteel	ø98x92x35mm



Brioche Low-sugar Mould (Non-stick)(5 Pcs/Set)

SN62295	1.0mm Al.Alloy	107x56x41mm



Brioche Low-sugar Mould (Non-stick) (14 Petals)

SN6230	1.0mm Al.Alloy	140x68x50mm



Brioche Low-sugar Mould (Non-stick) (12 Petals)

SN6234	1.0mm Al.Alloy	120x81x36mm



Brioche Low-sugar Mould (Non-stick) (14 Petals)

SN6235	1.0mm Al.Alloy	160x87x65mm



Brioche Low-sugar Mould (Non-stick)(5 Pcs/Set)

SN62395	1.0mm Al.Alloy	94x51x30mm



Heat-resistant Plastic Round Ring

SN3468	ø80x60mm
SN3469	ø100x60mm



4" Triangular Ring (Non-stick Series 1000)

SN3277	2.5mm A1.Alloy	100x93x40mm



Plum Blossom Ring(Non-stick Series 1000)

SN3933	4"	2.5mm Al.Alloy	ø104x45mm
SN3934	6"	2.5mm Al.Alloy	ø152x50mm



Canelé Mould

SN6501	(M)	Red Copper 44x44mm
SN6502	(L)	55x50mm



Canelé Mould (Non-stick)

SN6504	(M)	0.8mm Alusteel	44x45mm
SN6503	(L)	1.0mm Alusteel	55x50mm



Canelé Mould (Non-stick Series 800)(5Pcs/Set)

SN65055	1.0mm Alusteel	55x50mm



Hexagonal Bread Mould (Non-stick Series 1000)

SN6870	1.0mm Al.Alloy	146x100x46mm

Flower Of Life (Non-stick Series 1000)(5 Pcs/Set)

SN61405	1.0mm Al.Alloy	146x100x46mm



Star Cake Mould (Non-stick Series 800)

SN6804	L	Casting Aluminum	ø168x129mm
SN6809	M	Casting Aluminum	ø132x104mm
SN6807	S	Casting Aluminum	ø82x64mm



Star Bread Mould (Non-stick Series 1000)

SN6806	L	Casting Aluminum	ø168x129mm
SN6808	M	Casting Aluminum	ø132x104mm
SN6805	S	Casting Aluminum	ø82x64mm



Muffin Mould(Non-stick Series 1000)(5 Pcs/Set)

SN60845	0.6mm Alusteel	ø107x50x52mm



Round Ring (Non-stick Series 1000)

SN3935	2.0mm Al.Alloy	ø80x60mm
SN3936		ø100x60mm



Rectangular Cake Mould (Non-stick Series 1000)

SN6214	0.6mm Al.Alloy	114x59x50mm



Mushroom Cake Mould (Nons-stick Series 1000)

SN6086	0.6mm Al.Alloy	75x73x40mm



Retangular Mould (Anodized)(5 Pcs/Set)

SN61435	0.6mm Al.Alloy	88x45x15mm



Square Cake Mould (Non-stick Series 1000)(5Pcs/Set)

SN62135	0.6mm Al.Alloy	60x60x39mm



Retangular Mould (Non-stick)(5Pcs/Set)

SN61545	0.6mm Al.Alloy	88x44x15mm



Oval Mould (Anodized)(5 Pcs/Set)

SN61535	0.6mm Al.Alloy	88x50x31mm



Hot Dog Mould (Non-stick Series 1000)(5 Pcs/Set)

SN61445	0.8mm Alusteel	180x60x16mm



Financier Cake Mould (Non-stick Series 1000)(5 Pcs/Set)

SN62105	0.5mm Alusteel	95x45x15mm



Square Type Tart Mould (Anodized)(5 Pcs/Set)

SN61365	1.0mm Al.Alloy	38x26x14mm



Small Square Cake Mould(Non-stick Series 1000)(5 Pcs/Set)

SN62125	1.0mm Al.Alloy	60x60x12mm

Financier Cake Mould (Non-stick Series 1000)(5 Pcs/Set)

SN62095	0.5mm Alusteel	60x60x12mm



Cake Mould-Small (Non-stick Series 1000)

SN6219	0.6mm Alusteel	ø100x63mm



Cake Mould-Large (Non-stick Series 1000)

SN6220	0.6mm Alusteel	ø132x53mm



Cake Mould-Cat Paw (Anodized)(5 Pcs/Set)

SN64265	0.6mm Al.Alloy	71x52x40mm



Chicken Cake Mould (Non-stick Series 1000)

SN6133	0.8mm Alusteel	102x89x25mm



Cat Paw Cake Mould (Non-stick Series 1000)(5 Pcs/Set)

SN61275	0.8mm Alusteel	53x50x21mm
SN61245	0.8mm Alusteel	68x64x27mm



Plum Blossom Mould (Non-stick Series 1000)(5 Pcs/Set)

SN62085	0.5mm Alusteel	70x60x25mm



Hamburger Mould (Non-stick Series 1000)(5 Pcs/Set)

SN60325	1.0mm Al.Alloy	105x90x37mm



Bundt Cake Mould (Non-stick Series 1000)

SN6814	1.0mm Al.Alloy	ø110x73mm



Cake Mould (Non-stick Series 1000)(5 Pcs/Set)

SN62005	0.5mm Alusteel	77x70x18mm



Round Cake Pan (Anodized)(5 Pcs/Set)

SN60355	1.0mm Al.Alloy	94x83x35mm



UFO (Non-stick Series 1000)(5 Pcs/Set)

SN61385	1.0mm Al.Alloy	100x97x24mm



Round Mould (Non-stick Series 1500)

SN6260	1.0mm Al.Alloy	ø140x122x42mm



Cake Mould (Non-stick Series 1000)

SN6201	1.0mm Al.Alloy	100x97x24mm



Half Sphere Cake Pan (Non-stick Series 1000)

SN6865	1.0mm Al.Alloy	ø100x75mm



Angle Cake Mould (Anodized)

SN6831	1.0mm Al.Alloy	ø110x50mm
SN6832	1.0mm Al.Alloy	ø130x55mm
SN6833	1.0mm Al.Alloy	ø178x60mm
SN6834	1.0mm Al.Alloy	ø215x70mm



Angle Cake Mould (Anodized)

SN6830	0.6mm Al.Alloy	ø94x32mm



Angle Cake Mould (Double Sides Non-stick Series 800)

SN6839	0.6mm Al.Alloy	ø94x32mm



Angle Cake Mould (Non-stick Series 1000)

SN6815	0.8mm Alusteel	ø178x60mm




Flat Bottom Savarin Mould (Non-stick Series 1000)

SN6850	0.8mm Alusteel	164x154x55mm



Savarin Mould (Non-stick Series 1500)

SN6258	1.0mm Al.Alloy	ø135x120x49mm



Octagonal Bread Mould (Non-stick Series 1000)

SN6204		0.7mm Alusteel	ø98x42mm
SN62045	5 Pcs/Set	0.7mm Alusteel	ø98x42mm



Duck Cake Mould (Non-stick Series 1000)

SN6129	0.8mm Alusteel	85x68x30mm



Pastry Bag&Airing Rack



Pastry Bag Dryer (Electrolysis)	304 S/S
SN4242	592x500x353mm



Pastry Bag (Japan)		Polyester
SEKI-14	14"	355x210mm
SEKI-16	16"	405x235mm
SEKI-18	18"	455x265mm
SEKI-20	20"	510x295mm



Pastry Bag (Yellow)			PE Plastic
SN79576	16"	10 Pcs/Set	405x210mm
SN79586	18"	10 Pcs/Set	460x248mm



Pastry Bag (Yellow)			PE Plastic
SN79579	16"	100 Pcs/Set	405x210mm
SN79589	18"	100 Pcs/Set	460x248mm

Disposable Pastry Bag (10 Pcs/Set)		PE Plastic
SN79546	14"	360x180mm
SN79556	16"	405x210mm
SN79566	18"	460x248mm
Disposable Pastry Bag (100 Pcs/Set)		PE Plastic
SN79549	14"	360x180mm
SN79559	16"	405x210mm
SN79569	18"	460x248mm



Disposable Pastry Bag (10 Pcs/Set)		PE Plastic
SN79516	14"	360x180mm
SN79526	16"	405x210mm
SN79536	18"	460x248mm



Thin Pastry Bag (10 Pcs/Set)		Dacron
SN79616	16"	405x225mm
SN79626	18"	460x255mm
SN79636	20"	495x280mm

Disposable Pastry Bag (100 Pcs/Set)		PE Plastic
SN79519	14"	360x180mm
SN79529	16"	405x210mm
SN79539	18"	460x248mm



Thin Pastry Bag (Korea)		Polyester
SN7971	14"	355x200mm
SN7972	16"	405x225mm
SN7973	18"	455x250mm
SN7974	20"	510x280mm



Pastry Bag (Korea)		Nylon
SN7976	14"	355x200mm
SN7977	16"	405x225mm
SN7978	18"	455x250mm
SN7979	20"	510x280mm






Pastry Bag (Green)(100Pcs/Set)		PE Plastic
13102	18"	460x260mm
13103	21"	530x280mm







Pastry Tips




Pastry Tip 0.4mm 304 S/S NEW
SN7037 ø18x35mm




Pastry Tip 0.4mm 304 S/S NEW
SN7078 ø18x35mm




Pastry Tip 0.4mm 304 S/S NEW
SN7174 ø18x35mm




Pastry Tip 0.4mm 304 S/S NEW
SN7175 ø18x35mm



Pastry Tip 0.4mm 304 S/S NEW
SN7267 ø18x35mm



Pastry Tip 0.4mm 304 S/S NEW
SN7268 ø18x35mm



Pastry Tip 0.4mm 304 S/S NEW
SN7270 ø18x35mm



Pastry Tip 0.4mm 304 S/S NEW
SN7302 ø18x35mm



Pastry Tips (80 Pcs/Set)	Pastry Tips & Box
SN7011	Al.Alloy + PS + 0.4mm 304 S/S



Plastic Box of 80 Pcs/Set Pastry Tips		
SN7002	Al.Alloy + PS Plastic	395x290x95mm



Pastry Tip (12 Pcs/Set)	0.4mm 304 S/S
SN7014	12 Pcs/Set



Pastry Tips (12 Pcs/Set)	0.4mm 304 S/S
SN7017	12 Pcs/Set



Pastry Tips (12 Pcs/Set)	0.4mm 304 S/S
SN7015	12 Pcs/Set



Special Pastry Tips (12 Pcs/Set)		
SN7013	0.4mm 304 S/S	12 Pcs/Set



SN77914	SN7792	DC-3
Coupler		PP Plastic
SN77914	(S)(2 Pcs/Set)	23x35mm
SN7792	(L)	3 Pcs/Set
DC-3	(XL)(Korea)	30x52mm




Pastry Tips (6 Pcs/Set)	0.4mm 304 S/S
SN7016	6 Pcs/Set
SN7019	6 Pcs/Set



Pastry Tubes Brush	Nylon + 304 S/S
SN7790	Total Length 160mm



Pastry Tip	0.4mm 304 S/S
SN7020	ø35x50mm
SN7022	ø35x50mm
SN7024	ø25x40mm
SN7026	ø25x40mm
SN7028	ø18x35mm
SN7029	ø18x35mm
SN7264	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7061	ø18x35mm
SN7062	ø18x35mm
SN7063	ø18x35mm
SN7064	ø18x35mm
SN7065	ø18x35mm
SN7066	ø25x40mm
SN7067	ø25x40mm
SN7068	ø25x40mm
SN7069	ø25x35mm
SN7070	ø30x40mm




Pastry Tip	0.4mm 304 S/S
SN7121	ø30x45mm
SN7122	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7021	ø35x50mm
SN7023	ø35x50mm
SN7025	ø30x45mm
SN7027	ø25x40mm
SN7030	ø22x40mm
SN7255	ø18x35mm
SN7321	ø35x50mm
SN7323	ø35x50mm
SN7325	ø30x45mm
SN7327	ø25x40mm
SN7261	ø30x40mm
SN7265	ø25x35mm
SN7266	ø25x35mm



Pastry Tip	0.4mm 304 S/S
SN7051	ø18x35mm
SN7052	ø18x35mm
SN7053	ø18x35mm
SN7054	ø25x40mm
SN7055	ø25x40mm
SN7056	ø25x40mm
SN7057	ø25x40mm
SN7058	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7031	ø18x35mm
SN7032	ø25x40mm
SN7033	ø25x40mm
SN7034	ø25x40mm
SN7035	ø30x45mm
SN7036	ø25x35mm



Pastry Tip	0.4mm 304 S/S
SN7071	ø30x40mm
SN7072	ø25x40mm
SN7073	ø18x35mm
SN7074	ø18x35mm
SN7075	ø18x35mm
SN7076	ø18x35mm
SN7077	ø18x35mm




Pastry Tip	0.4mm 304 S/S
SN7081	ø35x45mm
SN7082	ø25x40mm
SN7083	ø25x40mm
SN7084	ø25x40mm
SN7085	ø18x35mm
SN7086	ø17x30mm
SN7087	ø18x35mm
SN7272	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7101	ø30x45mm
SN7102	ø25x40mm
SN7104	ø25x40mm
SN7105	ø18x35mm
SN7106	ø18x35mm
SN7294	ø30x40mm



Pastry Tip	0.4mm 304 S/S
SN7091	ø30x45mm
SN7092	ø25x40mm
SN7093	ø25x40mm
SN7094	ø25x40mm
SN7095	ø18x35mm
SN7096	ø18x35mm
SN7284	ø25x35mm



Pastry Tip	0.4mm 304 S/S
SN7141	ø30x45mm
SN7142	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7111	ø30x45mm
SN7112	ø25x40mm
SN7113	ø25x40mm
SN7115	ø25x40mm
SN7300	ø35x45mm



Pastry Tip	0.4mm 304 S/S
SN7290	ø25x40mm




Pastry Tip	0.4mm 304 S/S
SN7151	ø30x45mm



Pastry Tip	0.4mm 304 S/S
SN7253	ø18x35mm
SN7278	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7191	ø18x35mm



Pastry Tip	0.4mm 304 S/S
SN7201	ø18x35mm




Pastry Tip	0.4mm 304 S/S
SN7131	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7211	ø25x40mm
SN7221	ø18x35mm



Pastry Tip	0.4mm 304 S/S
SN7161	ø18x35mm
SN7162	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7041	ø25x40mm




Pastry Tip	0.4mm 304 S/S
SN7241	ø25x41mm



Pastry Tip	0.4mm 304 S/S
SN7231	ø18x35mm



Pastry Tip	0.4mm 304 S/S
SN7256	ø18x35mm




Pastry Tip	0.4mm 304 S/S
SN7171	ø18x35mm
SN7172	ø18x35mm
SN7173	ø18x35mm
SN7258	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7145	ø42x48mm



Pastry Tip	0.4mm 304 S/S
SN7181	ø25x40mm



Pastry Tip	0.4mm 304 S/S
SN7254	ø18x35mm



Pastry Tip	0.4mm 304 S/S
SN7143	ø30x48mm



Pastry Tip	0.4mm 304 S/S
SN7147	ø30x40mm



Pastry Tip	0.4mm 304 S/S
SN7144	ø18x70mm



Pastry Tip	0.4mm 304 S/S
SN7251	ø25x44mm
SN7252	ø19x39mm
SN7257	ø25x40mm



Pastry Tip (Korea)	0.4mm 430 S/S	ø36x48mm
TIP-794		



Pastry Tip (Korea)	0.4mm 430 S/S	ø54x57mm
TIP-795		



Flower Nails (Korea)	304 S/S
FN-3	ø35x72mm
FN-7	ø40x72mm
FN-12	ø45x83mm
FN-13	ø50x72mm



Pastry Tip (Korea)	0.5mm 304 S/S	ø24x40mm
TIP-235		



Pastry Tip (Korea)	0.5mm SUS 304	ø30x37mm
TIP-236		



Pastry Tip (Korea)	0.3mm 430 S/S	ø31x46mm
TIP-880		



Pastry Tip (Korea)	0.3mm 430 S/S	ø18x31mm
TIP-89		



Pastry Tips (38Pcs/Set)(Korea)	304 S/S+PE Plastic	38 Pcs/Set
TS-784		



Pastry Tips (6Pcs/Set)(Korea)	304 S/S+PE Plastic	6 Pcs/Set
TS-334-1		



Pastry Tips (6Pcs/Set)(Korea)	304 S/S+PE Plastic	6 Pcs/Set
TS-334-2		



Pastry Tips (26Pcs/Set)(Korea)

TS-782 304 S/S+PE Plastic 26 Pcs/Set



Pastry Tips (52Pcs/Set)(Korea)

TS-783 304 S/S+PE Plastic 52 Pcs/Set



Pastry Tip (Korea)

TIP-030 304 S/S ø18x43mm



Pastry Tip (Korea)

TIP-070 304 S/S ø18x41mm



Pastry Tip (Korea)

TIP-090 304 S/S ø18x43mm



Pastry Tip (Korea)

TIP-105 0.3mm 430 S/S ø18x29mm



Pastry Tip (Korea)

TIP108/106 0.3mm 430 S/S ø25x41mm



Pastry Tip (Korea)

TIP-133 0.3mm 430 S/S ø18x27mm



Pastry Tip (Korea)

TIP-134 0.3mm 430 S/S ø25x43mm



Pastry Tip (Korea)

TIP-199 0.3mm 430 S/S ø18x28mm



Pastry Tip (Korea)

TIP-2020 0.3mm 430 S/S ø31x40mm



Pastry Tip (Korea)

TIP-231 430 S/S ø4x93mm



Pastry Tip (Korea)

TIP-191 0.3mm 430 S/S ø18x31mm



Pastry Tip (Korea)

TIP-1S/261 0.3mm 430 S/S ø18x36mm



Pastry Tip (Korea)

TIP-230 0.3mm 430 S/S ø6x65mm



Pastry Tip (Korea)

TIP-232 430 S/S ø7.5x92mm

SANNENG BAKEWARE CORPORATION

1998 Won Top Quality Award
1999 Won Top Quality Award
2002 Got Approval of ISO 9001 (Taiwan)
2005 Got Approval of ISO 9001 (Wuxi)

A:Wuxi-SAN NENG BAKE WARE CORPORATION
B:Taiwan-SAN NENG BAKE WARE CORPORATION
C:PT. SAN NENG BAKEWARE INDONESIA
D:Japan-SAN NENG BAKE WARE CORPORATION
E:Guangzhou-SAN NENG BAKE WARE CORPORATION


A


B



C


D


E


Automatic Baking Tray Production Line


Automatic Welding Robot


Scientific And Standardized Manufacture Process



Advanced CNC Lathes


Plastic Manufacture Workshop






Anodization & Hard Anodization Manufacture Workshop



Sanneng (Wuxi) Bakeware Co., Ltd.
Surface Coating Factory

In March 2011, Surface Coating Factory has started to build, and started to run in May 2012. The advanced equipment of Anodized Production Line, which are automatically line imported from abroad, effectively guarantee product quality and stability. Meanwhile, the safety sealing process and zero emissions made the products match with the food safety standard, and be environment friendly. The non-stick surface coating production line is fully equipped by automatic equipment, and with 60m long heating oven, which is the largest in China. The new workshop would improve the quality and supply capacity of San Neng Products.

The non-stick surface coating production line



Pre-treatment for Non-stick



Pre-treatment Heat Processing



Pre-treatment Finishing



Auto Sandblasting



Fettling Processing



Dust Removing



Pre-heat Processing



Auto Premier Coating



Premier Coating Heating



Auto Topcoat Processing



Topcoat Sintering



Topcoat Finishing



Thickness Measurement



Anodize Production Line



Sufficient Stock

Showroom







Production line of plastic products




Anodized coating Line 2





Nonstick Series

I. Preparations
Before the first use, please wipe the surface of the appliance with a clean damp cloth. After wiping, use it.
Non-stick appliances should be cleaned with a soft cloth dampened with baking pan oil to make them shinier (not applicable to 3000 series non-stick products).
II. Usage Instructions
Storage and Handling: Avoid contact with sharp, pointed or rough tools. When taking and placing, keep it in a vertical position and handle it gently to prevent wear or scratches on the non-stick coating due to collision or friction.
Usage Requirements: When removing the baked items, try to do it vertically. On the automatic production line, ensure that the conveyor belt speed is coordinated with the removal action to avoid abnormal wear. The 3000 series non-stick coating has good toughness, so avoid damaging the coating. If cracks or damages occur, do not tear to prevent the coating from peeling off in large areas.
Temperature Control: The baking temperature of fluorine-coated appliances should not exceed 250℃, and that of silicon-coated appliances should not exceed 230℃. Avoid uneven heating of the appliance and overheating without baking. Do not leave the appliance in the heated oven for a long time.
III. Cleaning and Maintenance
Immediate Cleaning: After each use, wait for the appliance to cool to room temperature and use a soft cloth or plastic scraper to remove food residues.
Regular Maintenance: Regularly clean the remaining substances with a soft cloth, add a small amount of neutral cleaner to warm water, and dry it at 100℃.
Prohibited Practices: 1. Do not use sharp objects, scouring pads, hard bristle brushes or chemical cleaners for cleaning;
2. Do not rinse with high-pressure water guns or soak for a long time;
3. Do not immerse in strong acids or strong alkalis;
4. Do not use dishwashers, high-temperature steam or prolonged boiling for cleaning;
5. Silicon-coated appliances must not come into contact with acidic (pH value < 5) foods;
6. Avoid storing food in the appliance for a long time.
IV. Storage and Inspection
Storage Requirements: Wait for the appliance to cool down before stacking and stacking. When stacking, handle it gently. It is recommended to store it upside down. Keep the appliance dry and store it in a clean, cool and dry environment.
Regular Inspection: Regularly inspect the wear of the coating on the appliance's surface. If any abnormal wear is found, promptly investigate the cause and make adjustments to avoid further damage to the appliance or the coating. After using the coating for more than the recommended number of times, it is recommended to replace it to avoid the risk of coating peeling off during use.

Anodized & Hard Anodized Series

I. Preparations:
Before the first use, wash with warm water and neutral detergent, then dry over low heat. It can be used after that.
II. Usage Instructions:
Storage guidelines: Avoid contact with sharp, pointed and rough tools. When using, take it up and down, and avoid accidental collision or friction due to improper operation to prevent wear or scratches on the surface of the appliance.
Temperature control: Do not exceed 300℃ for baking temperature. Avoid uneven heating of the appliance. Do not burn it empty. Do not keep the appliance in the heating state of the baking oven for a long time.
III. Cleaning and Maintenance:
Immediate cleaning: After use, wait until it cools to room temperature, then use warm water and neutral detergent, and clean with a soft cloth or plastic scraper to remove residues before washing.
Regular cleaning: After using for a period of time, use warm water and neutral detergent, thoroughly clean with a soft cloth, dry and store (follow actual production specifications).
Prohibited instructions: 1. Do not use sharp objects, scouring pads, hard-bristled brushes, chemical cleaners, strong alkaline cleaners for cleaning;
2. Hard-coated products can be washed in a dishwasher (with neutral detergent), and after washing, they must be dried;
3. Do not soak for a long time;
4. Do not use high-temperature steam for long-term steaming cleaning;
5. Do not come into contact with acidic (pH value < 5) food;
6. Avoid storing food in the appliance for a long time.
IV. Storage and Inspection
Storage requirements: The appliance should be cooled before stacking for storage. Be careful when stacking, keep the appliance dry, and store it in a clean, cool, and dry environment.
Regular inspection: Regularly inspect the wear condition of the appliance surface, promptly identify abnormal wear causes and adjust to avoid serious damage to the appliance or coating.

Non coated Series

I. Preparations:
Before the first use, simply rinse the product with warm water and a neutral cleaner and it can be used.
II. Usage Instructions:
Storage guidelines: Avoid contact with sharp, pointed, and rough tools. When using, take it out vertically and ensure that the conveyor belt runs at a consistent speed with the de-molding action to prevent abnormal wear.
Demolding requirements: When removing the baked item, try to do it vertically. The conveyor line must ensure that the belt speed is coordinated with the de-molding speed to avoid abnormal wear.
III. Cleaning and Maintenance:
Immediate cleaning: After use, let it cool to room temperature, then use warm water and a neutral cleaner, and clean with a soft cloth or plastic scraper to remove the residue.
Regular cleaning: After using for a period of time, use warm water and a neutral cleaner, thoroughly clean with a soft cloth, dry and store (follow the actual production specifications).
Prohibited instructions:
1. Do not use sharp objects, scouring pads, stiff brushes, or chemical cleaners for cleaning;
2. Aluminum alloy products must not come into contact with acidic (pH value < 5) food;
3. Do not store food for a long time in the appliance.
IV. Storage and Inspection:
Storage requirements: The appliance should be cooled before stacking and stored carefully. When stacking, be gentle and keep the appliance dry. Store it in a clean, cool, and dry environment.
Regular inspection: Regularly inspect the wear condition of the appliance surface. Timely identify abnormal wear causes and make adjustments to avoid serious damage to the appliance.

Special reminder: For newly purchased appliances, there may be a slight deformation within the first 30 to 90 days of use. This is a normal phenomenon of metal thermal expansion and contraction and does not constitute a quality issue. It will return to normal after some usage.

Plastic products

I. Preparations:
Before the first use, simply rinse the product with warm water and neutral detergent and it can be used.
II. Usage Instructions:
1. Plastic products should be used within the recommended temperature range indicated on the label. Avoid excessive temperature differences during use and avoid contact with open flames.
2. Avoid contact with sharp, pointed and rough tools. When taking them out, handle them gently and avoid impact. Do not stack them together with heavy objects.
3. PC products are not suitable for contact with infant food. Do not come into contact with food with an ethanol content exceeding 50%.
4. PP, ABS, and melamine products may accumulate dust due to static electricity. They can be wiped with a damp cloth.
5. PP products can be used in the microwave oven. Other materials should avoid microwave oven use.
III. Cleaning and Maintenance
1. Wash with warm water and neutral detergent.
2. Do not use high-temperature steam for long-term steaming cleaning. Avoid prolonged soaking and boiling for disinfection.
3. Within the recommended temperature range of the product, it can be cleaned in a dishwasher.
IV. Storage and Inspection
Store in a clean, cool, and dry environment.
Some products have sharp shapes. Please place them in areas where children cannot reach.

Stainless Steel Items

I. Preparations:
For polished products, before the first use, clean them with warm water and neutral detergent first. Then, boil lemon acid or white vinegar with an appropriate amount of water for about 10 minutes, and wash them thoroughly before use.
II. Usage Instructions:
1. Do not use sharp objects, scouring pads, hard-bristled brushes, or chemical cleaners for cleaning;
2. Do not come into prolonged contact with acidic or alkaline substances to avoid damaging the appliance and causing black dirt;
3. Avoid contact with sharp, pointed, and rough tools;
4. Avoid dropping, colliding, or squeezing.
III. Cleaning and Maintenance
Clean with warm water and neutral detergent;
Can be used for dishwasher cleaning.
IV. Storage and Inspection
1. Store in a clean, cool, and dry environment;
2. Some products have sharp shapes. Please place them in areas where children cannot reach;
3. Regularly inspect the wear and breakage of the appliance (egg beater) surface and maintain it in time to avoid serious damage to the appliance.

Silicone Items

1. Silicone products should be used within the recommended temperature range indicated on the label.
2. Before the first use, wash them with warm water and a neutral detergent and then they can be used.
3. Try to minimize continuous heating. Continuous high temperature can easily cause the silicone to become more brittle.
4. There will be a slight thermal expansion phenomenon when heated.
5. Avoid contact with sharp, pointed and rough tools (to prevent surface scratches that may cause the product to tear), which will affect the service life.
6. Avoid contact with open flames.
7. It can be washed in a dishwasher.
8. After use, wash them with warm water and a neutral detergent and dry them promptly.
9. Store in a clean, cool and dry environment.

Titanium and titanium alloy products

1. When titanium comes into contact with ceramics, it is prone to leaving scratches on the ceramic surface. Please avoid rubbing against ceramics or prolonged contact as much as possible.
2. Before and after use, please clean with warm water and a small amount of neutral detergent and dry it.
3. It can be heated over low heat, but not left to burn empty. Color changes are normal.
4. It can be cleaned in a dishwasher with only the washing function.
5. Do not use sharp metal objects, scouring pads, or chemical cleaners to wipe as it may cause scratches on the surface.
6. Minors, the elderly, or those who are not able to use it themselves should use it under the supervision of a guardian to avoid burns when holding hot food.
7. Do not use stain remover powder for cleaning as it may affect the appearance of the product.

Melamine Items

1. Recommended temperature range: -30℃ to 70℃. Avoid using when the temperature difference is too large.
2. Before the first use, wash with warm water and neutral detergent and then it can be used.
3. Wash with warm water and neutral detergent immediately after use.
4. Avoid contact with open flames or direct heating on a heating plate. Do not use in a microwave or oven.
5. Avoid contact with sharp, pointed and rough tools.
6. Avoid using for high-temperature steam disinfection or long-term ultraviolet disinfection.
7. Store in a clean, cool, and dry environment.

Knives Series

1. After use, place it in the knife sheath or knife holder.
2. The blade is sharp. Avoid physical contact with it and keep it in a place where children cannot reach.
3. For products of this type, regularly polish and adjust the blade to ensure smooth cutting.
4. Avoid dropping or colliding which may cause the blade to break or the knife body to deform.
5. Avoid being close to heat sources or placed in high-temperature environments to prevent damage to the plastic parts.
6. Avoid cleaning the product surface with sharp objects, as it may cause scratches on the surface.
7. Store in a clean, cool, and dry environment.

SANNENG
Product Usage Instructions and Precautions

Oven Mit Series

1. The heat-resistant series gloves with coatings on the surface should not be washed with water. They can be cleaned with a damp cloth.
2. The silicone material heat-resistant gloves can be washed with water or machine-washed.
3. Avoid contact with sharp, pointed and rough tools to prevent damage to the equipment and affect usage.
4. Avoid contact with open flames.
5. Select the appropriate heat-resistant gloves according to the usage scenario.

Trolley Series

1. Please use it in a room temperature environment.
2. If you need to enter a high-temperature or low-temperature place (such as a oven or a cold storage), you should replace the wheels with those suitable for the corresponding temperature.
3. Avoid washing the wheels with water, as it may cause the bearings to rust and lead to abnormal use of the wheels.
4. The wheel bearings should be maintained regularly, and it is recommended to use them on a flat surface.

Disposable Piping Bags

1. Recommended temperature range: 0℃ - 40℃;
2. No cleaning is required before use. It can be used directly. It is recommended to use it once only;
3. Do not wipe with alcohol or rinse with boiling water. Strictly prohibit contact with high temperatures and open flames;
4. Avoid contact with sharp, pointed and rough tools;
5. Store in a clean, cool and dry environment.

Polyurethane, polyester-cotton, cotton-filled Piping bags

1. It is recommended to use at room temperature.
2. Before the first use, it should be cleaned thoroughly and dried before use.
3. After use, it should be soaked in warm water and a neutral cleaner for a short time, then washed and dried.
4. Do not use sharp objects, scouring pads, hard bristle brushes or chemical cleaners for cleaning.
5. Avoid using alcohol wiping or boiling water rinsing.
6. Store in a clean, cool and dry environment.

PWool Brush

1. It is recommended to use at room temperature.
2. The bristles have not been bleached and have a slight natural wool smell, which is a normal phenomenon.
3. Before the first use, thoroughly soak the entire bristle with warm water and wash off the easily detachable bristles.
4. Before each use, immerse the bristle in water to effectively prevent bristle splitting.
5. Wash with warm water and a neutral cleaner, then dry and store.
6. Avoid soaking in water or cleaner for a long time.
7. Store in a clean, cool, and dry environment.

Wooden Rolling Pin

1. Oiling: Before using the noodle rod, do not wet it. Wipe it clean with a damp towel. Apply a layer of edible oil all over the noodle rod. After the oil is absorbed, you can apply it several times.
2. Cleaning: After each use, promptly remove the surface debris and flour with a dry cloth. Avoid soaking and washing. Do not scrape the surface flour or debris with hard objects.
3. Maintenance:
(1) Store properly to avoid dropping or colliding, which may damage the product and affect the usage effect.
(2) Avoid soaking in water for a long time when using. Store it in a clean, cool, and dry place after use. Avoid high temperatures and direct sunlight to prevent the product from cracking.
(3) Regularly use edible oil for maintenance of the product, which can keep it shiny and new.

Fermentation Cloth

1. Use at room temperature. Do not come into contact with high-temperature flames or enter the oven.
2. Before the first use, rinse with clean water and hang to dry before use.
3. Avoid machine washing or rubbing to avoid affecting the performance.
4. After use, stack neatly, keep dry, and store in a clean, cool, and dry place.

Cake Stand

1. Before use, clean the countertop with water and neutral detergent.
2. During use, use paper pads or place countertop pads to facilitate operation.
3. Use at room temperature. Do not come into contact with high-temperature heat sources.
4. Avoid contact with sharp, pointed and rough tools. Also, avoid acid and alkali corrosion.
5. When moving, please handle with care and gently to prevent damage to the product.
6. After use, clean the countertop promptly and store it in a clean, cool and dry environment.

Aluminum foil

1. It is recommended to use it once only.
2. The barbecue temperature should not exceed 250℃.
3. It must not come into contact with acidic foods (with a pH value less than 5).
4. It is prohibited to heat it over an open flame or in a microwave oven.
5. Avoid corrosion by acids and alkalis. Do not keep it in a humid or high-salt environment for a long time.

Sprayer

1. Before the first use, clean it thoroughly with warm water and a neutral cleaner.
2. Due to the factory inspection, there may be a small amount of water residue inside the sprayer. This is a normal phenomenon.
3. It is used to hold liquids. Do not hold liquids containing a lot of impurities or with a high viscosity, as it is prone to clogging the nozzle.
4. It is recommended that the temperature range for holding liquids is: 0℃ to 45℃. Do not hold liquids beyond this temperature range, and use it at room temperature.
5. Avoid filling with organic solvent-based, strong acid, or strong alkali liquids.
6. Store in a clean, cool, and dry environment.

SANNENG
Product Usage Instructions and Precautions

Performance Comparison Table of Plastic, Paper, and Silicone Rubber Products

	Material	Applicable temperature	Features	Application
01	PC	-20~100℃	1.Ultra-high light transmittance: High visible light transmittance, suitable for various visualization scenarios. 2. Excellent impact resistance, wear resistance, oxidation resistance, thermal stability, flame retardancy and anti-pollution performance. 3. The heat deformation temperature is relatively high. 4. Dimensional stability: Low deformation rate; 5. Not resistant to strong alkali, poor hydrolysis resistance, alkali-based cleaning agents should be avoided to prevent stress cracking.	Chocolate molds, doughnut molds, plastic food tong, plastic cups, egg dividers, etc.
02	PP	-20~100℃	1.Outstanding food safety, chemically inert, does not easily transfer harmful substances, and is safe and reliable for long-term contact with food.2.High heat distortion temperature, suitable for microwave heating, steam disinfection, and dishwasher cleaning.3.Chemical resistance: resistant to acid and alkali corrosion, can withstand oils, acidic juices, alcohol and cleaning agents, and does not age or crack easily. 4.Lightweight and durable: high rigidity + low density; the product is lightweight, with high rigidity and resistance to bending.5.Easy to process and flexible in design, the surface is easy to print and improve gloss.6.Environmental characteristics, high recycling value.	Cutting molds, plastic rattan baskets, plastic rattan partitions, plastic cups, scrapers (knives), etc.
03	ABS	-20~70℃	1. It has excellent impact resistance and rigidity, making the product less prone to damage and durable against drops.2. It has good tolerance to water, inorganic salts, alkalis and most acids (except strong oxidizing acids).3. It is easy to process and mold, with high design flexibility, and can be made into various shapes; it can fully meet different design requirements.4. The heat deformation temperature is low and the weather resistance is poor.	Trays, plastic spoons, dividers, decors, plastic spatulas, pineapple stamps, etc.
04	PS	-10~200℃	Excellent mechanical properties, stable chemical properties, and at the same time, high hardness and excellent heat resistance.	Scrapers, demolding knives, stirring rods, mousse molds, etc.
05	PS	-10~70℃	1. High transparency, good light transmittance. 2. Prone to stress cracking and easily breaks upon impact (not suitable for children to use). 3. Poor water stability: prone to decomposition upon contact with water (caution is needed when used in high-temperature and high-humidity environments). 4. Suitable for normal temperature use, resistant to weak acids and alkalis, but not resistant to organic solvents.	Cake towers, piping boxes, etc.
06	PE	-20~60℃	1. Extremely high chemical inertness: resistant to acids and alkalis, with the lowest solvent migration rate. 2. Excellent cold resistance: maintains flexibility below -20°C. 3. Wide processing adaptability: blow-molding of hollow containers. 4. Environmental-friendly characteristics, with a mature recycling system.	Scrapers (knives), rods, etc.
07	MF	-30~70℃	1. High surface hardness, good stability, lustrous, good alkali resistance, safe for use. 2. Ceramic-like properties, scratch-resistant, not prone to deformation, durable and easy to clean. 3. Extremely decorative, can be embossed with paper to create marble patterns, wood grain effects, etc.. 4. Average heat resistance, microwave oven use is prohibited.	serving trays.,etc
08	Silicone paper	⩽230℃	1. Anti-adhesion property, with extremely low surface energy, food does not stick. 2. High-temperature resistance, can withstand high-temperature baking, suitable for ovens, air fryers, etc. for high-temperature cooking. 3. Good barrier property, waterproof and oil-resistant, no leakage. 4. Chemical inertness, does not react with food, safe and harmless, does not affect the flavor of food. 5. High strength and toughness, not prone to tearing, convenient for operation and transferring food.	Cake release paper, silicone oil paper, cheesecake mold, etc.
09	Silicone rubber	According to the product label temperature	1. Excellent stability, chemical inertness, and food contact safety. 2. Outstanding weather resistance and anti-aging properties, no cracking, powdering or other characteristic changes will occur during long-term use. 3. Resistant to high and low temperatures, not prone to deformation, durable and long-lasting. 4. Fine design, easy demolding, easy to clean and store. 5. Good chemical stability, but not resistant to strong acids, strong alkalis and organic solvents. 6. Low mechanical strength, prone to rupture during stretching and tearing, should avoid contact with sharp objects.	Silicone pads, silicone molds, silicone scrapers, etc.

Comparison Table of Characteristics of Common Metal Materials Used in Baking

Material	Thermal conductivity	Heat resistance temperature (°C)	Density (g/cm³)	Features	Applicable Products
Aluminum-coated steel plate	50~65 W/mK	~400°C	7.65	High hardness, resistant to high temperatures, sturdy and durable; non-toxic and rust-proof.	Baking trays, toast boxes, small cake molds, etc.
Al.Alloy	90~240 W/mK	~300°C	2.7~2.8	Its density is only one third that of iron, making it much lighter. It has the best heat conductivity among all the materials listed here and is the ideal choice for baking.	Baking trays, toast boxes, cake molds, etc.
Stainless	15~18 W/mK	~600°C	7.7~7.95	It is hard and not prone to rust. It is usually used as equipment or tools in front and back of the store. Due to its poor heat conductivity, it is not recommended for baking purposes.	Whisk bowl, whisk, mousse mold, piping tip, cutting tools, display stand, etc.
Cold-rolled low-carbon steel sheet	50~60 W/mK	~500°C	7.85	High hardness, resistant to high temperatures, sturdy and durable; non-toxic, prone to rusting.	Household baking pans, toast boxes, cake molds, etc.
Pure titanium	17~22 W/mK	~350°C	4.51	High corrosion resistance, high strength, resistant to high temperatures, good low-temperature toughness.	Titanium cups, titanium plates, knives, forks, chopsticks, etc.

Note: The definition of the thermal conductivity coefficient is: how much W of energy can be transmitted per unit length and per K, with the unit being W/mK. Here, "W" refers to the unit of heat power, "m" represents the length unit (meter), and "K" is the absolute temperature unit. The larger this value is, the better the thermal conductivity performance is. For the above characteristics that are not specified, aluminum alloy is used as the reference.

Comparison Table of Surface Treatments for Aluminum Alloy and Stainless Steel

Base material	Surface treatment	Maximum operating temperature (°C)	Film thickness standard (Excluding the aluminized layer)	Features	Applicable Products	Applicable Products
Al.Alloy	Anodized	300°C	6-₁μm	Poor adhesion, easy to clean, cannot come into contact with acidic foods	Suitable for manufacturing lightweight, durable, heat-conductive food utensils that also emphasize appearance.	Pizza pans, cake molds, toast, fruit strips, small utensils, baking trays, etc.
	Hard Anodized	300°C	45-₁μm	High surface hardness, poor release property, resistant to scratching and abrasion, hygienic and easy to clean, cannot come into contact with acidic foods.	Suitable for manufacturing lightweight, durable, resistant to friction, with good heat conductivity and emphasizing appearance food utensils	Pizza pans, cake molds, toast covers, fruit strips, mousse molds, baking trays, etc.
Stainless Steel	Electrolysis	/	/	Easy to clean, corrosion-resistant, with texture, and enhanced aesthetic appeal	Suitable for unique-shaped appliances that have high requirements for corrosion resistance and appearance.	cooling rack, egg beater, drying rack, etc.
	Stain	/	/	Enhance durability and practicality, resistant to scratches, and improve appearance and texture	Applicable to appliances that require a friction environment	Chocolate temperature control spatula, egg mixing bowl, etc.
	Polish	/	/	The surface is smoother, making it easier to clean and disinfect.	Suitable for appliances with requirements for smoothness and aesthetic appeal on their surfaces	Mousse molds, cutting tools, piping tips, etc.

Note: The data in this table are for reference only. The actual values may vary depending on temperature, time and usage methods.

Surface Treatment Performance Comparison Table

Base material	Coating category	Surface treatment	Maximum operating temperature (°C)	Film thickness standard (Excluding the aluminized layer)	Wear resistance performance	Hardness	Hydrophobicity	Salt Spray Test	Sintering temperature	Applicable Products
Aluminum Alloy/ Alusteel/ Stainless Steel	Teflon coating	1000 Series Nonstick	250°C	25-₁μm	★★★☆☆ Medium	★★★☆☆ Medium	★★★☆☆ Medium	★★★☆☆ Medium	High	Baking trays, toast boxes, etc.
		1000 Series Nonstick(Golden)	250°C	25-₁μm	★★★☆☆ Medium	★★★☆☆ Medium	★★★☆☆ Medium	★★★☆☆ Medium	High	Baking trays, toast boxes, etc.
		1000 Series Nonstick (wear resistant)	250°C	25-₁μm	★★★★☆ High	★☆☆☆☆ low	★★★☆☆ Medium	★★★☆☆ Medium	High	Baking trays, cake molds, etc.
		2000 Series Nonstick(wear resistant)	250°C	35-₁μm	★★★☆☆ Medium	★★★☆☆ Medium	★★★☆☆ Medium	★★★★☆ High	High	Hamburger baking trays, etc., with enhanced non-stick effect
		2000 Series Nonstick	250°C	35-₁μm	★★★★★ High	★☆☆☆☆ low	★★★☆☆ Medium	★★★★☆ High	High	Baking trays, toast boxes, etc., have improved durability.
		3000 Series Nonstick	250°C	40-₁μm	★★★★☆ High	★☆☆☆☆ low	★★★★☆ High	★★★★★ High	High	Baking trays
		鑫 Series Nonstick	250°C	25-₁μm	★★★★☆ High	★★★☆☆ Medium	★★★☆☆ Medium	★★★☆☆ Medium	High	Baking trays
	Silicone coating	800 Series Nonstick (Silicone)	230°C	25-₁μm	★☆☆☆☆ low	★☆☆☆☆ low	★★★☆☆ Medium	★☆☆☆☆ low	Medium	Multi-layer baking trays, cake molds, etc., without PFAS
		森 series non-stick	230°C	23-₁μm	★☆☆☆☆ low	★★★★☆ High	★★☆☆☆ low	★★★☆☆ low	Medium	Cake molds, etc., without PFAS
		森 series non-stick	230°C	20-₁μm	★☆☆☆☆ low	★★★☆☆ Medium	★☆☆☆☆ low	★★★☆☆ low	Medium	Cake molds, etc., without PFAS











SANNENG products and surface treatment has been SGS verification, please be assured to buy.


Report No: WX140711-003-08 Page 1 of 5

REL

Report No.	WX140711-003-08 EN
Total Pages	5

TEST REPORT

Sample: Pan (non-stick) category


Type:

Client: SAN NENG BAKE WARE (WUXI) CO.,LTD.

Manufacturer: SAN NENG BAKE WARE (WUXI) CO.,LTD.

RELLAB RELLAB TESTING

TRF No. RELT019


Report No: WX140711-003-08 Page 4 of 5

REL

2 Testing Method

According to the GB11678-1989 and the Client's requirements, the test was performed.

3 Test Result

Test results such as table 1.

Table 1 Test results (Unit: mg / L)


Test Project	Indicators	Test Results
Evaporation residue (distilled water)	≤30	24
Evaporation residue (n-hexane)	≤30	22
Evaporation residue (4% acetic acid)	≤30	45
Consumption of potassium permanganate	≤10	6
Chrome	≤0.01	0.0032
Fluorine	≤0.2	0.084

*****The End*****


SGS

测試報告

Test Report


eurofins

Report No. : EFSHT1310459-ST
Date : 17-Oct-2013
Page : 1 of 3

TEST REPORT

APPLICANT	:	SAN NENG BAKE WARE (WJX) CO.,LTD
ADDRESS	:	NO.316 YOUYI NORTHERN RD.
SAMPLE DESCRIPTION	:	BAKING TRAY
P.O./ORDER NO.	:	2013091102
BUYER	:	SAKETECH Ltd.,WILLETTA ROAD, CORMI CRM 9819, MALTA
MANUFACTURER	:	SAN NENG BAKE WARE (WJX) CO.,LTD
COUNTRY OF ORIGIN	:	China
COUNTRY TO IMPORT	:	MALTA
SAMPLE RECEIVED DATE	:	12-Oct-2013
TURN AROUND TIME	:	12-Oct-2013 to 17-Oct-2013, 6 Working Days
TEST REQUESTED	:	Selected test(s) as requested by client
TEST METHOD	:	Please refer to next page(s)
TEST RESULTS	:	Please refer to next page(s)
CONCLUSION	:	When tested as specified, the submitted sample comply with the overall migration standard in the COUNCIL OF EUROPE Resolution AP (2004) 1 relating to polymer coating materials and articles intended to come into contact with foodstuff.

Eurofins (Shanghai) contact information
Customer service : EnglishServ@eurofins.com / 021-61018050
Sales specialist : EricSun@eurofins.com / 021-61018212 / 13818615871

---------- FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ----------

Signed for and on behalf of
Eurofins Product Testing Service (Shanghai) Co., Ltd

Chris Zhang
Lab Manager

Eurofins Product Testing Service (Shanghai) Co., Ltd
No.305 Xiaoli Jiangcheng Road, Zhuhai District
Shanghai, China

CODE	PAGE	T	W
SN0000			
SN0001	138	T	
SN0201	137		W
SN0202	137		W
SN0203	138		W
SN0204	138		W
SN0402	055		W
SN0403	055		W
SN0406	056		
SN0407	056		
SN0446	057		W
SN0447	057		W
SN0448	057		W
SN0449	057		W
SN0450	057		W
SN0460	058	T	W
SN0461	058	T	W
SN0462	058		W
SN0463	159		W
SN0464	159	T	W
SN0470	056		W
SN0473	056	T	W
SN04736	056	T	
SN0474	056	T	
SN04746	056	T	
SN0475	056		W
SN0476	055	T	
SN0477	055	T	
SN0478	055	T	
SN0479	055	T	
SN0480	055	T	W
SN0481	055	T	W
SN0483	055	T	W
SN0487	056	T	W
SN0488	056	T	W
SN0489	056	T	
SN0490	056	T	
SN0491	055	T	W
SN0495	055		W
SN0511	056	T	
SN0561	056	T	W
SN0562	056	T	W
SN0563	056	T	
SN0564	056	T	
SN0600	095	T	
SN0601	095	T	
SN0602	095	T	
SN0603	095	T	
SN0610	158	T	
SN08009	155	T	
SN0900	156	T	W
SN1000			
SN1046	040	T	W
SN1048	037	T	W
SN1049	037	T	W
SN1050	037	T	W
SN1051	039	T	W
SN1061	038	T	
SN1062	038	T	
SN1063	038	T	
SN1064	043	T	
SN1070	039		W
SN1071	037	T	W
SN1072	037	T	W
SN1073	043	T	
SN1075	038	T	
SN1076	038	T	
SN1077	046	T	W
SN1078	046	T	W
SN1079	046	T	W
SN1080	046	T	W
SN1081	047		W
SN1082	047		W
SN1084	047		W
SN1085	047	T	W
SN1087	047		W
SN1088	047		W
SN1091	047	T	W
SN1092	047	T	W
SN1093	043		W
SN1096	047		W
SN1097	047	T	W
SN1100	042	T	
SN1101	039	T	
SN1102	040	T	
SN1104	046	T	
SN1106	040	T	
SN1107	040	T	
SN1108	042	T	
SN1114	042	T	
SN1116	040	T	
SN1117	042	T	
SN1118	042	T	
SN1121	041	T	
SN1122	041	T	
SN1123	043	T	
SN1124	043	T	
SN1125	041	T	
SN1126	041	T	
SN1127	043	T	
SN1128	043	T	
SN1155	046	T	
SN1156	046	T	
SN1157	044	T	
SN1160	043		W
SN1161	037		W
SN1163	037	T	W
SN1172	040		W
SN1174	040		W
SN1201	041	T	W
SN1202	041	T	W
SN1205	037	T	
SN1206	041	T	
SN1208	040	T	
SN1209	042	T	
SN1216	044	T	
SN1272	036	T	W
SN1274	036		W
SN1285	046	T	
SN1312	042	T	W
SN13123	042		W
SN1313	035		W
SN1314	035	T	W
SN1316	036		W
SN1317	036	T	W
SN1318	036	T	
SN1322	036	T	
SN1332	035	T	W
SN1336	036	T	W
SN1337	035		W
SN1340	045	T	W
SN1341	045	T	
SN1342	045	T	
SN1346	045	T	
SN1347	045	T	
SN1348	045	T	W
SN1351	047	T	W
SN1355	039		W
SN1356	036	T	W
SN1359	047	T	
SN1405	043		W
SN1510	038		W
SN1511	053	T	
SN1512	053	T	
SN1525	044	T	W
SN1526	044	T	W
SN1527	038	T	W
SN1528	038	T	W
SN1530	044	T	W
SN1532	038	T	W
SN1533	038	T	W
SN1534	044	T	W
SN1535	046		W
SN1536	046		W
SN1537	046		W
SN1538	046		W
SN1541	038		W
SN1542	039		W
SN1543	039	T	W
SN1548	045	T	
SN1549	045	T	
SN1550	054	T	
SN1551	053	T	
SN1552	053	T	
SN1553	053	T	
SN1554	053	T	W
SN1555	054	T	W
SN1559	053	T	W
SN1560	053	T	
SN1562	044	T	
SN1563	044	T	
SN1564	044	T	W
SN1565	044	T	W
SN1566	053	T	
SN1569	054	T	
SN1570	054	T	W
SN1573	053		W
SN1575	053	T	
SN1576	054	T	
SN1577	054	T	
SN1579	054	T	
SN1580	054	T	
SN1583	049		W
SN1586	049	T	W
SN1587	049	T	W
SN1591	049	T	
SN1592	050	T	
SN1593	049	T	W
SN1594	049	T	W
SN1595	049	T	W
SN1596	049	T	W
SN1597	049	T	W
SN1598	050	T	W
SN1612	050		W
SN1613	050	T	W
SN1615	050	T	W
SN1616	051	T	W
SN1617	051	T	W
SN1618	050	T	W
SN1620	051	T	W
SN1624	051	T	
SN1625	051	T	
SN1626	051	T	
SN1638	062	T	
SN1639	062	T	
SN1640	052		W
SN1641	052	T	
SN1643	052	T	W
SN1644	052	T	W
SN1646	061	T	W
SN1647	061	T	W
SN1648	061	T	W
SN1649	061	T	W
SN1650	061	T	W
SN1651	052	T	W
SN1652	061	T	
SN1653	062	T	
SN1654	062	T	
SN1655	062	T	
SN1656	062	T	
SN1657	062	T	
SN1658	062	T	
SN1659	063		W
SN1663	063	T	
SN1665	063	T	
SN1666	061		W
SN1667	063		W
SN1668	061		W
SN1900	074	T	
SN1959	075	T	
SN1960	075	T	
SN1961	073	T	W
SN1962	074	T	
SN1963	074	T	
SN1964	074	T	
SN1965	075	T	
SN1966	075	T	
SN1967	074		W
SN1968	073		W
SN1969	073	T	W
SN1971	076	T	W
SN1972	076	T	W
SN1975	072	T	
SN1976	072	T	
SN1977	072	T	
SN1978	072	T	W
SN1980	077		W
SN1982	077		W
SN1983	077	T	
SN1984	077	T	
SN1985	077	T	W
SN1986	077	T	
SN1987	077	T	W
SN1990	072	T	
SN1991	072	T	
SN1992	072	T	W
SN1995	073		W
SN1996	076		W
SN1997	076		W
SN2000			
SN2000	083	T	W
SN2001	082		W
SN2004	083	T	W
SN2006	084	T	W
SN2007	084		W
SN2012	083	T	W
SN2014	083	T	
SN2015	084		W
SN2017	083		W
SN2022	083	T	W
SN2025	084	T	W
SN2032	082	T	W
SN2042	082	T	W
SN2047	083		W
SN2048	083		W
SN2050	084	T	
SN2051	084	T	
SN2052	084	T	W
SN20522	084	T	W
SN2054	085		W
SN20542	085		W
SN2055	085	T	W
SN20552	085	T	W
SN2060	084	T	
SN2061	084	T	
SN2064	079	T	W
SN2065	079	T	W
SN2066	079	T	W
SN2067	080	T	W
SN2068	079	T	W
SN2070	087	T	W
SN2072	087	T	W
SN2073	087	T	W
SN2074	087	T	
SN2076	087	T	
SN2078	087	T	
SN2082	083	T	W
SN20822	083		W
SN2083	084	T	W
SN2085	083		W
SN20852	083		W
SN2088	085	T	
SN2091	082	T	
SN2092	083	T	W
SN2093	082	T	W
SN2094	082	T	W
SN2097	082		W
SN2098	081		W
SN2099	083	T	W
SN2100	083		W
SN2101	085	T	W
SN2102	085	T	W
SN2114	082	T	
SN2117	087		W
SN2118	087	T	W
SN2119	087	T	W
SN2120	088	T	
SN2121	087	T	W
SN2122	086	T	
SN2123	086	T	
SN2124	086		W
SN2125	088	T	
SN2126	088	T	
SN2127	087		W
SN2128	087		W
SN2129	087		W
SN2130	087	T	W
SN2131	087	T	W
SN2132	087	T	W
SN2133	087		W
SN21343	079		W
SN2135	088	T	W
SN2136	089	T	W
SN2137	089	T	W
SN2138	089	T	W
SN2139	089	T	W
SN2142	087	T	W
SN2143	087	T	
SN2145	086	T	
SN2146	086	T	
SN2147	086	T	
SN2148	086	T	
SN2151	081	T	
SN2155	084	T	
SN2157	082		W
SN2169	080		W
SN2170	081	T	W
SN2171	081	T	
SN2174	086	T	
SN2176	085		W
SN2179	084	T	W
SN2180	084	T	W
SN2181	084	T	W
SN2182	084	T	W
SN21843	081		W
SN2185	084		W
SN2191	080	T	W
SN21911	080		W
SN2196	080	T	W
SN2197	081	T	W
SN2198	081	T	W
SN2199	080	T	W
SN21991	080		W
SN2301	088	T	
SN2303	088	T	W
SN2304	088	T	W
SN2305	088	T	W
SN2306	088	T	W
SN2307	088	T	W
SN2308	089	T	W
SN2309	089		W
SN2316	079	T	W
SN2317	079	T	W
SN2318	079	T	W
SN2319	079	T	W
SN2326	079	T	W
SN2327	085	T	
SN2328	085	T	
SN2329	085	T	
SN2331	081	T	W
SN2400	091		W
SN2401	091		W
SN2402	091		W
SN2403	091		W

CODE	PAGE	T	W
SN2404	091		W
SN2405	091		W
SN2406	091		W
SN2410	091	T	
SN2411	091	T	
SN2412	091	T	
SN2897	082	T	
SN2906	082	T	W
SN2911	082	T	

SN3000

CODE	PAGE	T	W
SN3031	093		W
SN3032	093	T	W
SN3034	077	T	
SN3035	077	T	
SN3036	077	T	
SN3159	094	T	W
SN3160	094	T	W
SN3161	094	T	W
SN3162	094	T	W
SN3163	094		W
SN3164	094		W
SN3165	094		W
SN3166	094	T	W
SN3168	094	T	W
SN3170	094	T	W
SN3172	094	T	W
SN3173	094	T	
SN3174	094	T	W
SN3175	094	T	W
SN3180	094	T	
SN3181	094	T	
SN3182	094	T	
SN3183	094	T	
SN3184	094	T	
SN3186	094	T	
SN3187	094		W
SN3188	094		W
SN3189	094		W
SN3191	094		W
SN3199	093		W
SN3211	097	T	
SN3212	097	T	
SN32125	097		W
SN3213	097	T	
SN3214	097	T	
SN32145	097		W
SN3215	097	T	
SN32155	097		W
SN3216	097	T	
SN32165	097		W
SN3217	097	T	
SN3218	097	T	
SN32185	097		W
SN3219	097	T	
SN32195	097		W
SN3220	097	T	
SN3221	097	T	
SN3223	098	T	W
SN3224	098	T	W
SN3225	098	T	W
SN3227	097	T	
SN3231	097	T	
SN32315	097		W

CODE	PAGE	T	W
SN3232	097	T	
SN32325	097		W
SN3233	097	T	
SN32335	097		W
SN3234	097	T	
SN32345	097		W
SN3235	097	T	
SN32355	097		W
SN32365	097		W
SN32375	097		W
SN32385	097		W
SN3239	097	T	
SN32395	097		W
SN32405	097		W
SN32415	097		W
SN3242	098	T	W
SN3243	098	T	W
SN3244	098	T	W
SN3245	098	T	W
SN3246	098	T	W
SN3247	098	T	W
SN3248	098	T	
SN3249	099	T	
SN3252	100	T	
SN32525	100		W
SN32555	100		W
SN3256	100	T	
SN32565	100		W
SN32605	100		W
SN3263	100		W
SN3265	100		W
SN3267	100		W
SN3277	182	T	W
SN3283	098		W
SN3285	098		W
SN3287	098		W
SN32923	099	T	
SN32935	099		W
SN3295	099	T	
SN32955	099		W
SN3303	099	T	W
SN3304	099		W
SN3305	099	T	W
SN3306	099		W
SN3307	099	T	W
SN33135	099		W
SN33155	099		W
SN33165	099		W
SN3323	099		W
SN3325	099		W
SN3327	099		W
SN33516	105	T	
SN33526	105	T	
SN33536	105	T	
SN33545	100		W
SN3355	100	T	
SN33555	100		W
SN3357	100	T	
SN33575	100		W
SN3359	100	T	
SN33595	100		W
SN3362	100	T	
SN33625	100		W
SN3363	100	T	W
SN3364	100		W

CODE	PAGE	T	W
SN3365	100	T	W
SN3366	100		W
SN3367	100		W
SN3372	100	T	
SN3373	100	T	
SN33733	100	T	
SN3375	100		W
SN3377	100	T	
SN3378	100	T	
SN3379	100	T	
SN3380	099		W
SN3381	100		W
SN3382	100		W
SN3383	100		W
SN3384	099	T	
SN3385	099	T	
SN3386	099	T	
SN3387	099	T	
SN3388	099	T	
SN3389	099	T	
SN3390	099	T	
SN3392	099		W
SN3392	099		W
SN3394	098	T	
SN33965	098		W
SN3397	099		W
SN3398	099		W
SN3405	098		W
SN3407	098		W
SN3468	099		W
SN3468	182		W
SN3469	099	T	W
SN3469	182	T	W
SN3473	098	T	
SN34735	097		W
SN3474	098	T	
SN34745	097		W
SN3475	098	T	
SN34755	097		W
SN3476	098	T	
SN34765	097		W
SN3477	098	T	
SN34775	097		W
SN3478	098	T	
SN34785	097		W
SN3479	098	T	
SN34795	097		W
SN3480	098	T	
SN34805	097		W
SN3482	098	T	
SN34825	097		W
SN3491	098	T	
SN3523	100		W
SN3525	100		W
SN35353	101	T	
SN35353	101	T	
SN3537	101	T	
SN3538	104	T	
SN3539	104	T	
SN3543	104	T	
SN3544	101	T	
SN3545	104	T	
SN35543	101		W
SN3570	101	T	W
SN3571	101	T	W

CODE	PAGE	T	W
SN3574	101	T	W
SN3575	101		W
SN3576	101	T	W
SN3580	156	T	W
SN3581	102	T	W
SN3582	102	T	W
SN3583	156	T	W
SN3584	156	T	W
SN3585	102	T	
SN3586	102	T	
SN3589	156	T	W
SN3590	157		W
SN3687	105	T	
SN3688	105	T	
SN3689	105	T	
SN3690	105	T	
SN3691	105	T	
SN3693	104	T	
SN3694	104	T	
SN3695	104	T	
SN3709	102	T	
SN37093	102	T	
SN3711	102	T	
SN3712	102	T	
SN3739	101		W
SN3740	101		W
SN3741	101	T	
SN37413	101	T	
SN3743	101	T	
SN3751	101	T	
SN37513	101	T	
SN3752	101	T	
SN37523	101	T	
SN3764	099	T	
SN3771	101	T	
SN37713	101	T	
SN37773	104	T	
SN37965	102		W
SN3800	154	T	W
SN3802	153	T	
SN3803	153	T	
SN3806	153	T	
SN3807	153		W
SN3820	154	T	W
SN3821	154	T	
SN3822	154	T	
SN3824	154	T	
SN3826	154	T	
SN3828	154	T	
SN3830	154	T	
SN3832	154	T	
SN3834	154	T	
SN3840	154	T	W
SN3841	154	T	
SN3842	154	T	
SN3844	154	T	
SN3846	154	T	
SN3848	154	T	
SN3850	154	T	
SN3852	154	T	
SN3854	154	T	
SN3857	154	T	
SN3858	102	T	W
SN3859	102		W
SN3860	102		W

CODE	PAGE	T	W
SN3861	102		W
SN3863	102		W
SN3865	102		W
SN3868	098	T	W
SN3869	098	T	W
SN3933	182	T	W
SN3934	182		W
SN3935	183		W
SN3936	183		W
SN3993	100	T	W
SN3994	100	T	W
SN3995	102	T	W
SN3996	102	T	W

SN4000

CODE	PAGE	T	W
SN4003	108	T	
SN4004	108	T	
SN4005	108	T	
SN4006	108	T	
SN4007	107		W
SN4008	107		W
SN4009	107		W
SN4010	107		W
SN4011	107		W
SN4012	107		W
SN4014	108	T	
SN4015	108	T	
SN4017	107	T	W
SN4018	107	T	W
SN4019	107	T	W
SN4021	108	T	W
SN4022	107	T	W
SN4024	107	T	W
SN4027	107	T	W
SN4029	108	T	
SN4030	108	T	
SN4032	107		W
SN4033	107		W
SN4035	143	T	W
SN4036	143	T	W
SN4037	143	T	W
SN4038	143	T	W
SN4039	143	T	W
SN4040	143	T	W
SN4041	143	T	W
SN4042	143		W
SN40424	143	T	
SN4043	143	T	W
SN4044	143	T	W
SN4045	149	T	W
SN4047	148		W
SN4048	147		W
SN4049	147		W
SN4050	147	T	W
SN4051	147	T	W
SN4052	147	T	W
SN4053	147	T	W
SN4055	147	T	W
SN4056	147	T	W
SN4058	147	T	W
SN4059	148	T	W
SN4061	149	T	W
SN4063	156		W
SN4066	108		W

CODE	PAGE	T	W
SN4067	108	T	W
SN4068	148		W
SN4069	147		W
SN40715	148	T	W
SN4072	148	T	W
SN4073	148	T	W
SN4081	148	T	W
SN4082	149	T	W
SN4091	149	T	W
SN4092	149	T	W
SN4098	148	T	W
SN4100	151	T	W
SN4101	150	T	W
SN4102	151		W
SN4103	149	T	W
SN4104	149	T	
SN4106	150	T	W
SN4107	150	T	W
SN4108	150	T	W
SN41104	142	T	
SN4111	142	T	
SN4112	142	T	
SN4117	143	T	W
SN4118	142	T	W
SN4119	143		W
SN41194	143	T	W
SN4120	143	T	W
SN4121	143	T	W
SN4123	143	T	
SN4125	142	T	W
SN4126	142	T	W
SN4127	142	T	W
SN41274	142		W
SN4128	142	T	W
SN4129	142	T	W
SN4130	142		W
SN4131	150	T	
SN4132	150	T	
SN4133	142		W
SN4134	142		W
SN4141	157	T	
SN4143	157	T	W
SN4144	159	T	W
SN4145	159	T	W
SN4146	150		W
SN4147	150		W
SN4149	141	T	W
SN4151	141		W
SN4153	141	T	W
SN4155	141	T	
SN4158	141	T	
SN4159	141	T	
SN4160	141		W
SN41615	157		W
SN41616	157	T	
SN41655	157		W
SN41656	157	T	
SN4176	140	T	
SN4177	140	T	
SN4179	141	T	
SN4181	154	T	W
SN4182	154		W
SN4183	154	T	W
SN4185	154	T	W
SN4186	154	T	W

CODE	PAGE	T	W
SN4193	158	T	W
SN4194	158	T	W
SN4206	153	T	
SN4207	153	T	
SN42124	157	T	W
SN42134	157		W
SN4215	127	T	
SN4216	127	T	
SN4217	126	T	W
SN4218	126	T	W
SN4219	125	T	
SN4223	125	T	W
SN4224	125	T	W
SN4225	125	T	
SN4226	125	T	
SN4230	126	T	W
SN4233	126	T	W
SN4237	158	T	W
SN4239	167		W
SN4240	126	T	
SN4242	189	T	W
SN4243	126	T	W
SN4244	126	T	W
SN4245	126	T	W
SN4255	151	T	
SN4256	151		W
SN4257	151		W
SN4258	151		W
SN4259	151		W
SN4261	151		W
SN4262	151		W
SN4263	151		W
SN4266	152	T	W
SN4267	152	T	W
SN4268	152	T	W
SN4269	152	T	W
SN4270	151	T	W
SN4286	152	T	W
SN4287	152	T	W
SN4288	152	T	W
SN4289	152		W
SN4307	112	T	W
SN4309	112		W
SN4311	112	T	W
SN4312	112	T	W
SN4313	112	T	W
SN4315	112	T	W
SN4316	112	T	
SN4322	111	T	W
SN4323	111		W
SN4327	112		W
SN4328	112		W
SN4329	112		W
SN4330	113	T	W
SN4331	113	T	W
SN4335	111	T	W
SN4339	113		W
SN4343	112	T	W
SN4344	112	T	W
SN4345	112	T	W
SN4374	112	T	
SN4380	114		W
SN4381	114		W
SN4382	114		W
SN4391	113	T	W

CODE	PAGE	T	W
SN4392	113	T	
SN4393	114		W
SN4395	114		W
SN4396	114	T	W
SN4397	113	T	W
SN4398	114	T	
SN4406	114		W
SN4412	111	T	W
SN4431	132		W
SN4432	132		W
SN4433	133		W
SN4434	133		W
SN4436	131		W
SN4437	131		W
SN4439	133		W
SN4440	133		W
SN4441	131		W
SN4441	133		W
SN4442	131		W
SN4442	133		W
SN4443	131		W
SN4443	133		W
SN4444	133		W
SN4445	133		W
SN4446	133		W
SN4447	133		W
SN4448	133		W
SN4449	133		W
SN4450	131		W
SN4450	132		W
SN4452	132		W
SN4453	132		W
SN4454	132		W
SN4455	131		W
SN4455	132		W
SN44561	131		W
SN44561	132		W
SN44562	131		W
SN44562	132		W
SN4457	132	T	
SN4457-1	131		W
SN44589	132		W
SN44607	131		W
SN44607	132		W
SN4461	131	T	
SN4462	131	T	W
SN4463	131	T	W
SN44649	131	T	W
SN44649	132	T	W
SN4475	133	T	W
SN4476	133	T	W
SN4477	133	T	W
SN4478	133	T	
SN4478-1	131		W
SN4479	133	T	W
SN4484	058	T	
SN4485	058	T	
SN4486	058	T	
SN4492	115	T	W
SN4493	115	T	W
SN4494	115	T	W
SN4495	115		W
SN4510	117		W
SN4511	117		W
SN4512	117		W

CODE	PAGE	T	W
SN4513	117		W
SN4514	117		W
SN4515	117		W
SN4537	117		W
SN4538	117		W
SN4539	117		W
SN4541	117	T	W
SN4542	117	T	W
SN4544	117	T	W
SN4596	117	T	
SN4616	109	T	
SN4617	109	T	
SN4618	109	T	
SN4619	109	T	
SN4620	158	T	
SN4621	156	T	W
SN4622	156	T	W
SN4623	155	T	
SN4624	155		W
SN4625	155	T	W
SN4626	155	T	
SN4627	156	T	W
SN4628	156	T	W
SN4629	156	T	W
SN4630	156	T	W
SN4633	158		W
SN4637	095	T	
SN4638	095	T	
SN4639	095	T	
SN4640	155	T	W
SN4641	155	T	W
SN4642	155	T	W
SN4644	156		W
SN4646	156	T	W
SN4649	155	T	
SN4650	059	T	
SN4651	059	T	
SN4652	059	T	
SN4653	059	T	W
SN4654	059	T	W
SN4655	059	T	W
SN4656	059	T	W
SN4657	059	T	W
SN4658	059	T	W
SN4659	059	T	W
SN4663	059	T	
SN4664	059	T	
SN4667	159	T	
SN4668	159	T	
SN4669	159	T	
SN4670	159	T	
SN4676	058		W
SN4679	158	T	
SN4680	136	T	
SN4681	136	T	W
SN4682	059		W
SN4683	059		W
SN4684	059		W
SN4690	136	T	W
SN4691	136	T	W
SN4692	136	T	W
SN4693	136	T	
SN4694	136		W
SN4695	136		W
SN4696	136		W

CODE	PAGE	T	W
SN4698	180	T	W
SN4701	135	T	W
SN4702	135	T	W
SN4703	135	T	W
SN4704	135	T	W
SN4705	135	T	W
SN4706	135	T	W
SN4707	135	T	W
SN4708	135	T	W
SN4709	135	T	W
SN4710	135	T	W
SN4711	135	T	
SN4713	135	T	
SN4715	135	T	W
SN4716	135	T	W
SN4721	157	T	W
SN4723	157		W
SN4726	152	T	W
SN4727	152	T	W
SN4728	152	T	W
SN4729	152	T	W
SN4731	152	T	W
SN4732	152	T	W
SN4733	152	T	W
SN4734	152	T	W
SN4739	159	T	W
SN4740	159		W
SN4741	146	T	
SN4742	146	T	
SN4743	146	T	
SN4745	146	T	W
SN4749	158	T	W
SN4750	158	T	W
SN4751	155	T	W
SN4753	146	T	W
SN4754	158	T	W
SN4755	145	T	W
SN4756	145	T	W
SN4757	146	T	W
SN4758	146	T	W
SN4759	146	T	W
SN4760	145	T	W
SN4761	155		W
SN4770	120		W
SN4771	120		W
SN4772	120		W
SN4773	120	T	W
SN4774	120	T	W
SN4775	146	T	W
SN4776	127	T	W
SN4778	120	T	W
SN4779	120	T	W
SN4780	120	T	W
SN4781	120		W
SN47824	120		W
SN4789	127		W
SN4790	058	T	
SN4791	058	T	
SN4792	058	T	
SN4793	058	T	
SN4794	058	T	
SN4795	058	T	
SN4800	121	T	
SN4802	121	T	W
SN4803	121		W

CODE	PAGE	T	W
SN4807	122	T	W
SN4808	122	T	W
SN4809	122	T	W
SN4810	122	T	W
SN4811	123	T	
SN4812	123	T	
SN48184	122		W
SN4819	121	T	W
SN4820	121	T	W
SN4821	121	T	
SN4822	121	T	W
SN4825	122		W
SN4826	122		W
SN4828	120		W
SN4830	120	T	W
SN4831	120	T	W
SN4832	120	T	W
SN4833	123	T	W
SN4834	123	T	W
SN4837	121	T	
SN4838	121	T	
SN4839	121	T	
SN4840	121	T	
SN4843	122	T	W
SN4844	122	T	W
SN48484	123	T	W
SN4849	122	T	W
SN4850	123	T	W
SN4851	123	T	W
SN4852	123	T	W
SN48534	122	T	
SN4855	121	T	W
SN4856	121	T	W
SN4857	121	T	W
SN4858	121	T	W
SN48594	122		W
SN48604	122		W
SN4861	122	T	W
SN4866	120	T	W
SN4867	159	T	W
SN4871	120	T	W
SN4872	120	T	W
SN4873	123		W
SN4874	123		W
SN4875	123		W
SN4876	123	T	W
SN4877	123	T	W
SN4878	123	T	W
SN4882	129	T	W
SN4883	129	T	W
SN4884	129		W
SN4885	129	T	W
SN4886	129		W
SN4887	129	T	W
SN4888	129		W
SN4889	129	T	W
SN4890	129		W
SN4893	129	T	W
SN4897	129	T	W
SN4899	129	T	W
SN4903	129		W
SN4914	129		W
SN4915	129	T	W
SN4916	129		W
SN4917	129	T	W

CODE	PAGE	T	W
SN4918	129		W
SN4919	129	T	W
SN4920	129	T	W
SN4921	129	T	W
SN4948	129	T	
SN4949	129	T	
SN4951	129	T	W
SN4952	129	T	W
SN4953	129	T	W
SN4954	129	T	W
SN4955	129	T	W
SN4956	129	T	W
SN4957	129	T	W
SN4958	129	T	W
SN4959	129		W
SN4960	129		W
SN4961	129	T	W
SN4962	129	T	W
SN4963	129	T	W
SN4964	129	T	W
SN4965	129	T	W
SN4966	129	T	W
SN4967	129	T	W
SN4968	129	T	W
SN4969	129		W
SN4977	159	T	W
SN4990	138		W
SN4991	138		W
SN4992	139		W
SN4993	139		W
SN4994	139		W

SN5000

CODE	PAGE	T	W
SN5001	172	T	W
SN5002	172	T	
SN5003	173	T	W
SN5004	173	T	
SN5005	171		W
SN5006	171		W
SN5007	171		W
SN5008	171		W
SN5009	173		W
SN5010	173	T	W
SN5011	172	T	W
SN5012	172	T	
SN5013	173	T	W
SN5014	173	T	
SN5021	172	T	W
SN5022	172	T	W
SN5023	173	T	
SN5024	173	T	
SN5025	171	T	W
SN5026	171	T	W
SN5027	171	T	W
SN5028	171	T	W
SN5035	171	T	W
SN5036	171	T	W
SN5037	171	T	W
SN5038	171	T	W
SN5041	172	T	W
SN5042	172	T	W
SN5043	173	T	
SN5044	173	T	
SN5045	171	T	W

CODE	PAGE	T	W
SN5046	171	T	W
SN5047	171	T	W
SN5048	171	T	W
SN5055	171	T	W
SN5056	171	T	W
SN5057	171	T	W
SN5058	171	T	
SN5065	171	T	W
SN5066	171	T	W
SN5067	171	T	W
SN5068	171	T	
SN5075	171	T	W
SN5076	171	T	W
SN5085	171		W
SN5086	171		W
SN5094	171		W
SN5104	171		W
SN5121	175	T	W
SN5123	175	T	W
SN5125	175	T	W
SN5131	175	T	
SN5133	175	T	
SN5135	175	T	
SN5141	172	T	W
SN5142	172	T	W
SN5144	173		W
SN5145	171		W
SN5146	171		W
SN5147	171		W
SN5148	171		W
SN5151	172		W
SN5152	172		W
SN5154	173		W
SN5156	172	T	W
SN5157	172	T	W
SN5158	172	T	W
SN5161	172	T	W
SN5162	172	T	W
SN5163	172	T	W
SN5210	174	T	
SN5211	174	T	
SN5212	174	T	
SN5213	174	T	
SN5221	173	T	W
SN5231	173	T	
SN5232	173	T	W
SN5234	174	T	W
SN5241	173	T	
SN5242	173	T	
SN5251	173	T	
SN5252	173	T	W
SN5254	174	T	
SN5261	173	T	
SN5262	173	T	
SN5272	173	T	
SN5280	174	T	W
SN5281	174	T	W
SN5282	174	T	W
SN5283	174	T	W
SN5286	174	T	W
SN5293	174	T	W
SN5294	174	T	
SN5295	174	T	W
SN5296	174	T	
SN5303	174		W

CODE	PAGE	T	W
SN5415	168	T	
SN5416	168	T	
SN5417	168	T	
SN54225	180	T	
SN5431	168	T	W
SN5432	168	T	
SN5433	168	T	
SN5434	168	T	
SN5440	168	T	W
SN5441	168	T	W
SN5442	168	T	W
SN5443	168		W
SN5444	167	T	
SN5515	168	T	W
SN5516	168	T	W
SN5517	168	T	W
SN5533	167	T	W
SN5535	167	T	W
SN5536	167	T	W
SN5538	167	T	W
SN5539	167	T	
SN5552	168	T	W
SN5553	168	T	W
SN5554	168	T	W
SN5560	168	T	W
SN5561	168	T	W
SN5562	168	T	W
SN5563	167	T	
SN5564	167	T	W
SN5566	169	T	W
SN5567	169	T	W
SN5574	169	T	W
SN5577	169	T	W
SN5704	165	T	
SN5705	165	T	
SN5722	166	T	W
SN5723	166	T	W
SN5724	166	T	W
SN5725	166	T	W
SN5726	166	T	W
SN5727	166	T	W
SN5728	166	T	W
SN5741	166		W
SN5742	166	T	W
SN5743	166	T	W
SN5744	166	T	W
SN5745	166	T	W
SN5762	166	T	W
SN5763	166	T	W
SN5764	166	T	W
SN5765	166	T	W
SN5766	166	T	W
SN5768	166	T	W
SN5769	166	T	W
SN5771	165		W
SN5772	165		W
SN5773	165		W
SN5774	165		W
SN5782	166		W
SN5786	166		W
SN5789	166		W
SN5791	165	T	
SN5792	165	T	W

SN6000

CODE	PAGE	T	W
SN60115	180	T	W
SN60125	180	T	W
SN60145	180	T	W
SN60175	180	T	W
SN60215	180	T	W
SN60225	180	T	W
SN60235	180	T	W
SN60245	180	T	W
SN60255	180	T	W
SN60265	180	T	W
SN60315	180	T	W
SN60325	186	T	W
SN60335	180	T	W
SN60355	186		W
SN60615	180	T	W
SN60645	180	T	W
SN60655	180	T	W
SN60695	095	T	W
SN60715	095	T	
SN60725	095	T	W
SN60745	095	T	
SN60755	095	T	W
SN60845	183	T	W
SN6086	184	T	W
SN61045	181	T	
SN61095	181	T	W
SN61245	185	T	
SN61275	185	T	W
SN6129	187		W
SN6133	185		W
SN61355	181	T	
SN61365	185	T	
SN61385	186		W
SN61395	179		W
SN61405	183		W
SN61415	181	T	W
SN61416	181	T	
SN61435	184	T	
SN61445	184		W
SN61515	181	T	W
SN61525	181	T	W
SN61535	184	T	
SN61545	184	T	
SN6155	181	T	
SN61615	181	T	W
SN61625	181		W
SN61725	179		W
SN61825	179	T	W
SN61835	179	T	W
SN61845	179	T	W
SN61855	179	T	W
SN61945	179	T	W
SN62005	186		W
SN6201	186	T	W
SN6204	187		W
SN62045	187	T	
SN62085	185		W
SN62095	185		W
SN62105	184		W
SN62115	179		W
SN62125	185		W
SN62135	184	T	W
SN6214	184	T	W

CODE	PAGE	T	W
SN6217	180		W
SN6219	185		W
SN6220	185		W
SN62265	179	T	W
SN62295	182	T	W
SN6230	182	T	W
SN6234	182	T	W
SN6235	182	T	W
SN62395	182	T	W
SN62415	181	T	
SN62425	181	T	
SN62435	181	T	
SN62445	181	T	
SN62535	180	T	W
SN6257	177	T	
SN6258	187	T	
SN6259	177	T	
SN6260	186	T	
SN62915	179	T	W
SN62925	179	T	W
SN62935	179	T	W
SN63035	179	T	W
SN64055	181	T	W
SN64065	181	T	
SN64075	095	T	
SN64085	095	T	
SN64265	185	T	
SN6501	183	T	W
SN6502	183	T	W
SN6503	183	T	
SN6504	183	T	
SN65055	183		W
SN6600	177	T	W
SN6601	177	T	W
SN66015	177	T	
SN6602	177	T	W
SN6604	177		W
SN6605	177		W
SN66065	177	T	
SN66075	177	T	
SN6804	183		W
SN6805	183	T	W
SN6806	183	T	W
SN6807	183	T	W
SN6808	183	T	W
SN6809	183	T	W
SN6814	186	T	W
SN6815	187	T	W
SN6823	176	T	W
SN6824	176	T	W
SN6825	176	T	
SN6826	176	T	
SN6827	176	T	
SN6828	176	T	
SN6829	176	T	W
SN6830	187	T	
SN6831	187	T	W
SN6832	187	T	W
SN6833	187	T	W
SN6834	187	T	W
SN6839	187	T	
SN6840	174		W
SN6844	175	T	W
SN6846	175	T	W
SN6850	187	T	W

CODE	PAGE	T	W
SN6851	175	T	
SN6852	175	T	
SN6853	175	T	
SN6854	175	T	
SN6856	175	T	
SN6858	175	T	
SN6860	176	T	W
SN6861	176	T	W
SN6862	176	T	
SN6863	176		W
SN6865	186	T	W
SN6866	177	T	W
SN6867	177	T	W
SN6870	183		W
SN6872	176		W
SN6904	175	T	W
SN6906	175	T	W
SN6914	175	T	W
SN6916	175	T	
SN6919	174		W
SN6920	174		W

SN7000

CODE	PAGE	T	W
SN7002	194		W
SN7011	194	T	W
SN7013	194	T	
SN7014	194	T	W
SN7015	194	T	W
SN7016	194	T	W
SN7017	194		W
SN7019	194	T	W
SN7020	195	T	W
SN7021	195	T	W
SN7022	195	T	W
SN7023	195	T	W
SN7024	195	T	W
SN7025	195	T	W
SN7026	195	T	W
SN7027	195	T	W
SN7028	195	T	W
SN7029	195	T	W
SN7030	195		W
SN7031	195	T	W
SN7032	195	T	W
SN7033	195	T	W
SN7034	195	T	W
SN7035	195	T	W
SN7036	195		W
SN7037	193		W
SN7041	197	T	W
SN7051	195	T	W
SN7052	195	T	W
SN7053	195	T	W
SN7054	195	T	W
SN7055	195	T	W
SN7056	195	T	W
SN7057	195	T	W
SN7058	195	T	W
SN7061	195	T	W
SN7062	195	T	W
SN7063	195	T	W
SN7064	195	T	W
SN7065	195	T	W
SN7066	195	T	W

CODE	PAGE	T	W
SN7067	195	T	W
SN7068	195	T	W
SN7069	195		W
SN7070	195		W
SN7071	196	T	W
SN7072	196	T	W
SN7073	196	T	W
SN7074	196	T	W
SN7075	196	T	W
SN7076	196	T	W
SN7077	196	T	W
SN7078	193		W
SN7081	196	T	W
SN7082	196	T	W
SN7083	196	T	W
SN7084	196	T	W
SN7085	196	T	W
SN7086	196	T	W
SN7087	196	T	W
SN7091	196	T	W
SN7092	196	T	W
SN7093	196	T	W
SN7094	196	T	W
SN7095	196	T	W
SN7096	196	T	W
SN7101	196	T	W
SN7102	196	T	W
SN7104	196	T	W
SN7105	196	T	W
SN7106	196	T	W
SN7111	196	T	W
SN7112	196	T	W
SN7113	196	T	W
SN7115	196	T	W
SN7121	195	T	W
SN7122	195	T	W
SN7131	197	T	W
SN7141	196	T	W
SN7142	196	T	W
SN7143	198	T	W
SN7144	198		W
SN7145	198	T	W
SN7147	198	T	W
SN7151	197	T	W
SN7161	197	T	W
SN7162	197	T	W
SN7171	198	T	W
SN7172	198	T	W
SN7173	198	T	W
SN7174	193		W
SN7175	193		W
SN7181	198	T	W
SN7191	197	T	W
SN7201	197	T	W
SN7211	197	T	W
SN7221	197	T	W
SN7231	198	T	W
SN7241	197	T	W
SN7251	198	T	W
SN7252	198	T	W
SN7253	197	T	W
SN7254	198	T	W
SN7255	195	T	W
SN7256	198	T	W
SN7257	198		W

CODE	PAGE	T	W
SN7258	198		W
SN7261	195		W
SN7264	195		W
SN7265	195		W
SN7266	195		W
SN7267	193		W
SN7268	193		W
SN7270	193		W
SN7272	196		W
SN7278	197		W
SN7284	196		W
SN7290	197		W
SN7294	196		W
SN7300	196		W
SN7302	193		W
SN7321	195		W
SN7323	195		W
SN7325	195		W
SN7327	195		W
SN7790	195		W
SN77914	194	T	W
SN7792	194	T	W
SN79516	189	T	W
SN79519	190	T	W
SN79526	189	T	W
SN79529	190	T	W
SN79536	189	T	W
SN79539	190	T	W
SN79546	189	T	
SN79549	189	T	
SN79556	189	T	
SN79559	189	T	
SN79566	189	T	
SN79569	189	T	
SN79576	189	T	
SN79579	189	T	
SN79586	189	T	
SN79589	189	T	
SN79616	190		W
SN79626	190		W
SN79636	190		W
SN7971	190	T	
SN7972	190	T	
SN7973	190	T	
SN7974	190	T	
SN7976	190	T	W
SN7977	190	T	W
SN7978	190	T	W
SN7979	190	T	W
SN7988	161	T	W
SN7990	161	T	W
SN7991	163	T	W
SN7992	163	T	W
SN7993	163	T	W
SN7994	163	T	W
SN7995	163	T	W
SN7996	163	T	W
SN7997	161	T	W
SN7999	162	T	W

SN8000

CODE	PAGE	T	W
SN8010	160	T	
SN8011	160	T	
SN8012	160	T	W
SN8014	160	T	W
SN8015	160	T	W
SN8021	160		W
SN8022	160	T	W
SN8023	160	T	W
SN8030	160	T	
SN8031	160	T	W
SN8032	160		W
SN8033	160	T	W
SN8034	160	T	W
SN8035	160	T	
SN8036	160	T	
SN8044	160	T	
SN8045	160	T	
SN8046	160	T	
SN8047	160		W
SN8061	058		W
SN85296	109	T	W
SN85706	109	T	W
SN85756	109	T	
SN85786	109	T	
SN85806	109	T	
SN85906	109	T	
SN86006	109		W
SN8610	110	T	W
SN8611	110	T	W
SN8612	110	T	W
SN8613	110	T	W
SN8614	110	T	W
SN8616	110		W
SN8619	110		W
SN8620	110	T	W
SN8621	110	T	W
SN8622	110		W
SN8625	110	T	W
SN8631	110	T	W
SN8632	110	T	W
SN8633	110	T	W
SN8634	110	T	W
SN8636	110	T	
SN8637	110	T	W
SN8639	110	T	W
SN8641	110	T	W
SN8643	110		W
SN8644	110	T	W
SN8650	109	T	
SN8651	109	T	
SN8700	145	T	W
SN8701	145	T	W
SN8702	145	T	W
SN8703	145	T	W
SN8704	145	T	W
SN8705	145	T	W
SN8706	145	T	W
SN8707	145	T	W
SN8708	146	T	W
SN8709	145	T	W
SN8710	145	T	W

SN9000

CODE	PAGE	T	W
SN9090	061		W
SN9037	061		W
SN9042	063	T	W
SN9051	063		W
SN9035	063		W
SN9147	063		W
SN9150	063		W
SN9044	063		W
SN9040	063		W
SN9054	064	T	W
SN9039	064	T	W
SN9075	064	T	W
SN9083	064	T	W
SN9057	064	T	W
SN9084	064	T	W
SN9088	064	T	W
SN9089	064		W
SN9153	064		W
SN9154	064		W
SN9155	064		W
SN9149	064		
SN9102	065	T	W
SN9093	065	T	W
SN9222	065	T	W
SN9158	065		W
SN9157	065		W
SN9160	065		W
SN9059	065		W
SN9026	065	T	
SN9028	065	T	
SN9033	065	T	
SN9087	065	T	
SN9427	066	T	W
SN9056	066		W
SN9152	066		W
SN9092	066		W
SN9021	066		W
SN9146	066		W
SN9424	066		W
SN9121	066		W
SN9159	066		W
SN9046	066	T	
SN9030	066	T	
SN9156	066		
SN9048	067	T	
SN9107	067	T	
SN9106	067	T	
SN9306	067	T	
SN9086	067	T	
SN9036	067	T	
SN9045	067	T	
SN9020	067	T	
SN9145	068	T	W
SN9112	068	T	W
SN9116	068		W
SN9101	068	T	
SN9082	068	T	
SN9100	068	T	
SN9113	068	T	
SN9114	068	T	
SN9110	069	T	W
SN9109	069	T	W
SN9108	069	T	W
SN9011	069	T	W
SN9117	069	T	W
SN9061	069	T	W
SN9013	069	T	
SN9096	069	T	
SN9135	069	T	
SN9741	070		W
SN9742	070		W
SN9743	070		W
SN9744	070		W
SN9745	070		W
SN9746	070		W
SN9700	070		W
SN9701	070		W
SN9704	071	T	W
SN9705	071	T	W
SN9712	071	T	W
SN9714	071	T	W
SN9717	071	T	W
SN9726	071	T	W
SN9736	071	T	W
SN9737	071	T	W
SN9122	089	T	W
SN9066	103	T	W
SN9069	103	T	W
SN9071	103	T	W
SN9072	103	T	W
SN9073	103	T	W
SN9067	103	T	
SN9068	103	T	

SNP系列

CODE	PAGE	T	W
0771-010-09	026		W
0771-010-43	026		W
0771-010-44	026		W
0771-010-45	026		W
0771-010-47	026		W
0771-023-01	026		W
SNP10000	028		W
SNP10001	028		W
SNP10002	028		W
SNP10003	028		W
SNP10004	028		W
SNP10005	028		W
SNP10006	028		W
SNP10008	029		W
SNP10009	028		W
SNP10010	029		W
SNP10016	028		W
SNP10017	028		W
SNP10018	028		W
SNP10019	028		W
SNP10020	028		W
SNP10021	028		W
SNP10022	029		W
SNP10100	028		W
SNP10101	029		W
SNP11000	028		W
SNP11001	028		W
SNP11002	029		W
SNP11004	029		W
SNP11005	030		W
SNP11006	030		W
SNP11007	030		W
SNP11008	029		W
SNP11009	029		W
SNP11010	029		W
SNP11011	028		W
SNP11012	028		W
SNP11100	029		W
SNP20000	121		W
SNP20005	121		W
SNP20011	031	T	W
SNP20012	031	T	W
SNP20013	031		W
SNP20014	031		W
SNP20015	031		W
SNP200155	031		W
SNP20016	031		W
SNP200165	031		W
SNP20017	030	T	W
SNP20023	030	T	W
SNP20029	030	T	W
SNP20030	030	T	W
SNP20032	031		W
SNP20033	031		W
SNP30000	145	T	W
SNP30001	145	T	W
SNP30002	145	T	W
SNP30003	146	T	W
SNP30004	146	T	W
SNP30005	146	T	W
SNP30006	146	T	W
SNP30007	146	T	W

SANLENG OUTDOOR

CODE	PAGE	T	W
001001	024		W
001002	024		W
003005	023		W
003006	023		W
105001	017		W
105002	017		W
105003	017		W
105004	017		W
105005	017		W
105006	017		W
105007	017		W
105008	017		W
105011	017		W
105012	017		W
105013	017		W
105016	016		W
105017	019		W
105018	019		W
105019	020		W
105020	020		W
105021	019		W
105022	019		W
105023	018		W
105024	020		W
105025	020		W
105026	019		W
105027	020		W
105028	020		W
105031	019		W
105032	019		W
105035	017		W
106001	018		W
106002	018		W
106003	018		W
106005	016		W
106007	016		W
106008	021		W
106009	021		W
106010	022		W
106011	015		W
106011	016		W
106012	015		W
106013	015		W
106013	016		W
106014	015		W
106014	016		W
106014	016		W
106015	015		W
106015	016		W
106016	015		W
106016	016		W
106017	022		W
106020	021		W
107001	021		W
201001	024		W
202001	023		W
202002	023		W
202005	024		W
202006	024		W
301001	025		W
301002	025		W
301007	025		W
301008	025		W
302001	025		W
302002	021		W
302003	021		W
302004	021		W
302005	021		W
404001	018		W
404002	018		W
404003	018		W
404004	018		W
404005	018		W

OTHERS

CODE	PAGE	T	W
13102	191		W
13103	191		W
AWH-30	138	T	
BG338	137	T	W
BG363+	137		W
BG43S	137	T	W
BG-GA-2	137		W
CR-MB-300-001	026		W
CR-MB-300-002	026		W
CR-MB-300-003	027		W
CR-MB-300-004	027		W
CR-MB-300-03	027		W
CR-MB-300-34	027		W
CR-MB-300-63	027		W
CR-MB-300-71	027		W
CR-MB-300-75	027		W
CR-MB-300-76	027		W
DC-3	194	T	
FN-12	199	T	
FN-13	199	T	
FN-3	199	T	
FN-7	199	T	
GEE720	158		W
HO-10P	119	T	W
HO-12PS	119	T	
HO-21	119	T	W
HO-23	119	T	W

CODE	PAGE	T	W
HO-24	119	T	W
HO-25	119	T	W
HO-52	119		W
HO-53	119	T	W
HO-58	119	T	W
HO-OL	119	T	W
HO-OS	119	T	W
MII-3000	138	T	
MT-032	139	T	
MT-062	139	T	
MT-080	139	T	
MT-128	139	T	
S-130	119	T	
S-155	119	T	W
S-180	119	T	
S-205	119	T	W
S-205C	119	T	W
S-230	119	T	
S-255	119	T	W
S-255C	119	T	W
S-310	119	T	W
S-310C	119	T	W
SEKI-14	189	T	W
SEKI-16	189	T	W
SEKI-18	189	T	W
SEKI-20	189	T	W
TIP-030	200	T	
TIP-070	200	T	
TIP-090	200	T	
TIP-105	200	T	
TIP108/106	200	T	
TIP-133	200	T	
TIP-134	201	T	
TIP-191	201	T	
TIP-199	201	T	
TIP-1S/261	201	T	
TIP-2020	201	T	
TIP-230	201	T	
TIP-231	201	T	
TIP-232	201	T	
TIP-235	199	T	
TIP-236	199	T	
TIP-794	199	T	
TIP-795	199	T	
TIP-880	199	T	
TIP-89	199	T	
TS-1446P	149	T	
TS-334-1	199	T	
TS-334-2	199	T	
TS-782	200	T	W
TS-783	200		W
TS-784	199	T	
V109	152		W
V110	152		W
V111	152		W
V603	152		W
V604	152		W
YO-ES	122	T	
YO-ES1	122	T	
YO-ES2	122	T	

SANNENG more than 40 years

contact

SANNENG BAKEWARE CORPORATION
TEL:886-4-24925580
Fax:886-4-24922077
Mail: sanneng.taiwan@msa.hinet.net
Address: No. 58, Gongye 8th Rd., Renhua Vil., Dali Dist., Taichung City 41280, Taiwan

SANNENG BAKEWARE (WUXI) CO.,LTD.
Tel:(0510)83777515 Fax:(0510)83775476
E-mail:export@wxsanneng.com
Address: No. 316, North Youyi Road, Wuxi, 214191, China.

PT. SAN NENG BAKEWARE INDONESIA
Kompleks Rukan Puri Mutiara Blok BC No. 10-11, Jl. Griya Utama RT.2/RW.5,
Sunter Agung, Kec. Tj. Priok, Jakarta Utara, Indonesia 14350
Telp - (021) 22651332

SANNENG BAKEWARE (GUANGZHOU) CO.,LTD.
Tel:(020)31129899/31129985 Fax:(020)31068748
E-mail:gz.yezhu1@wxsanneng.com

Shanghai office
Tel:(021)54243166

Beijing Office
Tel:(010)87583935

Int'l Trade Section
Mainland China:Tel:(0510)83776693 Fax:(0510)83779142
E-mail:export@wxsanneng.com
Taiwan:Tel: 886-4-24925580 Fax:886-4-24922077
E-mail:sanneng.taiwan@msa.hinet.net

Domestic Mkt
Mob:13921280986 Fax:0510-83779142
E-mail:dzshanghai@wxsanneng.com

E-Commerce
Tel:(0510)83776651
E-mail:dzsw@wxsanneng.com

WECHAT CONTACT US

Our History

1982 — SanNeng Company was Established.

1984 — The development of alusteel baking tray due to iron tray was easy to rust.

1987 — In order to comply the Food Safety, SanNeng had launched alu-alloy baking tray and other products with anodized treatment.

1988 — The development of non-stick coating products such as baking tray, loaf pan, etc in order to save energy and protect the environmental.

2000 — SanNeng Wuxi was established.

2002 — R&D Center was established to improve the capabilities.

SanNeng Japan was established. After 4 years of strict experiences in Japanese market and been successfully sold 300.000 pieces of baking tray, SanNeng Bakeware Japan was established.

2010 — ·SanNeng's subsidiary, UNOPAN household brand was launched.
·SanNeng Taiwan Dali Factory was opened on 25th December 2013.

2013 — ·SanNeng Indonesia was established.
·Plastic injection department was established at Wuxi SanNeng and has passed the QS certification for food safety.

2014 — Surface Treatment Department was established at Wuxi SanNeng.

2016 — ·Launched the Low Sugar Healthy Toast Box, and ensure the quality of products also improve production efficiency. Which favored by the master in baking industry.
·6671 SanNeng Group was listed in Taiwan Stock Market with stock code 6671.

2017 — Established a representative office in Thailand.

2018 — ·SanNeng was successively obtained number of ISO Certification, including quality management, occupational health and safety management, and others system certifications, which increase the market competitiveness and SanNeng's brand value.
·The development of the new factory

2019 — ·Became the only baking appliance sponsorship of The First National Baking Competition event.
·Launched the new technology research and development of Alu-steel / Casting Aluminium Toast Box, which become the most popular mould in baking industry.
·Collaboration with Jiangsu Dad Sugar Catering Management Co., Ltd to successfully challenge the title of "The World's Largest Baking Course" in the Guinness Book Of World Record in Suzhou Magic Forest.

2020 — Won several Internal Awards, such as K (Korea) Design Award for SanNeng Dessert Spoon, and Golden Pin Design Award.

2021 — Became the supplier of the 46th WorldSkills Competition in Shanghai.

2022 — SANNENG OUTDOOR
Outdoor products brand established

2023 — PT, SANNENG ASIA NOUSTRY INDONESIA was established.

2024 — ·SANNENG Wins MUSE Design Awards 2025 Silver Prize
The Baking Instant Divider received international acclaim, earning the Silver Winner title at the MUSE Design Awards 2025.
·HACCP Food Safety Management System Certification
Since August 2025, SANNENG (WUXI) has fully implemented the advanced HACCP system across its production line and obtained authoritative certification in December 2025.

2025